



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
16/06/2021	EPL Point 7	1	Alkalinity (as CaCO3)	Quarterly	432	mg/L	NA	N	
16/06/2021	EPL Point 7	1	Ammonia	Quarterly	1.07	mg/L	NA	N	
16/06/2021	EPL Point 7	1	Calcium	Quarterly	134	mg/L	NA	N	
16/06/2021	EPL Point 7	1	Chloride	Quarterly	625	mg/L	NA	N	
16/06/2021	EPL Point 7	1	Conductivity	Quarterly	2880	µS/cm	NA	N	
16/06/2021	EPL Point 7	1	Iron	Quarterly	9.01	mg/L	NA	N	
16/06/2021	EPL Point 7	1	Magnesium	Quarterly	105	mg/L	NA	N	
16/06/2021	EPL Point 7	1	NOx (NO2 + NO3)	Quarterly	<0.01	mg/L	NA	N	
16/06/2021	EPL Point 7	1	pH	Quarterly	6.72	pH	NA	N	
16/06/2021	EPL Point 7	1	Potassium	Quarterly	20	mg/L	NA	N	
16/06/2021	EPL Point 7	1	Sodium	Quarterly	322	mg/L	NA	N	
16/06/2021	EPL Point 7	1	Standing water level (SWL)	Quarterly	NA	mAHD	NA	N	
16/06/2021	EPL Point 7	1	Sulfate	Quarterly	231	mg/L	NA	N	
16/06/2021	EPL Point 7	1	TDS	Quarterly	1800	mg/L	NA	N	
16/06/2021	EPL Point 7	1	TOC	Quarterly	8	mg/L	NA	N	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
16/06/2021	EPL Point 8	1	Alkalinity (as CaCO ₃)	Quarterly	2280	mg/L	NA	N	
16/06/2021	EPL Point 8	1	Ammonia	Quarterly	75	mg/L	NA	N	
16/06/2021	EPL Point 8	1	Calcium	Quarterly	111	mg/L	NA	N	
16/06/2021	EPL Point 8	1	Chloride	Quarterly	616	mg/L	NA	N	
16/06/2021	EPL Point 8	1	Conductivity	Quarterly	5100	µS/cm	NA	N	
16/06/2021	EPL Point 8	1	Iron	Quarterly	30.9	mg/L	NA	N	
16/06/2021	EPL Point 8	1	Magnesium	Quarterly	237	mg/L	NA	N	
16/06/2021	EPL Point 8	1	NOx (NO ₂ + NO ₃)	Quarterly	<0.10	mg/L	NA	N	
16/06/2021	EPL Point 8	1	pH	Quarterly	6.71	pH	NA	N	
16/06/2021	EPL Point 8	1	Potassium	Quarterly	42	mg/L	NA	N	
16/06/2021	EPL Point 8	1	Sodium	Quarterly	683	mg/L	NA	N	
16/06/2021	EPL Point 8	1	Standing water level (SWL)	Quarterly		mAHD	NA	N	
16/06/2021	EPL Point 8	1	Sulfate	Quarterly	<1	mg/L	NA	N	
16/06/2021	EPL Point 8	1	TDS	Quarterly	3150	mg/L	NA	N	
16/06/2021	EPL Point 8	1	TOC	Quarterly	327	mg/L	NA	N	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
16/06/2021	EPL Point 9	1	Alkalinity (as CaCO ₃)	Quarterly	2530	mg/L	NA	N	
16/06/2021	EPL Point 9	1	Ammonia	Quarterly	81.1	mg/L	NA	N	
16/06/2021	EPL Point 9	1	Calcium	Quarterly	213	mg/L	NA	N	
16/06/2021	EPL Point 9	1	Chloride	Quarterly	592	mg/L	NA	N	
16/06/2021	EPL Point 9	1	Conductivity	Quarterly	5340	µS/cm	NA	N	
16/06/2021	EPL Point 9	1	Iron	Quarterly	10.9	mg/L	NA	N	
16/06/2021	EPL Point 9	1	Magnesium	Quarterly	204	mg/L	NA	N	
16/06/2021	EPL Point 9	1	NOx (NO ₂ + NO ₃)	Quarterly	<0.10	mg/L	NA	N	
16/06/2021	EPL Point 9	1	pH	Quarterly	7.01	pH	NA	N	
16/06/2021	EPL Point 9	1	Potassium	Quarterly	53	mg/L	NA	N	
16/06/2021	EPL Point 9	1	Sodium	Quarterly	724	mg/L	NA	N	
16/06/2021	EPL Point 9	1	Standing water level (SWL)	Quarterly		mAHD	NA	N	
16/06/2021	EPL Point 9	1	Sulfate	Quarterly	<1	mg/L	NA	N	
16/06/2021	EPL Point 9	1	TDS	Quarterly	3420	mg/L	NA	N	
16/06/2021	EPL Point 9	1	TOC	Quarterly	206	mg/L	NA	N	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
15/06/2021	EPL Point 11	4	Alkalinity (as CaCO3)	Quarterly	893	mg/L	NA	NA	
15/06/2021	EPL Point 11	4	Ammonia	Quarterly	0.59	mg/L	NA	NA	
15/06/2021	EPL Point 11	4	Calcium	Quarterly	359	mg/L	NA	NA	
15/06/2021	EPL Point 11	4	Chloride	Quarterly	1310	mg/L	NA	NA	
15/06/2021	EPL Point 11	4	Conductivity	Quarterly	9260	µS/cm	NA	NA	
15/06/2021	EPL Point 11	4	Iron	Quarterly	1.2	mg/L	NA	NA	
15/06/2021	EPL Point 11	4	Magnesium	Quarterly	430	mg/L	NA	NA	
15/06/2021	EPL Point 11	4	NOx (NO2 + NO3)	Quarterly	<0.01	mg/L	NA	NA	
15/06/2021	EPL Point 11	4	pH	Quarterly	6.78	pH	NA	NA	
15/06/2021	EPL Point 11	4	Potassium	Quarterly	32	mg/L	NA	NA	
15/06/2021	EPL Point 11	4	Sodium	Quarterly	1510	mg/L	NA	NA	
15/06/2021	EPL Point 11	4	Standing water level (SWL)	Quarterly		mAHD	NA	NA	
15/06/2021	EPL Point 11	4	Sulfate	Quarterly	2920	mg/L	NA	NA	
15/06/2021	EPL Point 11	4	TDS	Quarterly	7520	mg/L	NA	NA	
15/06/2021	EPL Point 11	4	TOC	Quarterly	<1	mg/L	NA	NA	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
16/06/2021	EPL Point 12	1	Alkalinity (as CaCO3)	Quarterly	71	mg/L	NA	N	
16/06/2021	EPL Point 12	1	Ammonia	Quarterly	0.41	mg/L	NA	N	
16/06/2021	EPL Point 12	1	Calcium	Quarterly	476	mg/L	NA	N	
16/06/2021	EPL Point 12	1	Chloride	Quarterly	2980	mg/L	NA	N	
16/06/2021	EPL Point 12	1	Conductivity	Quarterly	16700	µS/cm	NA	N	
16/06/2021	EPL Point 12	1	Iron	Quarterly	35.5	mg/L	NA	N	
16/06/2021	EPL Point 12	1	Magnesium	Quarterly	1010	mg/L	NA	N	
16/06/2021	EPL Point 12	1	NOx (NO2 + NO3)	Quarterly	0.02	mg/L	NA	N	
16/06/2021	EPL Point 12	1	pH	Quarterly	5.31	pH	NA	N	
16/06/2021	EPL Point 12	1	Potassium	Quarterly	58	mg/L	NA	N	
16/06/2021	EPL Point 12	1	Sodium	Quarterly	2400	mg/L	NA	N	
16/06/2021	EPL Point 12	1	Standing water level (SWL)	Quarterly		mAHD	NA	N	Well Survey Data Unknown
16/06/2021	EPL Point 12	1	Sulfate	Quarterly	5840	mg/L	NA	N	
16/06/2021	EPL Point 12	1	TDS	Quarterly	15100	mg/L	NA	N	
16/06/2021	EPL Point 12	1	TOC	Quarterly	<1	mg/L	NA	N	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
15/06/2021	EPL Point 14	1	Alkalinity (as CaCO ₃)	Quarterly	397	mg/L	NA	N	
15/06/2021	EPL Point 14	1	Ammonia	Quarterly	0.16	mg/L	NA	N	
15/06/2021	EPL Point 14	1	Calcium	Quarterly	63	mg/L	NA	N	
15/06/2021	EPL Point 14	1	Chloride	Quarterly	110	mg/L	NA	N	
15/06/2021	EPL Point 14	1	Conductivity	Quarterly	1310	µS/cm	NA	N	
15/06/2021	EPL Point 14	1	Iron	Quarterly	0.26	mg/L	NA	N	
15/06/2021	EPL Point 14	1	Magnesium	Quarterly	44	mg/L	NA	N	
15/06/2021	EPL Point 14	1	NO _x (NO ₂ + NO ₃)	Quarterly	<0.01	mg/L	NA	N	
15/06/2021	EPL Point 14	1	pH	Quarterly	6.71	pH	NA	N	
15/06/2021	EPL Point 14	1	Potassium	Quarterly	14	mg/L	NA	N	
15/06/2021	EPL Point 14	1	Sodium	Quarterly	179	mg/L	NA	N	
15/06/2021	EPL Point 14	1	Standing water level (SWL)	Quarterly		mAHD	NA	N	
15/06/2021	EPL Point 14	1	Sulfate	Quarterly	187	mg/L	NA	N	
15/06/2021	EPL Point 14	1	TDS	Quarterly	850	mg/L	NA	N	
15/06/2021	EPL Point 14	1	TOC	Quarterly	13	mg/L	NA	N	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
15/06/2021	EPL Point 18	1	Alkalinity (as CaCO ₃)	Quarterly	862	mg/L	NA	N	
15/06/2021	EPL Point 18	1	Ammonia	Quarterly	0.66	mg/L	NA	N	
15/06/2021	EPL Point 18	1	Calcium	Quarterly	348	mg/L	NA	N	
15/06/2021	EPL Point 18	1	Chloride	Quarterly	1410	mg/L	NA	N	
15/06/2021	EPL Point 18	1	Conductivity	Quarterly	9640	µS/cm	NA	N	
15/06/2021	EPL Point 18	1	Iron	Quarterly	3.91	mg/L	NA	N	
15/06/2021	EPL Point 18	1	Magnesium	Quarterly	446	mg/L	NA	N	
15/06/2021	EPL Point 18	1	NOx (NO ₂ + NO ₃)	Quarterly	<0.01	mg/L	NA	N	
15/06/2021	EPL Point 18	1	pH	Quarterly	6.73	pH	NA	N	
15/06/2021	EPL Point 18	1	Potassium	Quarterly	31	mg/L	NA	N	
15/06/2021	EPL Point 18	1	Sodium	Quarterly	1570	mg/L	NA	N	
15/06/2021	EPL Point 18	1	Standing water level (SWL)	Quarterly		mAHD	NA	N	
15/06/2021	EPL Point 18	1	Sulfate	Quarterly	2990	mg/L	NA	N	
15/06/2021	EPL Point 18	1	TDS	Quarterly	8010	mg/L	NA	N	
15/06/2021	EPL Point 18	1	TOC	Quarterly	<1	mg/L	NA	N	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
15/06/2021	EPL Point 19	1	Alkalinity (as CaCO ₃)	Quarterly	2660	mg/L	NA	N	
15/06/2021	EPL Point 19	1	Ammonia	Quarterly	93.4	mg/L	NA	N	
15/06/2021	EPL Point 19	1	Calcium	Quarterly	146	mg/L	NA	N	
15/06/2021	EPL Point 19	1	Chloride	Quarterly	95	mg/L	NA	N	
15/06/2021	EPL Point 19	1	Conductivity	Quarterly	7620	µS/cm	NA	N	
15/06/2021	EPL Point 19	1	Iron	Quarterly	2.74	mg/L	NA	N	
15/06/2021	EPL Point 19	1	Magnesium	Quarterly	222	mg/L	NA	N	
15/06/2021	EPL Point 19	1	NOx (NO ₂ + NO ₃)	Quarterly	<0.01	mg/L	NA	N	
15/06/2021	EPL Point 19	1	pH	Quarterly	7.11	pH	NA	N	
15/06/2021	EPL Point 19	1	Potassium	Quarterly	43	mg/L	NA	N	
15/06/2021	EPL Point 19	1	Sodium	Quarterly	1390	mg/L	NA	N	
15/06/2021	EPL Point 19	1	Standing water level (SWL)	Quarterly	-7.832	mAHD	NA	N	
15/06/2021	EPL Point 19	1	Sulfate	Quarterly	73	mg/L	NA	N	
15/06/2021	EPL Point 19	1	TDS	Quarterly	5460	mg/L	NA	N	
15/06/2021	EPL Point 19	1	TOC	Quarterly	14	mg/L	NA	N	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
15/06/2021	EPL Point 20	1	Alkalinity (as CaCO ₃)	Quarterly	839	mg/L	NA	N	
15/06/2021	EPL Point 20	1	Ammonia	Quarterly	0.37	mg/L	NA	N	
15/06/2021	EPL Point 20	1	Calcium	Quarterly	963	mg/L	NA	N	
15/06/2021	EPL Point 20	1	Chloride	Quarterly	5450	mg/L	NA	N	
15/06/2021	EPL Point 20	1	Conductivity	Quarterly	19400	µS/cm	NA	N	
15/06/2021	EPL Point 20	1	Iron	Quarterly	10.4	mg/L	NA	N	
15/06/2021	EPL Point 20	1	Magnesium	Quarterly	843	mg/L	NA	N	
15/06/2021	EPL Point 20	1	NOx (NO ₂ + NO ₃)	Quarterly	<0.01	mg/L	NA	N	
15/06/2021	EPL Point 20	1	pH	Quarterly	6.58	pH	NA	N	
15/06/2021	EPL Point 20	1	Potassium	Quarterly	24	mg/L	NA	N	
15/06/2021	EPL Point 20	1	Sodium	Quarterly	2480	mg/L	NA	N	
15/06/2021	EPL Point 20	1	Standing water level (SWL)	Quarterly		mAHD	NA	N	
15/06/2021	EPL Point 20	1	Sulfate	Quarterly	3420	mg/L	NA	N	
15/06/2021	EPL Point 20	1	TDS	Quarterly	15400	mg/L	NA	N	
15/06/2021	EPL Point 20	1	TOC	Quarterly	25	mg/L	NA	N	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
15/06/2021	EPL Point 21	1	Alkalinity (as CaCO ₃)	Quarterly	827	mg/L	NA	N	
15/06/2021	EPL Point 21	1	Ammonia	Quarterly	0.2	mg/L	NA	N	
15/06/2021	EPL Point 21	1	Calcium	Quarterly	944	mg/L	NA	N	
15/06/2021	EPL Point 21	1	Chloride	Quarterly	5450	mg/L	NA	N	
15/06/2021	EPL Point 21	1	Conductivity	Quarterly	19600	µS/cm	NA	N	
15/06/2021	EPL Point 21	1	Iron	Quarterly	11.1	mg/L	NA	N	
15/06/2021	EPL Point 21	1	Magnesium	Quarterly	894	mg/L	NA	N	
15/06/2021	EPL Point 21	1	NOx (NO ₂ + NO ₃)	Quarterly	<0.01	mg/L	NA	N	
15/06/2021	EPL Point 21	1	pH	Quarterly	6.48	pH	NA	N	
15/06/2021	EPL Point 21	1	Potassium	Quarterly	24	mg/L	NA	N	
15/06/2021	EPL Point 21	1	Sodium	Quarterly	2720	mg/L	NA	N	
15/06/2021	EPL Point 21	1	Standing water level (SWL)	Quarterly		mAHD	NA	N	
15/06/2021	EPL Point 21	1	Sulfate	Quarterly	3460	mg/L	NA	N	
15/06/2021	EPL Point 21	1	TDS	Quarterly	15600	mg/L	NA	N	
15/06/2021	EPL Point 21	1	TOC	Quarterly	<1	mg/L	NA	N	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
15/06/2021	EPL Point 27	1	Alkalinity (as CaCO ₃)	Quarterly	728	mg/L	NA	N	
15/06/2021	EPL Point 27	1	Ammonia	Quarterly	<0.01	mg/L	NA	N	
15/06/2021	EPL Point 27	1	Calcium	Quarterly	60	mg/L	NA	N	
15/06/2021	EPL Point 27	1	Chloride	Quarterly	1630	mg/L	NA	N	
15/06/2021	EPL Point 27	1	Conductivity	Quarterly	6870	µS/cm	NA	N	
15/06/2021	EPL Point 27	1	Iron	Quarterly	<0.05	mg/L	NA	N	
15/06/2021	EPL Point 27	1	Magnesium	Quarterly	150	mg/L	NA	N	
15/06/2021	EPL Point 27	1	NOx (NO ₂ + NO ₃)	Quarterly	0.4	mg/L	NA	N	
15/06/2021	EPL Point 27	1	pH	Quarterly	6.73	pH	NA	N	
15/06/2021	EPL Point 27	1	Potassium	Quarterly	27	mg/L	NA	N	
15/06/2021	EPL Point 27	1	Sodium	Quarterly	1250	mg/L	NA	N	
15/06/2021	EPL Point 27	1	Standing water level (SWL)	Quarterly		mAHD	NA	N	
15/06/2021	EPL Point 27	1	Sulfate	Quarterly	249	mg/L	NA	N	
15/06/2021	EPL Point 27	1	TDS	Quarterly	4080	mg/L	NA	N	
15/06/2021	EPL Point 27	1	TOC	Quarterly	31	mg/L	NA	N	



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number: EPL 7628

Licensee Name:

Suez

Facility Address:

Newline Road Landfill
330 Newline Road
Raymond Terrace, NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of SUEZ's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from SUEZ. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register
<http://www.epa.nsw.gov.au/prpoeoapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
16/06/2021	EPL Point 28	1	Alkalinity (as CaCO ₃)	Quarterly	386	mg/L	NA	N	
16/06/2021	EPL Point 28	1	Ammonia	Quarterly	0.08	mg/L	NA	N	
16/06/2021	EPL Point 28	1	Calcium	Quarterly	116	mg/L	NA	N	
16/06/2021	EPL Point 28	1	Chloride	Quarterly	280	mg/L	NA	N	
16/06/2021	EPL Point 28	1	Conductivity	Quarterly	3110	µS/cm	NA	N	
16/06/2021	EPL Point 28	1	Iron	Quarterly	0.89	mg/L	NA	N	
16/06/2021	EPL Point 28	1	Magnesium	Quarterly	111	mg/L	NA	N	
16/06/2021	EPL Point 28	1	NOx (NO ₂ + NO ₃)	Quarterly	<0.01	mg/L	NA	N	
16/06/2021	EPL Point 28	1	pH	Quarterly	6.35	pH	NA	N	
16/06/2021	EPL Point 28	1	Potassium	Quarterly	17	mg/L	NA	N	
16/06/2021	EPL Point 28	1	Sodium	Quarterly	449	mg/L	NA	N	
16/06/2021	EPL Point 28	1	Standing water level (SWL)	Quarterly		mAHD	NA	N	
16/06/2021	EPL Point 28	1	Sulfate	Quarterly	799	mg/L	NA	N	
16/06/2021	EPL Point 28	1	TDS	Quarterly	2530	mg/L	NA	N	
16/06/2021	EPL Point 28	1	TOC	Quarterly	24	mg/L	NA	N	