Annual Truck Noise Measurements

Clyde Transfer Terminal

October 2022

Annual Truck Noise Measurements

Quality Information

Completed by:	 Anae Ressos *Environmental Coordinator - NSW Environment*
Authorised by:	 Rod Jones *Clyde/Greenacre Facility Manager*

Address	Veolia Australia & New Zealand Corner Unwin and Shirley Streets, Rosehill, NSW, 2142
Date	October 2022
Reference:	CTT_TRUCK_0422
Status:	**FINAL**

Rev No.	Details	Issued to	Date
0	Draft	Veolia (internal QA)	March 2022
1	Final	Veolia (internal QA)	March 2022

This page intentionally left blank

Contents

Quality Information **3**
Contents 5

List of Figures 5
List of Tables 5

Introduction **6**

Noise Limit Criteria **7**
Table 1: LAmax Noise Limits (dBA) – ADR 28/01 7

Measurement Methodology **8**

Noise Measurement Results **9**

Discussion **10**
Table 2: NB class vehicle noise measurements 10

Conclusions **11**

References **12**

Appendices **13**
Appendix A - Truck Noise Monitoring Location 13
Appendix B - Sound Level Meter Calibration Certificate 14
Appendix C - Weighbridge Record 15
Appendix D - Truck Noise Measurement Results 16

List of Figures

Figure 1: Noise level distribution from Truck Noise Monitoring – 24th of November 2021 9

List of Tables

Table 1: LAmax Noise Limits (dBA) – ADR 28/01 7
Table 2: NB class vehicle noise measurements 10

Introduction

The Clyde Transfer Terminal was issued with Conditions of Development Consent (Conditions) by the Department of Planning, Industry and Environment (DPIE) formerly known as the Department of Planning, which are attached to the Development Consent. The Conditions include a requirement to assess heavy vehicle noise limits specified in Australian Design Rule 28/01 (ADR 28/01).

The requirements of Condition 112 are as follows:

The Applicant shall implement a Heavy Vehicle Noise Monitoring Management Program for the development to the satisfaction of the Director-General. This program must:

(a) monitor heavy vehicle noise on site, in accordance with the methods outlined in the "Truck Noise Monitoring – Proposed Test and Management Plan" prepared by Heggies and dated 26 May 2008;
(b) be undertaken quarterly for a year starting in October 2008, and annually thereafter, unless otherwise agreed by the Director-General;
(c) measure at least 25% of the heavy vehicles visiting the site;
(d) identify heavy vehicles exceeding the relevant noise criteria specified in the Australian Design Rule 28/01, or its successor, and ensure that the owners of these subsequently comply with the relevant noise criteria;
(e) report the number of non-compliant heavy vehicles identified and the actions undertaken to address these non-compliances in the Annual Environmental Monitoring Report; and
(f) be amended, should the monitoring activities not achieve the aim of the program to the satisfaction of the Director-General.

This Annual Truck Noise Measurements report (the Report) presents the results of the sixteenth round of heavy vehicle noise monitoring at the Terminal. Monitoring was completed by Veolia on the 4th of October 2022 between 10:33 AM and 2:49 PM, in accordance with the Proposed Test Management Plan (PTMP) developed by Heggies. This is the thirteenth sampling event and report prepared by Veolia under Condition 112 since resuming the responsibility of monitoring from Heggies.

Noise Limit Criteria

The noise limit criteria for maximum allowable noise levels for Goods Vehicles described in the PTMP (2008) are provided in Table 1 below.

Table 1: LAmax Noise Limits (dBA) – ADR 28/01

Vehicle Category Code	Vehicle Type	Vehicles In Motion	Stationary Vehicles			
		Direct Injection & Spark Ignition Diesel Engines	Spark Ignition Engines Exhaust Outlet Height		Direct Injection Engines Exhaust Outlet Height	
			<1500mm	≤1500mm	<1500mm	≤1500mm
NA	Light Goods Vehicles GVM ≤3.5t on road use	78 to 80	89	85	99	95
NB	Medium Goods Vehicles GVM >3.5t ≤12t on road use	81 to 84	95	91	101	97
NC	Heavy Goods Vehicles GVM >12t on road use	81 to 87	95	91	103	99

Note: For vehicles in motion test, LAmax noise limits are based on the Gross Vehicle Mass (GVM) and the Nett Engine Power (NEP). The noise limits in the table are expressed as a range where the lower noise level refers to the minimum GVM and NEP in each category and the upper noise level refers to the maximum GVM and NEP in each category.

Waste collection trucks entering the Terminal are loaded vehicles with a Gross Vehicle Mass (GVM) over 12 tonnes, based on tare weights of incoming vehicles on the site weighbridge. Hence, for the purpose of conducting a vehicle noise assessment at the Terminal, Vehicle Category Code “NC”, for heavy goods vehicles with a GVM of 12 tonnes or more on the road, a Net Engine Power (NEP) of greater than 150 kilowatts (kW) has been applied. The upper limit (87dBA) of the NC range provided in Table 1 will be used to assess truck noise measurements. This is consistent with the assessment criteria applied by Heggies in previous monitoring rounds.

Measurement Methodology

The monitoring location from which the truck noise was measured was consistent with previous monitoring rounds conducted by Veolia and Heggies. Measurements were taken at a distance of 7.5 metres from the centre of the vehicle travel path and a height of 1.2 metres above the vehicle entrance ramp from the weighbridge to the Terminal building, which was the test site surface. Trucks accelerating at this location, which is shown in **Appendix A**, were measured where the vehicle was accelerating in line with the microphone of the sound level meter. For further information regarding measurement location and methodology refer to the PTMP prepared by Heggies (Heggies, 2008).

Measurements were taken with a TSI Quest SoundPro Series SE/DL Sound Level Meter, using an A-weighted (LA) filter network and fast response time constant as required under ADR 28/01. The (LA) filter ensured that the sound level meter was less sensitive to very high and very low frequencies which would be outside the range of noise emitted by the heavy vehicles entering and exiting the Terminal, while the fast response time constant enabled a more accurate reading of noise from each vehicle movement. Calibration of the Sound Level Meter was completed by AirMet Scientific prior to monitoring. Refer to **Appendix B** for calibration certificate.

For each truck movement a LA maximum noise level measurement was recorded. Additional information on each truck movement was noted (where possible) to assist in identification of trucks exceeding noise criteria, including:

- Company;
- Vehicle Make and Type;
- Registration; and
- Exhaust Location.

The collected data was cross referenced with the Terminal's weighbridge records for vehicles entering the facility on 4 October 2022, a copy of which is provided in **Appendix C**, to identify trucks measured during this sampling period and to calculate the percentage of trucks sampled.

Noise Measurement Results

A total of 69 truck movements were recorded entering the Terminal and a measurement for each vehicle movement past the monitoring location was taken as the trucks accelerated on the entrance ramp. Two (2) of these measurements were under impeded traffic conditions causing distorted noise emissions, caused by queuing of waste trucks waiting to enter the Terminal building during busy periods or idling of engines past the testing zone. Impeded traffic conditions affected the representative quality of the noise measurements. The measured sound levels of each pass-by event were recorded on field sheets, which have been tabulated in **Appendix D**.

A total measurement of 27% of all truck movements (255) was achieved during this monitoring round, which satisfies the minimum requirements of Condition 112 (25% of daily truck movements). **Figure 1** presents the distribution of recorded sound level frequencies which were measured in A-weighted decibels (dBA).

Measurements of 'normal' truck acceleration ranged from 67.2dBA to 81.8dBA with the highest frequency occurring between 76 - 78dBA. Impaired acceleration readings due to the impeded traffic conditions ranged from 69dBA to 79dBA, with the highest frequency occurring between 73-74dBA. Impaired acceleration readings were plotted separately from the normal accelerating vehicles on Figure 1.



Figure 1: Noise level distribution from Truck Noise Monitoring – 4th of October 2022

Discussion

Comparison of the heavy vehicle noise measurement results against the limits specified in ADR 28/01 (refer to Table 1) indicates that all trucks entering the Terminal in this monitoring round were within the acceptable noise criteria for the NC category vehicles (<87dBA).

Four smaller waste vehicles (ranging from approximately 6 – 11 tonnes when loaded) were observed entering the facility during this monitoring event. For the purpose of this assessment it is considered that these vehicles would fall within the NB category with a noise limit of 84dBA. All noise emitted from vehicles assigned to this category was measured below this threshold as indicated in **Table 3**.

Table 2: NB class vehicle noise measurements

Time	Company	Make	Registration	L_A Max (dBA)	Impeded Movement
10:39	Ku-ring-gai Council	Mitsubishi	CN92MI	71	N
10:46	Ku-ring-gai Council	Unknown	CN75MI	72.8	N
12:03	Leichhardt Municipal Council	Hino	CO41MK	72.4	N
13:26	Hunter's Hill Council	Unknown	XN02SU	67.2	N

Noise from the Terminal's operations such as plant noise (forklift, compactor, front end loader and road sweeper) and surrounding areas (Parramatta Road, train tracks) were not significant enough to influence waste truck noise measurements at this location. The noise wall located adjacent to the exit ramp, on the North-western boundary of the Terminal, also assisted in focusing noise measurements on truck movements into the facility by limiting interference noise sources.

No noise complaints pertaining to the Terminal's operations were received between the annual truck noise monitoring rounds. This indicates that noise impacts from waste truck movements at the Terminal boundary are within the Terminal and surrounding area background noise levels.

Conclusions

Truck noise monitoring was conducted on the 4th of October 2022 between 10:33 AM and 2:49 PM. The results indicated:

- Noise from 69 truck movements was measured;
- A total of 27% of truck movements were measured, which satisfies the minimum 25% requirement of Condition 112;
- All measured trucks were identified against weighbridge records to verify the accuracy of field data for reporting.
- All truck noise measurements were within the noise criteria of ADR 28/01 and hence did not exceed the trigger limits.
- Noise from the Terminal's operations was not significant enough to influence the truck noise assessment.
- No noise complaints pertaining to the Terminal's operations were received since the previous truck noise monitoring round.
- Truck noise impacts at the Terminal boundary are considered to be within background levels.

References

- ADR 28/01 Vehicle Standard Australian Design Rule 28/01 – External Noise of Motor Vehicles), 2006. Federal Register of Legislative Instruments F2006L01279. Australian Government.

- PTMP (2008) Clyde Waste Transfer Facility – Truck Noise Monitoring Proposed Test and Management Plan, 2008. Heggies Pty Ltd.

Appendices

Appendix A - Truck Noise Monitoring Location

Truck Noise Monitoring Location





Appendix B - Sound Level Meter Calibration Certificate

Sound Level Meter

Instrument Sound Pro
Serial No. BJK110022

Air-Met Scientific Pty Ltd
1300 137 067

Item	Test	Pass	Comments
Battery	Charge Condition	✓	
	Battery Holder	✓	
	Alkaline Battery	✓	
	Cover	✓	
	Output	✓	
Switch/Keypad	Operation	✓	
Display	Intensity	✓	
	Operation	✓	
Microphone	Type	✓	
	Socket	✓	
	Plug	✓	
PCB	Condition	✓	
Calibrator	Condition	✓	
	Battery Holder	✓	
	IVAC Output	✓	
	Frequency	✓	
A Weighting	Operation	✓	
C Weighting	Operation	✓	
Software	Version		
Datalogger	Operation	✓	
Download	Operation	✓	
Other Tests			

Certificate of Calibration

This is to certify that the above instrument has been calibrated to the following specifications:

Frequency	Db	Volts AC	Certified	Calibration Equipment	Instrument Reading Before	After
1Khz	114dB	1 Vac	Airmet	QIE110231	114.2dB	114dB

Calibrated by: **Evan Weller**

Calibration date: **4/10/2022**

Next calibration due: **2/04/2023**

Appendix C - Weighbridge Record

Docket ID	Rego No	Waste Type	Cust_MatNo	Trans Date	Time In	TimeOut	Trn Status	BPName	UOM	Quantity	Cub_Mtr	Cost	GST	NetAmount	Addl_Amt	Exemption	Deeming	VehicleCode	PO	EPA	Comments	GrossWt	TareWt	Last_Changed_By
12191427016	XN14TR	CIP		04/10/2022	0:30	0:41	POSTED	Cleanaway Pty L	TO	8.86	0	2830.77	283.08	3113.85	0		NO					25.14	16.28	VEOLIAES\oshaffa : ANSCLDPWS
12191427017	XN42CY	CIP	302CTTRL..	04/10/2022	0:41	0:54	POSTED	Enfield RearLift	TO	6.5	0	1905.15	0	1905.15	0		NO					19.58	13.08	VEOLIAES\oshaffa : ANSCLDPWS
12191427018	XN88CB	CIP		04/10/2022	0:42	0:50	POSTED	SUEZ Recycling	TO	5.44	0	1594.46	159.45	1753.91	0		NO					23	17.56	VEOLIAES\oshaffa : ANSCLDPWS
12191427019	XO18EZ	CIP	302CTTFL.	04/10/2022	1:25	1:37	POSTED	Enfield FrontLift	TO	7.44	0	2180.66	0	2180.66	0		NO					25.26	17.82	VEOLIAES\oshaffa : ANSCLDPWS
12191427020	CE97KO	CIP		04/10/2022	1:39	1:46	POSTED	C & S Waste Ser	TO	4.4	0	1452	145.2	1597.2	0		NO					19.8	15.4	VEOLIAES\oshaffa : ANSCLDPWS
12191427021	XN78VZ	CIP		04/10/2022	1:41	2:01	POSTED	Suez Recycling &	TO	25.46	0	7462.33	746.23	8208.56	0		NO					49.06	23.6	VEOLIAES\oshaffa : ANSCLDPWS
12191427022	XO12KG	CIP	302CTTFL.	04/10/2022	1:47	1:53	POSTED	Enfield FrontLift	TO	6.52	0	1911.01	0	1911.01	0		NO					24.46	17.94	VEOLIAES\oshaffa : ANSCLDPWS
12191427023	CN26UW	CIP	302CTTBCOM	04/10/2022	1:49	1:56	POSTED	Enfield Bulk	TO	7.48	0	2192.39	0	2192.39	0		NO					23.1	15.62	VEOLIAES\oshaffa : ANSCLDPWS
12191427024	XN22HO	CIP	PEC	04/10/2022	2:01	2:11	POSTED	Global Renewabl	TO	10.6	0	1049.4	104.94	1154.34	0		NO					31.36	20.76	VEOLIAES\oshaffa : ANSCLDPWS
12191427025	AUSLFT	CIP		04/10/2022	2:09	2:23	POSTED	Aussie Skips Cor	TO	5.94	0	1882.98	188.3	2071.28	0		NO					22.12	16.18	VEOLIAES\oshaffa : ANSCLDPWS
12191427026	XN29RS	CIP		04/10/2022	2:10	2:29	POSTED	Suez Recycling &	TO	23.78	0	6969.92	696.99	7666.91	0		NO					47.72	23.94	VEOLIAES\oshaffa : ANSCLDPWS
12191427027	CN76MI	MSWP		04/10/2022	2:21	2:28	POSTED	Ku-ring-gai Coun	TO	1.96	0	482.71	48.27	530.98	0		NO					7.38	5.42	VEOLIAES\oshaffa : ANSCLDPWS
12191427028	CN81MI	MSWP		04/10/2022	2:29	2:34	POSTED	Ku-ring-gai Coun	TO	1.56	0	384.2	38.42	422.62	0		NO					6.92	5.36	VEOLIAES\oshaffa : ANSCLDPWS
12191427029	CN93MI	MSWP		04/10/2022	2:34	2:38	POSTED	Ku-ring-gai Coun	TO	2.42	0	596	59.6	655.6	0		NO					7.68	5.26	VEOLIAES\oshaffa : ANSCLDPWS
12191427030	CN84MI	MSWP		04/10/2022	2:36	2:40	POSTED	Ku-ring-gai Coun	TO	1.72	0	423.6	42.36	465.96	0		NO					7	5.28	VEOLIAES\oshaffa : ANSCLDPWS
12191427031	CJ77ZS	CIP		04/10/2022	2:41	2:47	POSTED	Capital City Was	TO	5.08	0	1549.4	154.94	1704.34	0		NO					13.64	8.56	VEOLIAES\oshaffa : ANSCLDPWS
12191427032	XO61KG	CIP		04/10/2022	2:47	3:05	POSTED	Suez Recycling &	TO	24.86	0	7286.47	728.65	8015.12	0		NO					48.34	23.48	VEOLIAES\oshaffa : ANSCLDPWS
12191427033	XN22HO	CIP	PEC	04/10/2022	3:07	3:16	POSTED	Global Renewabl	TO	11.72	0	1160.28	116.03	1276.31	0		NO					32.46	20.74	VEOLIAES\oshaffa : ANSCLDPWS
12191427034	CN75MI	MSWP		04/10/2022	3:08	3:15	POSTED	Ku-ring-gai Coun	TO	1.88	0	463.01	46.3	509.31	0		NO					7.14	5.26	VEOLIAES\oshaffa : ANSCLDPWS
12191427035	CM48JM	CIP		04/10/2022	3:17	3:39	POSTED	Suez Recycling &	TO	25.92	0	7597.15	759.72	8356.87	0		NO					49.68	23.76	VEOLIAES\oshaffa : ANSCLDPWS
12191427253	XO81HM	CIP		04/10/2022	3:18	3:23	POSTED	Sydney Waste Pt	TO	5.28	0	1663.2	166.32	1829.52	0		NO				V1 Voided Docke	18.08	12.8	VEOLIAES\sarmota : ANSCLDPW
12191427037	XN39HQ	MSWP		04/10/2022	3:24	3:29	POSTED	Canterbury-Bank	TO	3.16	0	756.09	75.61	831.7	0		NO					13.86	10.7	VEOLIAES\oshaffa : ANSCLDPWS
12191427038	CK55XQ	CIP		04/10/2022	3:30	3:38	POSTED	Wastefree (Aust)	TO	1.3	0	393.9	39.39	433.29	0		NO					11.62	10.32	VEOLIAES\oshaffa : ANSCLDPWS
12191427039	URM428	CIP		04/10/2022	3:48	3:55	POSTED	URM Environmer	TO	3.56	0	1085.8	108.58	1194.38	0		NO					18.18	14.62	VEOLIAES\oshaffa : ANSCLDPWS
12191427040	XN22OU	CIP		04/10/2022	3:51	3:57	POSTED	Grasshopper Em	TO	4.98	0	1518.9	151.89	1670.79	0		NO					14.32	9.34	VEOLIAES\oshaffa : ANSCLDPWS
12191427041	XO05IR	CIP		04/10/2022	3:55	4:02	POSTED	Quality Wire Pty	TO	1.8	0	567	56.7	623.7	0		NO					17.28	15.48	VEOLIAES\oshaffa : ANSCLDPWS
12191427042	XN79CC	CIP		04/10/2022	4:16	4:23	POSTED	Capital City Was	TO	0.88	0	268.4	26.84	295.24	0		NO					6.12	5.24	VEOLIAES\oshaffa : ANSCLDPWS
12191427043	XO27LF	CIP		04/10/2022	4:40	4:45	POSTED	Cleanaway Pty L	TO	5.24	0	1674.18	167.42	1841.6	0		NO					23.38	18.14	VEOLIAES\oshaffa : ANSCLDPWS
12191427044	XN26NX	CIP	302CTTFL.	04/10/2022	4:52	4:58	POSTED	Enfield FrontLift	TO	4.86	0	1424.47	0	1424.47	0		NO					22.44	17.58	VEOLIAES\oshaffa : ANSCLDPWS
12191427045	XN08PU	CIP		04/10/2022	4:54	5:02	POSTED	JJ Richards & Sc	TO	5.96	0	1817.8	181.78	1999.58	0		NO					22.92	16.96	VEOLIAES\oshaffa : ANSCLDPWS
12191427046	XN75LQ	CIP		04/10/2022	4:55	5:03	POSTED	SUEZ Recycling	TO	4.42	0	1295.5	129.55	1425.05	0		NO					21.22	16.8	VEOLIAES\oshaffa : ANSCLDPWS
12191427047	XN15BC	CIP	302CTTFL.	04/10/2022	4:56	5:09	POSTED	Enfield FrontLift	TO	6.86	0	2010.67	0	2010.67	0		NO					24.02	17.16	VEOLIAES\oshaffa : ANSCLDPWS
12191427048	4HOOKN	CIP		04/10/2022	4:59	5:07	POSTED	External Bulk - N	TO	4.36	0	0	0	0	0		NO				BASE HILL PLAZ JOB ID-7405990	11.66	7.3	VEOLIAES\oshaffa : ANSCLDPWS
12191427049	URM818	MSWP		04/10/2022	5:09	5:12	POSTED	Cumberland Cou	TO	9.3	0	2111.75	211.18	2322.93	0		NO					21.96	12.66	VEOLIAES\oshaffa : ANSCLDPWS
12191427050	XO42BP	CIP		04/10/2022	5:18	5:23	POSTED	Grasshopper Em	TO	5.54	0	1689.7	168.97	1858.67	0		NO					23.12	17.58	VEOLIAES\oshaffa : ANSCLDPWS
12191427051	XO12KG	CIP	302CTTFL.	04/10/2022	5:20	5:26	POSTED	Enfield FrontLift	TO	6.32	0	1852.39	0	1852.39	0		NO					24.34	18.02	VEOLIAES\oshaffa : ANSCLDPWS
12191427052	XN44IM	MSWP		04/10/2022	5:21	5:25	POSTED	Canterbury-Bank	TO	2.94	0	703.45	70.34	773.79	0		NO					13.58	10.64	VEOLIAES\oshaffa : ANSCLDPWS
12191427053	XO18EZ	CIP	302CTTFL.	04/10/2022	5:33	5:38	POSTED	Enfield FrontLift	TO	2.62	0	767.92	0	767.92	0		NO					20.48	17.86	VEOLIAES\oshaffa : ANSCLDPWS
12191427054	XN01UI	CIP		04/10/2022	5:36	5:42	POSTED	SUEZ Recycling	TO	5.46	0	1600.33	160.03	1760.36	0		NO					19.66	14.2	VEOLIAES\oshaffa : ANSCLDPWS
12191427055	XO93AE	CIP		04/10/2022	5:36	5:48	POSTED	JJ Richards & Sc	TO	8.3	0	2531.5	253.15	2784.65	0		NO					24.68	16.38	VEOLIAES\oshaffa : ANSCLDPWS
12191427056	XN45QT	MSWP		04/10/2022	5:46	5:55	POSTED	Burwood Council	TO	3.94	0	1090.51	109.05	1199.56	0		NO					18.74	14.8	VEOLIAES\oshaffa : ANSCLDPWS
12191427057	URM585	MSWP		04/10/2022	5:50	5:56	POSTED	Lane Cove Coun	TO	2.06	0	507.34	50.73	558.07	0		NO					7.98	5.92	VEOLIAES\oshaffa : ANSCLDPWS
12191427058	XO49FF	CIP		04/10/2022	5:51	5:57	POSTED	Capital City Was	TO	1.34	0	408.7	40.87	449.57	0		NO					5.96	4.62	VEOLIAES\oshaffa : ANSCLDPWS
12191427059	XO90KM	CIP		04/10/2022	5:53	5:58	POSTED	JJ Richards & Sc	TO	4.14	0	1262.7	126.27	1388.97	0		NO					18.48	14.34	VEOLIAES\oshaffa : ANSCLDPWS
12191427060	URM813	MSWP		04/10/2022	5:58	6:04	POSTED	Cumberland Cou	TO	7.74	0	1757.52	175.75	1933.27	0		NO					22.14	14.4	VEOLIAES\oshaffa : ANSCLDPWS
12191427061	XO94BW	CIP		04/10/2022	6:08	6:14	POSTED	URM Environmer	TO	2.44	0	744.2	74.42	818.62	0		NO					16.8	14.36	VEOLIAES\oshaffa : ANSCLDPWS
12191427062	XN72BC	MSWP		04/10/2022	6:11	6:15	POSTED	Canterbury-Bank	TO	8.78	0	2100.79	210.08	2310.87	0		NO					22.98	14.2	VEOLIAES\oshaffa : ANSCLDPWS
12191427063	XN01PJ	CIP		04/10/2022	6:17	6:21	POSTED	Capital City Was	TO	1.22	0	372.1	37.21	409.31	0		NO					5.66	4.44	VEOLIAES\oshaffa : ANSCLDPWS
12191427064	CJ31RX	MSWP		04/10/2022	6:18	6:24	POSTED	Fairfield City Cou	TO	2.28	0	660.08	66.01	726.09	0		NO					13.34	11.06	VEOLIAES\oshaffa : ANSCLDPWS
12191427065	URM814	MSWP		04/10/2022	6:21	6:25	POSTED	Cumberland Cou	TO	5.46	0	1239.8	123.98	1363.78	0		NO					18	12.54	VEOLIAES\oshaffa : ANSCLDPWS
12191427066	URM806	MSWP		04/10/2022	6:23	6:28	POSTED	Cumberland Cou	TO	10	0	2270.7	227.07	2497.77	0		NO					22.34	12.34	VEOLIAES\oshaffa : ANSCLDPWS
12191427067	XN83EV	MSWP		04/10/2022	6:24	6:27	POSTED	Cumberland Cou	TO	2.48	0	563.13	56.31	619.44	0		NO					9.44	6.96	VEOLIAES\oshaffa : ANSCLDPWS
12191427068	URM849	MSWP		04/10/2022	6:29	6:34	POSTED	Cumberland Cou	TO	3.18	0	722.08	72.21	794.29	0		NO					15.6	12.42	VEOLIAES\oshaffa : ANSCLDPWS
12191427069	XN32FK	CIP		04/10/2022	6:34	6:38	POSTED	JJ Richards & Sc	TO	7.46	0	2275.3	227.53	2502.83	0		NO					22.4	14.94	VEOLIAES\oshaffa : ANSCLDPWS
12191427070	CO41MK	MSWP		04/10/2022	6:47	6:51	POSTED	Leichhardt Munic	TO	3.66	0	1013.01	101.3	1114.31	0		NO					11.72	8.06	VEOLIAES\oshaffa : ANSCLDPWS
12191427071	XN44ML	MSWP		04/10/2022	6:49	6:54	POSTED	Canterbury-Bank	TO	9.62	0	2301.78	230.18	2531.96	0		NO					25.44	15.82	VEOLIAES\oshaffa : ANSCLDPWS
12191427072	XN23JX	MSWP		04/10/2022	6:52	6:57	POSTED	Canterbury-Bank	TO	5.06	0	1210.71	121.07	1331.78	0		NO					17.74	12.68	VEOLIAES\oshaffa : ANSCLDPWS
12191427073	URM678	MSWP		04/10/2022	7:00	7:03	POSTED	Cumberland Cou	TO	9.16	0	2079.96	208	2287.96	0		NO					21.78	12.62	VEOLIAES\jnelson : ANSCLDPWS
12191427074	XO55DB	CIP	302CTTFL.	04/10/2022	7:05	7:09	POSTED	Enfield FrontLift	TO	3.58	0	1049.3	0	1049.3	0		NO					21.34	17.76	VEOLIAES\jnelson : ANSCLDPWS
12191427075	AZ77RA	CIP	302CTTRL..	04/10/2022	7:06	7:11	POSTED	Enfield RearLift	TO	0.08	0	23.45	0	23.45	0		NO					11.88	11.8	VEOLIAES\jnelson : ANSCLDPWS
12191427176	XO38BZ	MSWP		04/10/2022	7:09	7:16	POSTED	Burwood Council	TO	7.7	0	2131.21	213.12	2344.33	0		NO				V9 Voided Docke	23.08	15.38	VEOLIAES\jnelson : ANSCLDPWS
12191427077	XN73YM	CIP		04/10/2022	7:10	7:15	POSTED	SUEZ Recycling	TO	2.9	0	849.99	85	934.99	0		NO					19.42	16.52	VEOLIAES\jnelson : ANSCLDPWS
12191427078	XN67LJ	CIP		04/10/2022	7:12	7:16	POSTED	Cleanaway Pty L	TO	7.94	0	2536.83	253.68	2790.51	0		NO					25.26	17.32	VEOLIAES\jnelson : ANSCLDPWS
12191427079	XN37IM	MSWP		04/10/2022	7:13	7:18	POSTED	Strathfield Munic	TO	5.4	0	1488.29	148.83	1637.12	0		NO					14.34	8.94	VEOLIAES\jnelson : ANSCLDPWS
12191427080	XN75MK	MSWP		04/10/2022	7:21	7:25	POSTED	City of Ryde	TO	8.26	0	2034.27	203.43	2237.7	0		NO					21.44	13.18	VEOLIAES\jnelson : ANSCLDPWS
12191427081	URM601	MSWP		04/10/2022	7:24	7:27	POSTED	Hunter's Hill Cou	TO	3.58	0	881.68	88.17	969.85	0		NO					16.04	12.46	VEOLIAES\jnelson : ANSCLDPWS
12191427082	CP23XA	CIP		04/10/2022	7:25	7:29	POSTED	JJ Richards & Sc	TO	6.88	0	2098.4	209.84	2308.24	0		NO					23.2	16.32	VEOLIAES\jnelson : ANSCLDPWS
12191427083	BL54KN	MSWP		04/10/2022	7:31	7:35	POSTED	Leichhardt Munic	TO	2.72	0	752.84	75.28	828.12	0		NO					10.3	7.58	VEOLIAES\jnelson : ANSCLDPWS
12191427084	XO52KY	MSWP	DOMESTIC	04/10/2022	7:40	7:47	POSTED	City of Canada B	TO	9.08	0	2615.04	261.5	2876.54	0		NO					22.74	13.66	VEOLIAES\jnelson : ANSCLDPWS
12191427085	XO86GD	MSWP		04/10/2022	7:46	7:50	POSTED	City of Ryde	TO	8.72	0	2147.56	214.76	2362.32	0		NO					21.98	13.26	VEOLIAES\jnelson : ANSCLDPWS
12191427086	URM819	MSWP		04/10/2022	7:47	7:52	POSTED	Hunter's Hill Cou	TO	3.98	0	980.19	98.02	1078.21	0		NO					16.9	12.92	VEOLIAES\jnelson : ANSCLDPWS
12191427087	XO28ID	CIP		04/10/2022	7:50	8:01	POSTED	SUEZ Recycling	TO	1.98	0	580.34	58.03	638.37	0		NO					18.82	16.84	VEOLIAES\jnelson : ANSCLDPWS
12191427088	XN26YU	MSWP		04/10/2022	7:55	7:59	POSTED	City of Ryde	TO	6.76	0	1664.85	166.48	1831.33	0		NO					19.9	13.14	VEOLIAES\jnelson : ANSCLDPWS
12191427089	URM842	MSWP		04/10/2022	7:59	8:03	POSTED	Cumberland Cou	TO	7.1	0	1612.2	161.22	1773.42	0		NO					19.98	12.88	VEOLIAES\jnelson : ANSCLDPWS
12191427090	XO83GB	MSWP		04/10/2022	8:01	8:05	POSTED	Burwood Council	TO	7.64	0	2114.6	211.46	2326.06	0		NO					20.12	12.48	VEOLIAES\jnelson : ANSCLDPWS
12191427091	CP19KQ	MSWP		04/10/2022	8:03	8:08	POSTED	Ku-ring-gai Coun	TO	2.16	0	531.96	53.2	585.16	0		NO					15.4	13.24	VEOLIAES\jnelson : ANSCLDPWS
12191427092	XO82GB	MSWP		04/10/2022	8:06	8:10	POSTED	Burwood Council	TO	7.12	0	1970.67	197.07	2167.74	0		NO					19.68	12.56	VEOLIAES\jnelson : ANSCLDPWS
12191427093	CQ49QR	CIP	302CTTRL..	04/10/2022	8:08	8:15	POSTED	Enfield RearLift	TO	2.88	0	844.13	0	844.13	0		NO					12.52	9.64	VEOLIAES\jnelson : ANSCLDPWS
12191427094	URM848	MSWP		04/10/2022	8:08	8:11	POSTED	Cumberland Cou	TO	9.56	0	2170.79	217.08	2387.87	0		NO					22.38	12.82	VEOLIAES\jnelson : ANSCLDPWS
12191427095	XO92AH	MSWP		04/10/2022	8:10	8:16	POSTED	City of Ryde	TO	6.74	0	1659.93	165.99	1825.92	0		NO					21.86	15.12	VEOLIAES\jnelson : ANSCLDPWS

12191427096	CK29XA	CIP		04/10/2022	8:10	8:15	POSTED	JJ Richards & Sc	TO	6.16	0	1878.8	187.88	2066.68	0	NO					21.04	14.88	VEOLIAES\jnelson : ANSCLDPWS
12191427097	CP70DL	MSWP		04/10/2022	8:12	8:16	POSTED	Strathfield Munici	TO	6.18	0	1703.27	170.33	1873.6	0	NO					18.6	12.42	VEOLIAES\jnelson : ANSCLDPWS
12191427098	XN72BC	MSWP		04/10/2022	8:12	8:17	POSTED	Canterbury-Bank	TO	6.56	0	1569.61	156.96	1726.57	0	NO					20.74	14.18	VEOLIAES\jnelson : ANSCLDPWS
12191427099	XN72ZW	CIP		04/10/2022	8:20	8:26	POSTED	Grasshopper Env	TO	2.84	0	866.2	86.62	952.82	0	NO				360917.1	16.06	13.22	VEOLIAES\jnelson : ANSCLDPWS
12191427100	URM585	MSWP		04/10/2022	8:23	8:27	POSTED	Lane Cove Coun	TO	1.1	0	270.91	27.09	298	0	NO					7	5.9	VEOLIAES\jnelson : ANSCLDPWS
12191427101	URM813	MSWP		04/10/2022	8:27	8:32	POSTED	Cumberland Cou	TO	7.26	0	1648.53	164.85	1813.38	0	NO					21.66	14.4	VEOLIAES\jnelson : ANSCLDPWS
12191427102	XQ81GB	MSWP		04/10/2022	8:29	8:33	POSTED	Burwood Council	TO	7.9	0	2186.56	218.66	2405.22	0	NO					20.44	12.54	VEOLIAES\jnelson : ANSCLDPWS
12191427103	URM818	MSWP		04/10/2022	8:32	8:36	POSTED	Cumberland Cou	TO	9.12	0	2070.88	207.09	2277.97	0	NO					21.68	12.56	VEOLIAES\jnelson : ANSCLDPWS
12191427104	XO18EZ	CIP	302CTTFL.	04/10/2022	8:35	8:39	POSTED	Enfield FrontLift	TO	5.46	0	1600.33	0	1600.33	0	NO					23.26	17.8	VEOLIAES\jnelson : ANSCLDPWS
12191427105	XO40BY	MSWP		04/10/2022	8:37	8:41	POSTED	City of Ryde	TO	7.34	0	1807.7	180.77	1988.47	0	NO					20.18	12.84	VEOLIAES\jnelson : ANSCLDPWS
12191427106	XO90JE	MSWP	DOMESTIC	04/10/2022	8:39	8:43	POSTED	City of Canada B	TO	7.96	0	2292.48	229.25	2521.73	0	NO					20.62	12.66	VEOLIAES\jnelson : ANSCLDPWS
12191427107	URM605	MSWP		04/10/2022	8:42	8:48	POSTED	Lane Cove Coun	TO	7.14	0	1758.44	175.84	1934.28	0	NO					19.56	12.42	VEOLIAES\jnelson : ANSCLDPWS
12191427108	XN88XQ	MSWP		04/10/2022	8:46	8:52	POSTED	Strathfield Munici	TO	8.22	0	2265.51	226.55	2492.06	0	NO					23.08	14.86	VEOLIAES\jnelson : ANSCLDPWS
12191427109	CN26MD	MSWP		04/10/2022	8:46	8:53	POSTED	Leichhardt Munic	TO	7.36	0	2037.1	203.71	2240.81	0	NO					21.72	14.36	VEOLIAES\jnelson : ANSCLDPWS
12191427110	XN04ZL	MSWP		04/10/2022	8:46	8:51	POSTED	City of Ryde	TO	6.72	0	1655	165.5	1820.5	0	NO					20.1	13.38	VEOLIAES\jnelson : ANSCLDPWS
12191427111	CJ31RX	MSWP		04/10/2022	8:48	8:52	POSTED	Fairfield City Cou	TO	0.96	0	277.93	27.79	305.72	0	NO					12	11.04	VEOLIAES\jnelson : ANSCLDPWS
12191427112	XN51RK	CIP		04/10/2022	8:54	8:59	POSTED	SUEZ Recycling	TO	5.94	0	1741.01	174.1	1915.11	0	NO					22.34	16.4	VEOLIAES\jnelson : ANSCLDPWS
12191427113	XO72IH	MSWP		04/10/2022	8:55	8:59	POSTED	Ku-ring-gai Coun	TO	7.52	0	1852.03	185.2	2037.23	0	NO					20.82	13.3	VEOLIAES\jnelson : ANSCLDPWS
12191427114	XN83EV	MSWP		04/10/2022	8:56	9:00	POSTED	Cumberland Cou	TO	2.14	0	485.93	48.59	534.52	0	NO					9.1	6.96	VEOLIAES\jnelson : ANSCLDPWS
12191427115	CJ18SV	MSWP		04/10/2022	8:57	9:04	POSTED	Canterbury-Bank	TO	6.58	0	1574.4	157.44	1731.84	0	NO					20.76	14.18	VEOLIAES\jnelson : ANSCLDPWS
12191427116	XN12OH	CIP		04/10/2022	8:58	9:03	POSTED	Doyle Bros t/a Fa	TO	0.92	0	320	32	352	0	NO					14.86	13.94	VEOLIAES\jnelson : ANSCLDPWS
12191427117	XN70ZM	MSWP		04/10/2022	8:59	9:03	POSTED	City of Ryde	TO	7.36	0	1812.62	181.26	1993.88	0	NO					20.86	13.5	VEOLIAES\jnelson : ANSCLDPWS
12191427118	XN61WY	MSWP		04/10/2022	9:00	9:06	POSTED	Inner West Coun	TO	3.02	0	835.88	83.59	919.47	0	NO					14.5	11.48	VEOLIAES\jnelson : ANSCLDPWS
12191427119	XN36KA	CIP		04/10/2022	9:02	9:08	POSTED	SUEZ Recycling	TO	3.18	0	932.06	93.21	1025.27	0	NO					20.32	17.14	VEOLIAES\jnelson : ANSCLDPWS
12191427120	CK41CQ	MSWP		04/10/2022	9:04	9:09	POSTED	Cumberland Cou	TO	0.96	0	217.99	21.8	239.79	0	NO					8.28	7.32	VEOLIAES\jnelson : ANSCLDPWS
12191427121	CK29AL	MSWP		04/10/2022	9:05	9:10	POSTED	Ashfield Council	TO	9.56	0	2646.02	264.6	2910.62	0	NO					22.44	12.88	VEOLIAES\jnelson : ANSCLDPWS
12191427122	XN95AR	MSWP		04/10/2022	9:10	9:16	POSTED	Lane Cove Coun	TO	1.88	0	463.01	46.3	509.31	0	NO					15.58	13.7	VEOLIAES\jnelson : ANSCLDPWS
12191427123	XN18XO	MSWP		04/10/2022	9:10	9:13	POSTED	Canterbury-Bank	TO	9.24	0	2210.85	221.08	2431.93	0	NO					22.68	13.44	VEOLIAES\jnelson : ANSCLDPWS
12191427124	CK27AL	MSWP		04/10/2022	9:11	9:15	POSTED	Ashfield Council	TO	9.74	0	2695.84	269.58	2965.42	0	NO					22.28	12.54	VEOLIAES\jnelson : ANSCLDPWS
12191427125	XN27FG	MSWP		04/10/2022	9:13	9:17	POSTED	Parramatta City (	TO	0.88	0	245.96	24.6	270.56	0	NO					8.32	7.44	VEOLIAES\jnelson : ANSCLDPWS
12191427126	XO42KY	MSWP	DOMESTIC	04/10/2022	9:14	9:18	POSTED	City of Canada B	TO	8.36	0	2407.68	240.77	2648.45	0	NO					21.08	12.72	VEOLIAES\jnelson : ANSCLDPWS
12191427127	CL43KU	CIP	302CTTRL..	04/10/2022	9:15	9:20	POSTED	Enfield RearLift	TO	2.42	0	709.3	0	709.3	0	NO					10.98	8.56	VEOLIAES\jnelson : ANSCLDPWS
12191427128	XN78ZF	MSWP		04/10/2022	9:19	9:22	POSTED	Hornsby Council	TO	8.12	0	1966.91	196.69	2163.6	0	NO					21.28	13.16	VEOLIAES\jnelson : ANSCLDPWS
12191427129	XO10AG	MSWP		04/10/2022	9:20	9:23	POSTED	Hornsby Council	TO	7.94	0	1923.31	192.33	2115.64	0	NO					21.1	13.16	VEOLIAES\jnelson : ANSCLDPWS
12191427130	CP03AT	MSWP		04/10/2022	9:21	9:23	POSTED	Canterbury-Bank	TO	10.68	0	2555.4	255.54	2810.94	0	NO					23.16	12.48	VEOLIAES\jnelson : ANSCLDPWS
12191427131	XO08AP	MSWP		04/10/2022	9:21	9:24	POSTED	Hornsby Council	TO	9.26	0	2243.05	224.3	2467.35	0	NO					22.42	13.16	VEOLIAES\jnelson : ANSCLDPWS
12191427132	XN60GO	CIP	302CTTFL.	04/10/2022	9:22	9:27	POSTED	Enfield FrontLift	TO	4.98	0	1459.64	0	1459.64	0	NO					22.42	17.44	VEOLIAES\jnelson : ANSCLDPWS
12191427133	CN99LG	MSWP		04/10/2022	9:24	9:28	POSTED	Ku-ring-gai Coun	TO	7.74	0	1906.21	190.62	2096.83	0	NO					21.12	13.38	VEOLIAES\jnelson : ANSCLDPWS
12191427134	XN44ML	MSWP		04/10/2022	9:28	9:34	POSTED	Canterbury-Bank	TO	7.68	0	1837.59	183.76	2021.35	0	NO					23.4	15.72	VEOLIAES\jnelson : ANSCLDPWS
12191427135	XO55IN	MSWP		04/10/2022	9:32	9:38	POSTED	Leichhardt Munic	TO	7.44	0	2059.24	205.92	2265.16	0	NO					22.02	14.58	VEOLIAES\jnelson : ANSCLDPWS
12191427136	XN50ZK	MSWP		04/10/2022	9:33	9:36	POSTED	Hornsby Council	TO	8.42	0	2039.58	203.96	2243.54	0	NO					21.58	13.16	VEOLIAES\jnelson : ANSCLDPWS
12191427137	CB10ZY	MSWP		04/10/2022	9:33	9:36	POSTED	Canterbury-Bank	TO	10.2	0	2440.55	244.06	2684.61	0	NO					22.52	12.32	VEOLIAES\jnelson : ANSCLDPWS
12191427138	XN51ZK	MSWP		04/10/2022	9:34	9:37	POSTED	Hornsby Council	TO	7.8	0	1889.39	188.94	2078.33	0	NO					21.02	13.22	VEOLIAES\jnelson : ANSCLDPWS
12191427139	XN78LI	MSWP		04/10/2022	9:38	9:45	POSTED	Fairfield City Cou	TO	2.02	0	584.81	58.48	643.29	0	NO					12.44	10.42	VEOLIAES\jnelson : ANSCLDPWS
12191427140	CN93MI	MSWP		04/10/2022	9:41	9:46	POSTED	Ku-ring-gai Coun	TO	2.38	0	586.15	58.62	644.77	0	NO					7.62	5.24	VEOLIAES\jnelson : ANSCLDPWS
12191427141	XN61FN	CIP	302CTTFL.	04/10/2022	9:42	9:48	POSTED	Enfield FrontLift	TO	5.2	0	1524.12	0	1524.12	0	NO					22.22	17.02	VEOLIAES\jnelson : ANSCLDPWS
12191427142	URM604	MSWP		04/10/2022	9:43	9:47	POSTED	Lane Cove Coun	TO	6.24	0	1536.79	153.68	1690.47	0	NO					18.7	12.46	VEOLIAES\jnelson : ANSCLDPWS
12191427143	URM213	MSWP		04/10/2022	9:44	9:48	POSTED	Lane Cove Coun	TO	5.42	0	1334.84	133.48	1468.32	0	NO					18.22	12.8	VEOLIAES\jnelson : ANSCLDPWS
12191427144	XN37IM	MSWP		04/10/2022	9:44	9:53	POSTED	Strathfield Munici	TO	5.82	0	1604.05	160.4	1764.45	0	NO					14.74	8.92	VEOLIAES\jnelson : ANSCLDPWS
12191427145	XO05IC	MSWP	DOMESTIC	04/10/2022	9:44	9:52	POSTED	City of Canada B	TO	7.82	0	2252.16	225.22	2477.38	0	NO					22.64	14.82	VEOLIAES\jnelson : ANSCLDPWS
12191427146	XO41KY	MSWP	DOMESTIC	04/10/2022	9:50	9:55	POSTED	City of Canada B	TO	9.58	0	2759.04	275.9	3034.94	0	NO					22.28	12.7	VEOLIAES\jnelson : ANSCLDPWS
12191427147	XN15XO	MSWP		04/10/2022	9:54	9:57	POSTED	Canterbury-Bank	TO	9.62	0	2301.78	230.18	2531.96	0	NO					23.1	13.48	VEOLIAES\jnelson : ANSCLDPWS
12191427148	CN76MI	MSWP		04/10/2022	9:54	10:01	POSTED	Ku-ring-gai Coun	TO	1.7	0	418.68	41.87	460.55	0	NO					7.1	5.4	VEOLIAES\jnelson : ANSCLDPWS
12191427149	XN49HD	MSWP	TS&O	04/10/2022	9:54	10:05	POSTED	City of Canada B	TO	1.12	0	322.56	32.26	354.82	0	NO					7.04	5.92	VEOLIAES\jnelson : ANSCLDPWS
12191427150	XO75AX	MSWP		04/10/2022	9:55	10:00	POSTED	Hornsby Council	TO	4.26	0	1031.9	103.19	1135.09	0	NO					18.8	14.54	VEOLIAES\jnelson : ANSCLDPWS
12191427151	CE28GN	MSWP		04/10/2022	9:57	10:02	POSTED	Cumberland Cou	TO	3.66	0	831.08	83.11	914.19	0	NO					18.24	14.58	VEOLIAES\jnelson : ANSCLDPWS
12191427152	CN92DF	MSWP		04/10/2022	10:00	10:06	POSTED	Parramatta City (	TO	1.18	0	329.81	32.98	362.79	0	NO					7.3	6.12	VEOLIAES\jnelson : ANSCLDPWS
12191427153	5URM	CIP		04/10/2022	10:01	10:10	POSTED	URM Environmer	TO	3.86	0	1177.3	117.73	1295.03	0	NO					20.56	16.7	VEOLIAES\jnelson : ANSCLDPWS
12191427154	XO07IT	MSWP		04/10/2022	10:03	10:07	POSTED	Ku-ring-gai Coun	TO	7.74	0	1906.21	190.62	2096.83	0	NO					21.04	13.3	VEOLIAES\jnelson : ANSCLDPWS
12191427155	XO73IH	MSWP		04/10/2022	10:05	10:09	POSTED	Ku-ring-gai Coun	TO	7.02	0	1728.89	172.89	1901.78	0	NO					20.26	13.24	VEOLIAES\jnelson : ANSCLDPWS
12191427156	XN26RU	CIP	302CTTRL..	04/10/2022	10:05	10:17	POSTED	Enfield RearLift	TO	3.52	0	1031.71	0	1031.71	0	NO					17.3	13.78	VEOLIAES\jnelson : ANSCLDPWS
12191427157	CM73SQ	MSWP		04/10/2022	10:10	10:15	POSTED	Ku-ring-gai Coun	TO	7.46	0	1837.25	183.72	2020.97	0	NO					20.16	12.7	VEOLIAES\jnelson : ANSCLDPWS
12191427158	XN32FK	CIP		04/10/2022	10:11	10:17	POSTED	JJ Richards & Sc	TO	3.96	0	1207.8	120.78	1328.58	0	NO					18.86	14.9	VEOLIAES\jnelson : ANSCLDPWS
12191427159	XO11IT	MSWP		04/10/2022	10:11	10:19	POSTED	Ku-ring-gai Coun	TO	5.1	0	1256.03	125.6	1381.63	0	NO					18.92	13.82	VEOLIAES\jnelson : ANSCLDPWS
12191427160	XN34EB	CIP		04/10/2022	10:11	10:19	POSTED	JJ Richards & Sc	TO	7.64	0	2330.2	233.02	2563.22	0	NO					22.28	14.64	VEOLIAES\jnelson : ANSCLDPWS
12191427161	XN83EV	MSWP		04/10/2022	10:12	10:18	POSTED	Cumberland Cou	TO	0.74	0	168.03	16.8	184.83	0	NO					7.7	6.96	VEOLIAES\jnelson : ANSCLDPWS
12191427162	CL78JV	CIP	302CTTRL..	04/10/2022	10:12	10:24	POSTED	Enfield RearLift	TO	4.62	0	1354.12	0	1354.12	0	NO					18.94	14.32	VEOLIAES\jnelson : ANSCLDPWS
12191427163	URM678	MSWP		04/10/2022	10:17	10:21	POSTED	Cumberland Cou	TO	9.58	0	2175.33	217.53	2392.86	0	NO					22.16	12.58	VEOLIAES\jnelson : ANSCLDPWS
12191427164	XO98KQ	MSWP		04/10/2022	10:18	10:28	POSTED	Fairfield City Cou	TO	1.9	0	550.07	55.01	605.08	0	NO					16.96	15.06	VEOLIAES\jnelson : ANSCLDPWS
12191427165	XN79ZF	MSWP		04/10/2022	10:19	10:24	POSTED	Hornsby Council	TO	8.08	0	1957.22	195.72	2152.94	0	NO					21.28	13.2	VEOLIAES\jnelson : ANSCLDPWS
12191427166	CN81MI	MSWP		04/10/2022	10:20	10:31	POSTED	Ku-ring-gai Coun	TO	2.2	0	541.82	54.18	596	0	NO					7.54	5.34	VEOLIAES\jnelson : ANSCLDPWS
12191427167	CF65GX	MSWP		04/10/2022	10:20	10:28	POSTED	Cumberland Cou	TO	2.58	0	585.84	58.58	644.42	0	NO					11.18	8.6	VEOLIAES\jnelson : ANSCLDPWS
12191427168	XN44RK	CIP		04/10/2022	10:22	10:29	POSTED	SUEZ Recycling	TO	4.54	0	1330.67	133.07	1463.74	0	NO					18.02	13.48	VEOLIAES\jnelson : ANSCLDPWS
12191427169	XO38BZ	MSWP		04/10/2022	10:26	10:37	POSTED	Burwood Council	TO	6.72	0	1859.96	186	2045.96	0	NO					22.18	15.46	VEOLIAES\jnelson : ANSCLDPWS
12191427170	CN84MI	MSWP		04/10/2022	10:28	10:34	POSTED	Ku-ring-gai Coun	TO	2	0	492.56	49.26	541.82	0	NO					7.24	5.24	VEOLIAES\jnelson : ANSCLDPWS
12191427171	XO52KY	MSWP	DOMESTIC	04/10/2022	10:30	10:39	POSTED	City of Canada B	TO	7.62	0	2194.56	219.46	2414.02	0	NO					21.18	13.56	VEOLIAES\jnelson : ANSCLDPWS
12191427172	XO12AB	MSWP		04/10/2022	10:31	10:35	POSTED	Hornsby Council	TO	7.8	0	1889.39	188.94	2078.33	0	NO					21.14	13.34	VEOLIAES\jnelson : ANSCLDPWS
12191427173	CK10EJ	CIP	302CTTRL..	04/10/2022	10:33	10:42	POSTED	Enfield RearLift	TO	6.06	0	1776.19	0	1776.19	0	NO					19.14	13.08	VEOLIAES\jnelson : ANSCLDPWS
12191427175	CN92MI	MSWP		04/10/2022	10:39	10:48	POSTED	Ku-ring-gai Coun	TO	1.48	0	364.49	36.45	400.94	0	NO					6.72	5.24	VEOLIAES\jnelson : ANSCLDPWS
12191427177	URM444	CIP		04/10/2022	10:41	10:51	POSTED	URM Environmer	TO	8.78	0	2677.9	267.79	2945.69	0	NO					23.4	14.62	VEOLIAES\jnelson : ANSCLDPWS
12191427178	CN75MI	MSWP		04/10/2022	10:46	10:52	POSTED	Ku-ring-gai Coun	TO	0.9	0	221.65	22.16	243.81	0	NO					6.12	5.22	VEOLIAES\jnelson : ANSCLDPWS
12191427179	URM818	MSWP		04/10/2022	10:51	10:54	POSTED	Cumberland Cou	TO	9.4	0	2134.46	213.45	2347.91	0	NO					22.02	12.62	VEOLIAES\jnelson : ANSCLDPWS

12191427180	XN60NJ	MSWP		04/10/2022	11:04	11:10	POSTED	Fairfield City Cou	TO	5.62	0	1627.05	162.7	1789.75	0	NO					19.54	13.92	VEOLIAES\jnelson : ANSCLDPWS
12191427181	XN61LR	MSWP		04/10/2022	11:04	11:10	POSTED	Fairfield City Cou	TO	0.7	0	202.66	20.27	222.93	0	NO					11.16	10.46	VEOLIAES\jnelson : ANSCLDPWS
12191427182	XO86GD	MSWP		04/10/2022	11:05	11:09	POSTED	City of Ryde	TO	7.04	0	1733.81	173.38	1907.19	0	NO					20.4	13.36	VEOLIAES\jnelson : ANSCLDPWS
12191427183	XO92AH	MSWP		04/10/2022	11:07	11:12	POSTED	City of Ryde	TO	7.18	0	1768.29	176.83	1945.12	0	NO					22.3	15.12	VEOLIAES\jnelson : ANSCLDPWS
12191427184	CP23XA	CIP		04/10/2022	11:12	11:17	POSTED	JJ Richards & So	TO	4.54	0	1384.7	138.47	1523.17	0	NO					20.84	16.3	VEOLIAES\jnelson : ANSCLDPWS
12191427185	CI69WY	CIP	302CTTFL.	04/10/2022	11:15	11:21	POSTED	Enfield FrontLift	TO	1.66	0	486.55	0	486.55	0	NO					18.96	17.3	VEOLIAES\jnelson : ANSCLDPWS
12191427186	XO12KG	CIP	302CTTFL.	04/10/2022	11:16	11:20	POSTED	Enfield FrontLift	TO	7.36	0	2157.22	0	2157.22	0	NO					25.34	17.98	VEOLIAES\jnelson : ANSCLDPWS
12191427187	URM842	MSWP		04/10/2022	11:19	11:23	POSTED	Cumberland Cou	TO	7.5	0	1703.02	170.3	1873.32	0	NO					20.18	12.68	VEOLIAES\jnelson : ANSCLDPWS
12191427188	CC18DN	MSWP		04/10/2022	11:25	11:29	POSTED	Canterbury-Bank	TO	6.76	0	1617.47	161.75	1779.22	0	NO					19.1	12.34	VEOLIAES\jnelson : ANSCLDPWS
12191427189	CP70DL	MSWP		04/10/2022	11:44	11:48	POSTED	Strathfield Munici	TO	4.88	0	1344.98	134.5	1479.48	0	NO					17.26	12.38	VEOLIAES\jnelson : ANSCLDPWS
12191427190	CM16SR	MSWP		04/10/2022	11:49	11:55	POSTED	Strathfield Munici	TO	11.9	0	3279.76	327.98	3607.74	0	NO					24.38	12.48	VEOLIAES\jnelson : ANSCLDPWS
12191427191	XN26YU	MSWP		04/10/2022	11:49	11:55	POSTED	City of Ryde	TO	7.02	0	1728.89	172.89	1901.78	0	NO					20.12	13.1	VEOLIAES\jnelson : ANSCLDPWS
12191427192	URM813	MSWP		04/10/2022	11:51	11:57	POSTED	Cumberland Cou	TO	6.24	0	1416.92	141.69	1558.61	0	NO					20.56	14.32	VEOLIAES\jnelson : ANSCLDPWS
12191427193	XN88XQ	MSWP		04/10/2022	11:53	12:00	POSTED	Strathfield Munici	TO	5	0	1378.05	137.8	1515.85	0	NO					19.86	14.86	VEOLIAES\jnelson : ANSCLDPWS
12191427194	XN04ZL	MSWP		04/10/2022	11:54	11:59	POSTED	City of Ryde	TO	4.32	0	1063.93	106.39	1170.32	0	NO					17.68	13.36	VEOLIAES\jnelson : ANSCLDPWS
12191427195	XN41ML	CIP	302CTTFL.	04/10/2022	11:59	12:07	POSTED	Enfield FrontLift	TO	6.58	0	1928.6	0	1928.6	0	NO					23.76	17.18	VEOLIAES\jnelson : ANSCLDPWS
12191427196	XN19QA	MSWSS		04/10/2022	12:02	12:08	POSTED	Fairfield City Cou	TO	1.64	0	474.8	47.48	522.28	0	NO					12.98	11.34	VEOLIAES\jnelson : ANSCLDPWS
12191427197	CO41MK	MSWP		04/10/2022	12:03	12:08	POSTED	Leichhardt Munic	TO	2.78	0	769.45	76.94	846.39	0	NO					10.84	8.06	VEOLIAES\jnelson : ANSCLDPWS
12191427198	XN70ZM	MSWP		04/10/2022	12:06	12:10	POSTED	City of Ryde	TO	4.56	0	1123.04	112.3	1235.34	0	NO					18.02	13.46	VEOLIAES\jnelson : ANSCLDPWS
12191427199	XN92NP	CIP		04/10/2022	12:08	12:13	POSTED	JJ Richards & So	TO	6.46	0	1970.3	197.03	2167.33	0	NO					22.94	16.48	VEOLIAES\jnelson : ANSCLDPWS
12191427200	XN37IM	MSWP		04/10/2022	12:09	12:16	POSTED	Strathfield Munici	TO	4.1	0	1130	113	1243	0	NO					13	8.9	VEOLIAES\jnelson : ANSCLDPWS
12191427201	CN99LG	MSWP		04/10/2022	12:20	12:24	POSTED	Ku-ring-gai Coun	TO	3.56	0	876.76	87.68	964.44	0	NO					16.88	13.32	VEOLIAES\jnelson : ANSCLDPWS
12191427202	XO72IH	MSWP		04/10/2022	12:23	12:26	POSTED	Ku-ring-gai Coun	TO	3.74	0	921.09	92.11	1013.2	0	NO					17	13.26	VEOLIAES\jnelson : ANSCLDPWS
12191427203	URM848	MSWP		04/10/2022	12:27	12:31	POSTED	Cumberland Cou	TO	9.52	0	2161.71	216.17	2377.88	0	NO					22.3	12.78	VEOLIAES\jnelson : ANSCLDPWS
12191427204	XO41KY	MSWP	DOMESTIC	04/10/2022	12:33	12:38	POSTED	City of Canada B	TO	3.54	0	1019.52	101.95	1121.47	0	NO					16.22	12.68	VEOLIAES\jnelson : ANSCLDPWS
12191427205	URM842	MSWP		04/10/2022	12:36	12:40	POSTED	Cumberland Cou	TO	1.1	0	249.78	24.98	274.76	0	NO					13.76	12.66	VEOLIAES\jnelson : ANSCLDPWS
12191427206	XO55DB	CIP	302CTTFL.	04/10/2022	12:38	12:44	POSTED	Enfield FrontLift	TO	7.8	0	2286.18	0	2286.18	0	NO					25.52	17.72	VEOLIAES\jnelson : ANSCLDPWS
12191427207	URM839	MSWP		04/10/2022	12:40	12:44	POSTED	Cumberland Cou	TO	5.18	0	1176.22	117.62	1293.84	0	NO					17.62	12.44	VEOLIAES\jnelson : ANSCLDPWS
12191427208	XO10AB	MSWP		04/10/2022	12:47	12:53	POSTED	Hornsby Council	TO	5.96	0	1443.69	144.37	1588.06	0	NO					20.38	14.42	VEOLIAES\jnelson : ANSCLDPWS
12191427209	CM72SQ	MSWP		04/10/2022	12:56	13:04	POSTED	Ku-ring-gai Coun	TO	8.6	0	2118.01	211.8	2329.81	0	NO					21.2	12.6	VEOLIAES\jnelson : ANSCLDPWS
12191427210	XO90JE	MSWP	DOMESTIC	04/10/2022	12:56	13:02	POSTED	City of Canada B	TO	5.64	0	1624.32	162.43	1786.75	0	NO					18.26	12.62	VEOLIAES\jnelson : ANSCLDPWS
12191427211	URM818	MSWP		04/10/2022	13:02	13:06	POSTED	Cumberland Cou	TO	7.48	0	1698.48	169.85	1868.33	0	NO					20.08	12.6	VEOLIAES\jnelson : ANSCLDPWS
12191427212	URM814	MSWP		04/10/2022	13:03	13:08	POSTED	Cumberland Cou	TO	7.3	0	1657.61	165.76	1823.37	0	NO					19.9	12.6	VEOLIAES\jnelson : ANSCLDPWS
12191427213	XN62KN	CIP	TIP#199028 SEV	04/10/2022	13:05	13:13	POSTED	Sydney Water - S	TO	4.14	0	1152.99	115.3	1268.29	0	NO					21.44	17.3	VEOLIAES\jnelson : ANSCLDPWS
12191427214	XO10AG	MSWP		04/10/2022	13:08	13:10	POSTED	Hornsby Council	TO	4	0	968.92	96.89	1065.81	0	NO					17.16	13.16	VEOLIAES\jnelson : ANSCLDPWS
12191427215	XN51ZK	MSWP		04/10/2022	13:11	13:14	POSTED	Hornsby Council	TO	3.44	0	833.27	83.33	916.6	0	NO					16.64	13.2	VEOLIAES\jnelson : ANSCLDPWS
12191427216	XN78ZF	MSWP		04/10/2022	13:11	13:15	POSTED	Hornsby Council	TO	3.78	0	915.63	91.56	1007.19	0	NO					16.9	13.12	VEOLIAES\jnelson : ANSCLDPWS
12191427217	XN50ZK	MSWP		04/10/2022	13:12	13:15	POSTED	Hornsby Council	TO	4.78	0	1157.86	115.79	1273.65	0	NO					17.9	13.12	VEOLIAES\jnelson : ANSCLDPWS
12191427218	XN79ZF	MSWP		04/10/2022	13:13	13:17	POSTED	Hornsby Council	TO	2.68	0	649.18	64.92	714.1	0	NO					15.86	13.18	VEOLIAES\jnelson : ANSCLDPWS
12191427219	URM678	MSWP		04/10/2022	13:14	13:18	POSTED	Cumberland Cou	TO	6.72	0	1525.91	152.59	1678.5	0	NO					19.28	12.56	VEOLIAES\jnelson : ANSCLDPWS
12191427220	XN62KN	CIP	TIP#199028 SEV	04/10/2022	13:20	13:28	POSTED	Sydney Water - S	TO	3.42	0	952.47	95.25	1047.72	0	NO					29.24	25.82	VEOLIAES\jnelson : ANSCLDPWS
12191427221	URM817	MSWP		04/10/2022	13:20	13:25	POSTED	Cumberland Cou	TO	4.74	0	1076.31	107.63	1183.94	0	NO					17.08	12.34	VEOLIAES\jnelson : ANSCLDPWS
12191427222	CK27AL	MSWP		04/10/2022	13:26	13:30	POSTED	Ashfield Council	TO	6.2	0	1716.04	171.6	1887.64	0	NO					18.72	12.52	VEOLIAES\jnelson : ANSCLDPWS
12191427223	XN02SU	MSWP		04/10/2022	13:26	13:34	POSTED	Hunter's Hill Cou	TO	1.04	0	256.13	25.61	281.74	0	NO					6.5	5.46	VEOLIAES\jnelson : ANSCLDPWS
12191427224	URM820	MSWP		04/10/2022	13:32	13:39	POSTED	Cumberland Cou	TO	8.16	0	1852.89	185.29	2038.18	0	NO					20.62	12.46	VEOLIAES\jnelson : ANSCLDPWS
12191427225	URM835	MSWP		04/10/2022	13:33	13:40	POSTED	Cumberland Cou	TO	0.76	0	172.57	17.26	189.83	0	NO					14.04	13.28	VEOLIAES\jnelson : ANSCLDPWS
12191427226	XO42KY	MSWP	DOMESTIC	04/10/2022	13:34	13:38	POSTED	City of Canada B	TO	5.12	0	1474.56	147.46	1622.02	0	NO					17.82	12.7	VEOLIAES\jnelson : ANSCLDPWS
12191427227	XO38BZ	MSWP		04/10/2022	13:41	13:47	POSTED	Burwood Council	TO	5.96	0	1649.61	164.96	1814.57	0	NO					21.4	15.44	VEOLIAES\jnelson : ANSCLDPWS
12191427228	URM806	MSWP		04/10/2022	13:44	13:48	POSTED	Cumberland Cou	TO	6.84	0	1553.16	155.32	1708.48	0	NO					19.08	12.24	VEOLIAES\jnelson : ANSCLDPWS
12191427229	XO08AP	MSWP		04/10/2022	13:47	13:51	POSTED	Hornsby Council	TO	6.26	0	1516.36	151.64	1668	0	NO					19.38	13.12	VEOLIAES\jnelson : ANSCLDPWS
12191427230	XO05IC	MSWP	DOMESTIC	04/10/2022	13:50	14:01	POSTED	City of Canada B	TO	8.76	0	2522.88	252.29	2775.17	0	NO					23.62	14.86	VEOLIAES\jnelson : ANSCLDPWS
12191427231	BH63QY	MSWP		04/10/2022	13:52	13:57	POSTED	Parramatta City (	TO	1.44	0	402.48	40.25	442.73	0	NO					11.94	10.5	VEOLIAES\jnelson : ANSCLDPWS
12191427232	XN27RU	CIP	302CTTFL.	04/10/2022	13:53	13:57	POSTED	Enfield FrontLift	TO	3.94	0	1154.81	0	1154.81	0	NO					21.64	17.7	VEOLIAES\jnelson : ANSCLDPWS
12191427233	CM73SQ	MSWP		04/10/2022	13:58	14:02	POSTED	Ku-ring-gai Coun	TO	4.54	0	1118.11	111.81	1229.92	0	NO					17.18	12.64	VEOLIAES\jnelson : ANSCLDPWS
12191427234	XO93KR	CIP	302CTTBCOM	04/10/2022	13:58	14:06	POSTED	Enfield Bulk	TO	1.56	0	457.24	0	457.24	0	NO					17.96	16.4	VEOLIAES\jnelson : ANSCLDPWS
12191427235	AZ41AD	CIP		04/10/2022	14:00	14:06	POSTED	External Bulk - N	TO	2.3	0	0	0	0	0	NO				REAR LIFT	17.96	15.66	VEOLIAES\jnelson : ANSCLDPWS
12191427236	XN54OS	MSWSS		04/10/2022	14:04	14:12	POSTED	Fairfield City Cou	TO	2.22	0	642.71	64.27	706.98	0	NO					13.04	10.82	VEOLIAES\jnelson : ANSCLDPWS
12191427237	URM840	MSWP		04/10/2022	14:10	14:13	POSTED	Cumberland Cou	TO	0.96	0	217.99	21.8	239.79	0	NO					13.38	12.42	VEOLIAES\jnelson : ANSCLDPWS
12191427238	XN98XX	CIP		04/10/2022	14:12	14:20	POSTED	URM Environmer	TO	9.26	0	2824.3	282.43	3106.73	0	NO					22.68	13.42	VEOLIAES\jnelson : ANSCLDPWS
12191427239	XN27QP	CIP		04/10/2022	14:17	14:26	POSTED	External Bulk - N	TO	4.4	0	0	0	0	0	NO				REAR LIFT	18.46	14.06	VEOLIAES\jnelson : ANSCLDPWS
12191427240	XO21DT	CIP	TIP#199028 SEV	04/10/2022	14:18	14:25	POSTED	Sydney Water - S	TO	1.66	0	462.31	46.23	508.54	0	NO					18.5	16.84	VEOLIAES\jnelson : ANSCLDPWS
12191427241	XO73IH	MSWP		04/10/2022	14:25	14:32	POSTED	Ku-ring-gai Coun	TO	3.82	0	940.79	94.08	1034.87	0	NO					16.98	13.16	VEOLIAES\jnelson : ANSCLDPWS
12191427242	XO07IT	MSWP		04/10/2022	14:26	14:33	POSTED	Ku-ring-gai Coun	TO	3.48	0	857.05	85.7	942.75	0	NO					16.72	13.24	VEOLIAES\jnelson : ANSCLDPWS
12191427243	CK29AL	MSWP		04/10/2022	14:33	14:37	POSTED	Ashfield Council	TO	8.58	0	2374.77	237.48	2612.25	0	NO					21.5	12.92	VEOLIAES\jnelson : ANSCLDPWS
12191427244	XO93KR	CIP	302CTTBCOM	04/10/2022	14:49	14:55	POSTED	Enfield Bulk	TO	2.2	0	644.82	0	644.82	0	NO					18.58	16.38	VEOLIAES\sarmota : ANSCLDPW
12191427254	XN27RU	CIP	302CTTFL.	04/10/2022	15:10	15:14	POSTED	Enfield FrontLift	TO	5.18	0	1518.26	0	1518.26	0	NO					22.86	17.68	VEOLIAES\sarmota : ANSCLDPW
12191427255	BJB386	CIP	302CTTBCOM	04/10/2022	15:13	15:20	POSTED	Enfield Bulk	TO	6.96	0	2039.98	0	2039.98	0	NO					26	19.04	VEOLIAES\sarmota : ANSCLDPW
12191427256	XO49FF	CIP		04/10/2022	17:34	17:39	POSTED	Capital City Wast	TO	0.9	0	274.5	27.45	301.95	0	NO					5.44	4.54	VEOLIAES\sarmota : ANSCLDPW
12191427257	XO55DB	CIP	302CTTFL.	04/10/2022	17:43	17:48	POSTED	Enfield FrontLift	TO	5.5	0	1612.05	0	1612.05	0	NO					23.12	17.62	VEOLIAES\sarmota : ANSCLDPW
12191427258	XO93KR	CIP	302CTTBCOM	04/10/2022	17:52	17:59	POSTED	Enfield Bulk	TO	1.88	0	551.03	0	551.03	0	NO					18.24	16.36	VEOLIAES\sarmota : ANSCLDPW
12191427259	CO41MK	MSWP		04/10/2022	18:39	18:43	POSTED	Leichhardt Munic	TO	2.72	0	752.84	75.28	828.12	0	NO					10.8	8.08	VEOLIAES\sarmota : ANSCLDPW
12191427260	XO55IN	MSWP		04/10/2022	18:55	19:00	POSTED	Leichhardt Munic	TO	5.16	0	1428.18	142.82	1571	0	NO					19.7	14.54	VEOLIAES\sarmota : ANSCLDPW
12191427261	XO93KR	CIP	302CTTBCOM	04/10/2022	18:58	19:05	POSTED	Enfield Bulk	TO	1.8	0	527.58	0	527.58	0	NO					18.14	16.34	VEOLIAES\sarmota : ANSCLDPW
12191427262	XN27RU	CIP	302CTTFL.	04/10/2022	18:59	19:03	POSTED	Enfield FrontLift	TO	4.54	0	1330.67	0	1330.67	0	NO					22.22	17.68	VEOLIAES\sarmota : ANSCLDPW
12191427263	BJB386	CIP	302CTTBCOM	04/10/2022	19:14	19:22	POSTED	Enfield Bulk	TO	5.1	0	1494.81	0	1494.81	0	NO					22.84	17.74	VEOLIAES\sarmota : ANSCLDPW
12191427264	XO42BP	CIP		04/10/2022	20:05	20:16	POSTED	Grasshopper Em	TO	7.44	0	2269.2	226.92	2496.12	0	NO					24.98	17.54	VEOLIAES\sarmota : ANSCLDPW
12191427265	XO93KR	CIP	302CTTBCOM	04/10/2022	20:07	20:13	POSTED	Enfield Bulk	TO	2.34	0	685.85	0	685.85	0	NO					18.66	16.32	VEOLIAES\sarmota : ANSCLDPW
12191427266	XN88UY	MSWP		04/10/2022	20:31	20:36	POSTED	Leichhardt Munic	TO	7.78	0	2153.35	215.34	2368.69	0	NO					22.14	14.36	VEOLIAES\sarmota : ANSCLDPW
12191427267	CN26MD	MSWP		04/10/2022	20:32	20:38	POSTED	Leichhardt Munic	TO	3.32	0	918.91	91.89	1010.8	0	NO					17.62	14.3	VEOLIAES\sarmota : ANSCLDPW
12191427268	XN27RU	CIP	302CTTFL.	04/10/2022	20:34	20:42	POSTED	Enfield FrontLift	TO	7.92	0	2321.35	0	2321.35	0	NO					25.56	17.64	VEOLIAES\sarmota : ANSCLDPW
12191427269	XO41DS	CIP		04/10/2022	20:42	20:48	POSTED	Revesby Biosecu	TO	7.2	0	1894.32	0	1894.32	0	NO					26.96	19.76	VEOLIAES\sarmota : ANSCLDPW
12191427270	XN46BG	CIP		04/10/2022	20:48	20:54	POSTED	Waste Clear Pty	TO	1.78	0	560.7	56.07	616.77	0	NO					16	14.22	VEOLIAES\sarmota : ANSCLDPW

12191427271	XN58OU	CIP	302CTTFL.	04/10/2022	20:49	20:54	POSTED	Enfield FrontLift	TO	5.88	0	1723.43	0	1723.43	0		NO					23.68	17.8	VEOLIAES\sarmota :	ANSCLDPW
12191427272	XO46GY	CIP		04/10/2022	21:04	21:11	POSTED	SUEZ Recycling	TO	3.2	0	937.92	93.79	1031.71	0		NO					12.6	9.4	VEOLIAES\sarmota :	ANSCLDPW
12191427273	XN15OI	CIP	302CTTRL..	04/10/2022	21:27	21:32	POSTED	Enfield RearLift	TO	7.18	0	2104.46	0	2104.46	0		NO					20.7	13.52	VEOLIAES\sarmota :	ANSCLDPW
12191427274	CJ77ZS	CIP		04/10/2022	22:05	22:11	POSTED	Capital City Wast	TO	4.56	0	1390.8	139.08	1529.88	0		NO					13.18	8.62	VEOLIAES\sarmota :	ANSCLDPW
12191427275	CP08NQ	CIP	302CTTBCOM	04/10/2022	22:13	22:18	POSTED	Enfield Bulk	TO	6.94	0	2034.11	0	2034.11	0		NO					25.16	18.22	VEOLIAES\sarmota :	ANSCLDPW
12191427276	CP08NQ	CIP	302CTTBCOM	04/10/2022	22:40	22:47	POSTED	Enfield Bulk	TO	2.7	0	791.37	0	791.37	0		NO					20.82	18.12	VEOLIAES\sarmota :	ANSCLDPW
12191427277	OZLFTR	CIP		04/10/2022	22:49	22:57	POSTED	Aussie Skips Cor	TO	7.42	0	2352.14	235.21	2587.35	0		NO					24.08	16.66	VEOLIAES\sarmota :	ANSCLDPW
12191427278	CL78JV	CIP	302CTTRL..	04/10/2022	23:08	23:15	POSTED	Enfield RearLift	TO	6.18	0	1811.36	0	1811.36	0		NO					20.5	14.32	VEOLIAES\sarmota :	ANSCLDPW
12191427279	XN11OH	CIP		04/10/2022	23:12	23:18	POSTED	Doyle Bros t/a Fa	TO	7.8	0	2496	249.6	2745.6	0		NO					21.66	13.86	VEOLIAES\sarmota :	ANSCLDPW
12191427280	XO55DB	CIP	302CTTFL.	04/10/2022	23:23	23:27	POSTED	Enfield FrontLift	TO	7.34	0	2151.35	0	2151.35	0		NO					25.12	17.78	VEOLIAES\sarmota :	ANSCLDPW
12191427281	XN51GJ	CIP		04/10/2022	23:38	23:44	POSTED	Doyle Bros t/a Fa	TO	5.6	0	1792	179.2	1971.2	0		NO					19.48	13.88	VEOLIAES\sarmota :	ANSCLDPW
					Total Tons	1423.76	Total Loads	0	Total M3	0															

Appendix D - Truck Noise Measurement Results

NOISE LEVEL MEASUREMENT RESULTS

Time In	Company	Rego No	Make	Lift	Exhaust	LA Max	Impeded (Y/N)	Comment
10:33	Enfield Rearlift	CK10EJ		REAR		78.2	N	
10:39	Ku-ring-gai Council	CN92MI		REAR		71	N	Small truck
10:41	URM Environmental Services Pty Limi	URM444		REAR		79.3	N	
10:46	Ku-ring-gai Council	CN75MI		REAR		72.8	N	Small truck
10:51	Cumberland Council - Auburn	URM818	IVECO			81.8	N	
11:04	Fairfield City Council-waste	XN60NJ	IVECO	REAR		79.9	N	
11:04	Fairfield City Council-waste	XN61LR	ISUZU	REAR		68.3	N	
11:05	City of Ryde	XO86GD	IVECO	REAR		76.8	Y	
11:07	City of Ryde	XO92AH		REAR		79.7	N	
11:12	JJ Richards & Sons Pty Ltd	CP23XA	DAF	FRONT		73.7	N	
11:15	Enfield FrontLift	CI69WY		FRONT		77.3	N	
11:16	Enfield FrontLift	XO12KG		FRONT		74.8	N	
11:19	Cumberland Council - Auburn	URM842		REAR		80.8	N	
11:25	Canterbury-Bankstown Council	CC18DN		REAR		78	N	
11:44	Strathfield Municipal Council	CP70DL				77.8	N	
11:49	Strathfield Municipal Council	CM16SR				78	N	
11:49	City of Ryde	XN26YU				78.1	N	
11:51	Cumberland Council - Auburn	URM813		REAR	FRONT	77.6	N	
11:53	Strathfield Municipal Council	XN88XQ	VOLVO	REAR		68.8	N	
11:54	City of Ryde	XN04ZL	IVECO			68.5	N	
11:59	Enfield FrontLift	XN41ML		FRONT		72.6	N	
12:02	Fairfield City Council	XN19QA	HINO			71.9	N	
12:03	Leichhardt Municipal Council	CO41MK	HINO			72.4	N	Small truck
12:06	City of Ryde	XN70ZM	IVECO	REAR		76.4	N	
12:08	JJ Richards & Sons Pty Ltd	XN92NP	DAF	FRONT		75.7	N	
12:09	Strathfield Municipal Council	XN37IM	HINO	REAR	FRONT SIDE	76.5	N	
12:20	Ku-ring-gai Council	CN99LG	IVECO	SIDE		78.6	N	
12:23	Ku-ring-gai Council	XO72IH		SIDE		72.1	N	
12:27	Cumberland Council - Auburn	URM848				76.8	N	
12:33	City of Canada Bay Council - Domest	XO41KY		SIDE		77.1	N	
12:36	Cumberland Council - Auburn	URM842		REAR		76.5	N	
12:38	Enfield FrontLift	XO55DB		FRONT		71.3	N	
12:40	Cumberland Council - Auburn	URM839		REAR	FRONT SIDE	79	N	

12:47	Hornsby Council	XO10AB	DENNIS	REAR	FRONT SIDE	70.6	N	
12:56	Ku-ring-gai Council	CM72SQ	IVECO	SIDE	FRONT SIDE	76.1	N	
12:56	City of Canada Bay Council - Domest	XO90JE	IVECO	SIDE	FRONT SIDE	73.7	N	
13:02	Cumberland Council - Auburn	URM818	IVECO	REAR	FRONT SIDE	80.4	N	
13:03	Cumberland Council - Auburn	URM814	IVECO	REAR	FRONT SIDE	78.6	N	
13:05	Sydney Water - Sewer Silt	XN62KN	SCANIA			67.2	N	
13:08	Hornsby Council	XO10AG	DENNIS	SIDE		76.5	N	
13:11	Hornsby Council	XN51ZK	DENNIS	REAR		71.4	N	
13:11	Hornsby Council	XN78ZF				70.6	N	
13:12	Hornsby Council	XN50ZK				70.6	N	
13:13	Hornsby Council	XN79ZF	DENNIS			71.4	N	
13:14	Cumberland Council - Auburn	URM678	IVECO			77.6	N	
13:20	Sydney Water - Sewer Silt	XN62KN	IVECO			78.5	N	
13:20	Cumberland Council - Auburn	URM817	SCANIA			72	N	
13:26	Ashfield Council	CK27AL	IVECO	SIDE		76.1	N	
13:26	Hunter's Hill Council	XN02SU				67.2	N	Small truck
13:32	Cumberland Council - Auburn	URM820	IVECO			76	N	
13:33	Cumberland Council - Auburn	URM835	IVECO			76.1	N	
13:34	City of Canada Bay Council - Domest	XO42KY				78.2	N	
13:41	Burwood Council	XO38BZ	BUCHER	REAR	FRONT SIDE	68.5	N	
13:44	Cumberland Council - Auburn	URM806	IVECO	SIDE	FRONT SIDE	74.9	N	
13:47	Hornsby Council	XO08AP	DENNIS	SIDE		75.2	N	
13:50	City of Canada Bay Council - Domest	XO05IC	DENNIS	REAR		75	N	
13:53	Enfield FrontLift	XN27RU	VOLVO	FRONT		75	N	
13:58	Ku-ring-gai Council	CM73SQ	IVECO	SIDE	FRONT	78.5	N	
13:58	Enfield Bulk	XO93KR	VOLVO	BULK		71.8	N	
14:00	External Bulk - No Jobs Available	AZ41AD	VOLVO	REAR	FRONT	73	N	
14:04	Fairfield City Council	XN54OS	HINO	SWEEPER	FRONT SIDE	75.8	N	
14:10	Cumberland Council - Auburn	URM840	IVECO	SIDE	FRONT SIDE	75.9	N	
14:12	URM Environmental Services Pty Limi	XN98XX	IVECO	REAR	FRONT SIDE	77.1	N	
14:17	External Bulk - No Jobs Available	XN27QP	HINO	REAR		76.3	N	
14:18	Sydney Water - Sewer Silt	XO21DT	MAN	BULK		70	N	
14:25	Ku-ring-gai Council	XO73IH	VOLVO	SIDE		74.9	N	
14:26	Ku-ring-gai Council	XO07IT		SIDE		71.3	Y	
14:33	Ashfield Council	CK29AL		SIDE		76.2	N	

14:49	Enfield Bulk	XO93KR	VOLVO	BULK		73.9	N	
	Measured Truck Movements		**Total Impeded Truck Movements**					
	69		2					
	Total Truck Movements (4/10/22)		**Unimpeded Measurement**					
	255		67					
	Percent of truck movements		**Total Small Truck Measurements**					
	27.00%		4					