












EPL No:	11436
Date:	28/02/2025

Date	Time	Method	EPA Ref	Type	Location	Proximity to Site	Description	Wind Rose Chart/Map	Av. Wind Speed (m/s)	Av. Wind Direction	Bar. Pressure (hPa)	Temp/10m Av (°C)	Activity on site consistent with normal operation?	Action taken or proposed to be taken to deal with the incident and/or prevent a recurrence	Photograph of active landfill cell showing intermediate cover (closest to complainant date) (1)	Current level of leachate in each pond at most the most recent survey	Daily H2S Non Zero Value Average (PPB)	Mechanical evaporator run times on odour of complaint	Correlation with wind direction (YN)	Conclusion
18/02/2025	10:30	EPA Environmental Line	REF 36506	Odour	Leahys Lane Tarago	Approximately 15 km East South East of the site	Notifier reported the following odour: "Odour described as dreadful, started as 3/5 progressed to 5/6 within 10 minutes, caused caller to come inside and close up house. Weather described as no breeze, light cloud cover, 19C. Observed from Leahys Lane, Tarago."		2.450	Westerly winds. Complainant was downwind of the premises.	926.333	14 °Y	Y	The Odour Unit has completed a gas characterisation assessment to determine the presence of other odour gases. A copy of the assessment can be found on the Woodawn Webpage under 'H2S Monitoring'. Veolia has received approval to undertake a trial utilising alternative methods of covering the tip face. Veolia will continue to implement the recommendations within the 2023 Odour Audit.		Date: 28/01/2025 ED3N-1: 791.24 ED3N-2: 790.79 ED3N-3: 791.24 ED3N-4: 791.05 ED3S-5: 793.2	Point 9 - 0 Point 71 - 0 Point 72 - 0	6:15am -7:15pm	Y	An assessment of meteorological data and operational activity has been completed in order to investigate the potential source or cause of odour was undertaken with no significant impacts evident at the time of the complaint. Veolia acknowledges that the premises is potentially the source of the odour detected by the complainant based on wind direction. It is noted that H2S was not detected at the monitoring station on site or within Tarago on 18/2/2025.
18/02/2025	10:00	EPA Environmental Line	REF 36528	Odour	Bungendore and Collector Road	Approximately 8 km East of the site	Notifier reported the following odour: "Odour described as rotting waste, garbage and chemicals. Observed while driving along Bungendore and Collector road, odour began at the Intermodal facility and ceased after passing the Taylor Creek Road turn off on Collector Road. Caller said odour came into car through air filter and when turned off became trapped in the car. Light breeze but otherwise fine weather noted."		2.450	Westerly winds. Complainant was downwind of the premises.	926.333	14 °Y	Y	The Odour Unit has completed a gas characterisation assessment to determine the presence of other odour gases. A copy of the assessment can be found on the Woodawn Webpage under 'H2S Monitoring'. Veolia has received approval to undertake a trial utilising alternative methods of covering the tip face. Veolia will continue to implement the recommendations within the 2023 Odour Audit.		Date: 28/01/2025 ED3N-1: 791.24 ED3N-2: 790.79 ED3N-3: 791.24 ED3N-4: 791.05 ED3S-5: 793.2	Point 9 - 0 Point 71 - 0 Point 72 - 0	6:15am -7:15pm	Y	An assessment of meteorological data and operational activity has been completed in order to investigate the potential source or cause of odour was undertaken with no significant impacts evident at the time of the complaint. Veolia acknowledges that the premises is potentially the source of the odour detected by the complainant based on wind direction. It is noted that H2S was not detected at the monitoring station on site or within Tarago on 18/2/2025.
18/02/2025	09:00	EPA Environmental Line	REF 36495	Odour	Willow Glen Road, Lower Boro	Approximately 20 km East South East of the site	Notifier reported the following odour: "Odour described as rotting garbage, caused caller to feel sick and to go inside, wind direction noted to be westerly. Observed from Willow Glen Road, Lower Boro."		1.484	West South Westerly Winds. Complainant was downwind of the premises.	926.824	11.52 °Y	Y	The Odour Unit has completed a gas characterisation assessment to determine the presence of other odour gases. A copy of the assessment can be found on the Woodawn Webpage under 'H2S Monitoring'. Veolia has received approval to undertake a trial utilising alternative methods of covering the tip face. Veolia will continue to implement the recommendations within the 2023 Odour Audit.		Date: 28/01/2025 ED3N-1: 791.24 ED3N-2: 790.79 ED3N-3: 791.24 ED3N-4: 791.05 ED3S-5: 793.2	Point 9 - 0 Point 71 - 0 Point 72 - 0	6:15am -7:15pm	Y	An assessment of meteorological data and operational activity has been completed in order to investigate the potential source or cause of odour was undertaken with no significant impacts evident at the time of the complaint. Veolia acknowledges that the premises is potentially the source of the odour detected by the complainant based on wind direction. It is noted that H2S was not detected at the monitoring station on site or within Tarago on 18/2/2025.
18/02/2025	08:00	EPA Environmental Line	REF 36516	Odour	Mulwaree Street Tarago	Approximately 8 km East of the site	Notifier reported the following odour: "Odour described to be offensive. Observed from Mulwaree Street, Tarago."		0.641	North North Easterly winds. Complainant was downwind of the site at the time of complaint	928.746	9.19 °Y	Y	The Odour Unit has completed a gas characterisation assessment to determine the presence of other odour gases. A copy of the assessment can be found on the Woodawn Webpage under 'H2S Monitoring'. Veolia has received approval to undertake a trial utilising alternative methods of covering the tip face. Veolia will continue to implement the recommendations within the 2023 Odour Audit.		Date: 28/01/2025 ED3N-1: 791.24 ED3N-2: 790.79 ED3N-3: 791.24 ED3N-4: 791.05 ED3S-5: 793.2	Point 9 - 0 Point 71 - 0 Point 72 - 0	6:15am -7:15pm	N	An assessment of meteorological data and operational activity has been completed in order to investigate the potential source or cause of odour was undertaken with no significant impacts evident at the time of the complaint. Veolia acknowledges that the premises is potentially the source of the odour detected, however this is not supported by the wind direction at the time of the complaint. It is noted that H2S was not detected at the monitoring station on site or within Tarago on 18/02/2024.
17/02/2025		EPA Environmental Line		Odour	Not provided		Notifier reported the following odour: "Report of ongoing rotting waste smell. Caller described smell as nauseating and makes difficult to work outside."		No time of location provided				Y	The Odour Unit has completed a gas characterisation assessment to determine the presence of other odour gases. A copy of the assessment can be found on the Woodawn Webpage under 'H2S Monitoring'. Veolia has received approval to undertake a trial utilising alternative methods of covering the tip face. Veolia will continue to implement the recommendations within the 2023 Odour Audit.		Date: 28/01/2025 ED3N-1: 791.24 ED3N-2: 790.79 ED3N-3: 791.24 ED3N-4: 791.05 ED3S-5: 793.2	Point 9 - 0 Point 71 - 0 Point 72 - 0	6:15am -7:15pm		No assessment was completed as no location or time provided.
14/02/2025	08:00	EPA Environmental Line	REF 36407	Odour	Mulwaree Street Tarago	Approximately 8 km East of the site	Notifier reported the following odour: "Notice odour after opening windows. Observed from Mulwaree Street, Tarago."		3.551	West South Westerly winds. Complainant was downwind of the premises at the time.	919.942	18.49 °Y	Y	The Odour Unit has completed a gas characterisation assessment to determine the presence of other odour gases. A copy of the assessment can be found on the Woodawn Webpage under 'H2S Monitoring'. Veolia has received approval to undertake a trial utilising alternative methods of covering the tip face. Veolia will continue to implement the recommendations within the 2023 Odour Audit.		Date: 28/01/2025 ED3N-1: 791.24 ED3N-2: 790.79 ED3N-3: 791.24 ED3N-4: 791.05 ED3S-5: 793.2	Point 9 - 0 Point 71 - 0 Point 72 - 0	6:15am -7:15pm	Y	An assessment of meteorological data and operational activity has been completed in order to investigate the potential source or cause of odour was undertaken with no significant impacts evident at the time of the complaint. Veolia acknowledges that the premises is potentially the source of the odour detected by the complainant based on wind direction. It is noted that H2S was not detected at the monitoring station on site or within Tarago on 14/2/2025.
14/02/2025	07:00	EPA Environmental Line	REF 36405	Odour	Bungendore and Collector Road	Approximately 8 km East of the site	Notifier reported the following odour: "Odour described as rotting, gassy garbage stench, that wafts in in gusts on the breeze. Observed from intersection of Bungendore & Collector Road. Light breeze from the direction of the landfill noted."		2.993	West South Westerly winds. Complainant was downwind of the premises at the time.	919.992	19.56 °Y	Y	The Odour Unit has completed a gas characterisation assessment to determine the presence of other odour gases. A copy of the assessment can be found on the Woodawn Webpage under 'H2S Monitoring'. Veolia has received approval to undertake a trial utilising alternative methods of covering the tip face. Veolia will continue to implement the recommendations within the 2023 Odour Audit.		Date: 28/01/2025 ED3N-1: 791.24 ED3N-2: 790.79 ED3N-3: 791.24 ED3N-4: 791.05 ED3S-5: 793.2	Point 9 - 0 Point 71 - 0 Point 72 - 0	6:15am -7:15pm	Y	An assessment of meteorological data and operational activity has been completed in order to investigate the potential source or cause of odour was undertaken with no significant impacts evident at the time of the complaint. Veolia acknowledges that the premises is potentially the source of the odour detected by the complainant based on wind direction. It is noted that H2S was not detected at the monitoring station on site or within Tarago on 14/2/2025.

10/02/2025	07:00	EPA Environmental Line	REF 36265	Odour	Collector Road, Currawang	Approximately 15 km North North West of the site	Notifier reported the following odour: "Odour described as rotting compost, ongoing for a few days. Wind direction noted to be SSE17km/h. Observed from Collector Road, Currawang"		2.61	Easterly winds. Complainant was not downwind of the premises at the time.	923.368	16.18	Y	The Odour Unit has completed a gas characterisation assessment to determine the presence of other odour gases. A copy of the assessment can be found on the Woodlawn Webpage under 'H2S Monitoring'. Veolia has received approval to undertake a trial utilising alternative methods of covering the tip face. Veolia will continue to implement the recommendations within the 2023 Odour Audit.		Date: 28/01/2025 ED3N-1: 791.24 ED3N-2: 790.79 ED3N-3: 791.24 ED3N-4: 791.05 ED3S-5: 793.2	Point 9 - 0 Point 71 - 0 Point 72 - 0	6:15am -7:15pm	N	An assessment of meteorological data and operational activity has been completed in order to investigate the potential source or cause of odour was undertaken with no significant impacts evident at the time of the complaint. Veolia acknowledges that the premises is potentially the source of the odour detected, however this is not supported by the wind direction at the time of the complaint. It is noted that H2S was not detected at the monitoring station on site or within Tarago on 10/02/2024.
08/02/2025	06:45	EPA Environmental Line	REF 36268	Odour	Braidwood Road, Tarago	Approximately 8 km East of the site	Notifier reported the following odour: "Odour described as constant, organic stench, rated 5/5, prevented resident from opening windows and taking morning walk. Observed from Braidwood Road, Tarago."		1.423	West South Westerly winds. Complainant was not downwind of the premises at the time.	920.692	18.25	Y	The Odour Unit has completed a gas characterisation assessment to determine the presence of other odour gases. A copy of the assessment can be found on the Woodlawn Webpage under 'H2S Monitoring'. Veolia has received approval to undertake a trial utilising alternative methods of covering the tip face. Veolia will continue to implement the recommendations within the 2023 Odour Audit.		Date: 28/01/2025 ED3N-1: 791.24 ED3N-2: 790.79 ED3N-3: 791.24 ED3N-4: 791.05 ED3S-5: 793.2	Point 9 - 0 Point 71 - 0 Point 72 - 0	6:15am -7:15pm	Y	An assessment of meteorological data and operational activity has been completed in order to investigate the potential source or cause of odour was undertaken with no significant impacts evident at the time of the complaint. Veolia acknowledges that the premises is potentially the source of the odour detected by the complainant based on wind direction. It is noted that H2S was not detected at the monitoring station on site or within Tarago on 07/02/2025.
07/02/2025	07:00	EPA Environmental Line	REF 36268	Odour	Braidwood Road, Tarago	Approximately 8 km East of the site	Notifier reported the following odour: "Odour described as constant, organic stench, rated 5/5, prevented resident from opening windows and taking morning walk. Observed from Braidwood Road, Tarago."		0.623	North North Westerly Winds. Complainant was not downwind of the premises at the time.	923.909	15.55	Y	The Odour Unit has completed a gas characterisation assessment to determine the presence of other odour gases. A copy of the assessment can be found on the Woodlawn Webpage under 'H2S Monitoring'. Veolia has received approval to undertake a trial utilising alternative methods of covering the tip face. Veolia will continue to implement the recommendations within the 2023 Odour Audit.		Date: 28/01/2025 ED3N-1: 791.24 ED3N-2: 790.79 ED3N-3: 791.24 ED3N-4: 791.05 ED3S-5: 793.2	Point 9 - 0 Point 71 - 0 Point 72 - 0	6:15am -7:15pm	N	An assessment of meteorological data and operational activity has been completed in order to investigate the potential source or cause of odour was undertaken with no significant impacts evident at the time of the complaint. Veolia acknowledges that the premises is potentially the source of the odour detected by the complainant based on wind direction. It is noted that H2S was not detected at the monitoring station on site or within Tarago on 07/02/2025.
<p>Licence:</p> <p>Veolia Environmental Services (Australia) Pty Ltd Cnr Umin & Shirley Streets, Rosehill NSW 2142</p> <p>Premises:</p> <p>Woodlawn Landfill Collector Road, Tarago NSW 2590</p>																				

[1] Photo