



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number:

7628

Licensee Name:

Veolia

Facility Address:

330 Newline Rd,
Raymond Terrace
NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Veolia's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Veolia. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/pr/poecapp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
09/01/2025	EPL 1	2	Ammonia	Daily during any discharge	0.04	mg/L	1	N	
09/01/2025	EPL 1	2	BOD	Daily during any discharge	9	mg/L	20	N	
09/01/2025	EPL 1	2	Conductivity	Daily during any discharge	303	µS/cm	1500	N	
09/01/2025	EPL 1	2	pH	Daily during any discharge	7.37	pH	6.5-8.5	N	
09/01/2025	EPL 1	2	Total suspended solids	Daily during any discharge	136	mg/L	50	N	L2.5 During a wet weather overflow caused by a 90th percentile, 5 day rainfall event, which for the purpose of this condition is defined as when more than 51.8 mm of rain has fallen over a consecutive 5 day period at the premises, exceedances of the concentration limits specified in condition L2.4 above are permitted at Point 1 and Point 3.
16/01/2025	EPL 1	2	Ammonia	Daily during any discharge	0.04	mg/L	1	N	
16/01/2025	EPL 1	2	BOD	Daily during any discharge	<2	mg/L	20	N	
16/01/2025	EPL 1	2	Conductivity	Daily during any discharge	1190	µS/cm	1500	N	
16/01/2025	EPL 1	2	pH	Daily during any discharge	7.64	pH	6.5-8.5	N	
16/01/2025	EPL 1	2	Total suspended solids	Daily during any discharge	455	mg/L	50	N	L2.5 During a wet weather overflow caused by a 90th percentile, 5 day rainfall event, which for the purpose of this condition is defined as when more than 51.8 mm of rain has fallen over a consecutive 5 day period at the premises, exceedances of the concentration limits specified in condition L2.4 above are permitted at Point 1 and Point 3.
09/01/2025	EPL 3	2	Ammonia	Daily during any discharge	0.11	mg/L	1	N	
09/01/2025	EPL 3	2	BOD	Daily during any discharge	2	mg/L	20	N	
09/01/2025	EPL 3	2	Conductivity	Daily during any discharge	620	µS/cm	1500	N	
09/01/2025	EPL 3	2	pH	Daily during any discharge	7.64	pH	6.5-8.5	N	
09/01/2025	EPL 3	2	Total suspended solids	Daily during any discharge	98	mg/L	50	N	L2.5 During a wet weather overflow caused by a 90th percentile, 5 day rainfall event, which for the purpose of this condition is defined as when more than 51.8 mm of rain has fallen over a consecutive 5
16/01/2025	EPL 3	2	Ammonia	Daily during any discharge	0.16	mg/L	1	N	
16/01/2025	EPL 3	2	BOD	Daily during any discharge	3	mg/L	20	N	
16/01/2025	EPL 3	2	Conductivity	Daily during any discharge	1290	µS/L	1500	N	
16/01/2025	EPL 3	2	pH	Daily during any discharge	8.36	pH	6.5-8.5	N	
16/01/2025	EPL 3	2	Total suspended solids	Daily during any discharge	523	mg/L	50	N	L2.5 During a wet weather overflow caused by a 90th percentile, 5 day rainfall event, which for the purpose of this condition is defined as when more than 51.8 mm of rain has fallen over a consecutive 5
Groundwater quality monitoring									
20 Jan 2025	EPL_Point 7	1	Alkalinity (as calcium carbonate)	Quarterly	228	mg/L	N/A	N	
18/01/2025	EPL_Point 7	1	Aluminium	Yearly	<0.01	mg/L	N/A	N	
20 Jan 2025	EPL_Point 7	1	Ammonia	Quarterly	0.42	mg/L	N/A	N	
18/01/2025	EPL_Point 7	1	Arsenic	Yearly	0.001	mg/L	N/A	N	
18/01/2025	EPL_Point 7	1	Barium	Yearly	0.076	mg/L	N/A	N	
16/01/2025	EPL_Point 7	1	Benzene	Yearly	<1	mg/L	N/A	N	
16/01/2025	EPL_Point 7	1	BOD	Yearly	<2	mg/L	N/A	N	
18/01/2025	EPL_Point 7	1	Cadmium	Yearly	<0.0001	mg/L	N/A	N	
18/01/2025	EPL_Point 7	1	Calcium	Quarterly	74	mg/L	N/A	N	
19/01/2025	EPL_Point 7	1	Chloride	Quarterly	347	mg/L	N/A	N	
20/01/2025	EPL_Point 7	1	Chromium (hexavalent)	Yearly	<0.01	mg/L	N/A	N	
18/01/2025	EPL_Point 7	1	Chromium	Yearly	<0.001	mg/L	N/A	N	
18/01/2025	EPL_Point 7	1	Cobalt	Yearly	<0.001	mg/L	N/A	N	
20/01/2025	EPL_Point 7	1	Conductivity	Quarterly	1550	Microsiemens/cm	N/A	N	
18/01/2025	EPL_Point 7	1	Copper	Yearly	<0.001	mg/L	N/A	N	
16/01/2025	EPL_Point 7	1	Ethylbenzene	Yearly	<2	mg/L	N/A	N	
20/01/2025	EPL_Point 7	1	Fluoride	Yearly	0.6	mg/L	N/A	N	
18/01/2025	EPL_Point 7	1	Iron	Quarterly	8.75	mg/L	N/A	N	
18/01/2025	EPL_Point 7	1	Lead	Yearly	<0.001	mg/L	N/A	N	
18/01/2025	EPL_Point 7	1	Magnesium	Quarterly	67	mg/L	N/A	N	
18/01/2025	EPL_Point 7	1	Manganese	Yearly	1.61	mg/L	N/A	N	
20/01/2025	EPL_Point 7	1	Mercury	Yearly	<0.0001	mg/L	N/A	N	
20/01/2025	EPL_Point 7	1	Nitrate+Nitrite	Quarterly	<0.01	mg/L	N/A	N	
20/01/2025	EPL_Point 7	1	Organophosphate pesticides	Yearly	<0.0005	mg/L	N/A	N	
20/01/2025	EPL_Point 7	1	Organochlorine pesticides	Yearly	<0.005	mg/L	N/A	N	

14/01/2025	EPL_point 7	1	pH value	Quarterly	6.67	pH Unit	N/A	N		
20/01/2025	EPL_point 7	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	0.5	mg/L	N/A	N		
18/01/2025	EPL_point 7	1	Potassium	Quarterly	13	mg/L	N/A	N		
18/01/2025	EPL_point 7	1	Sodium	Quarterly	223	mg/L	N/A	N		
14/01/2025	EPL_point 7	1	Standing Water Level	Quarterly	4.62	mAHQ	N/A	N		
19/01/2025	EPL_point 7	1	Sulfate	Quarterly	120	mg/L	N/A	N		
16/01/2025	EPL_point 7	1	Toluene	Yearly	<2	mg/L	N/A	N		
20/01/2025	EPL_point 7	1	Total dissolved solids	Quarterly	889	mg/L	N/A	N		
17/01/2025	EPL_point 7	1	Total organic carbon	Quarterly	11	mg/L	N/A	N		
16/01/2025	EPL_point 7	1	Total Petroleum hydrocarbons	Yearly	<20	mg/L	N/A	N		
17/01/2025	EPL_point 7	1	Total phenolics	Yearly	<0.05	mg/L	N/A	N		
18/01/2025	EPL_point 7	1	Zinc	Yearly	<0.005	mg/L	N/A	N		
21/01/2025	EPL_point 7	1	Perfluorohexanoic acid (PFHxA)	Quarterly	0.07	mg/L	N/A	N		
21/01/2025	EPL_point 7	1	Perfluorobutane sulphonate (PFBS)	Quarterly	0.08	mg/L	N/A	N		
21/01/2025	EPL_point 7	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.03	mg/L	N/A	N		
21/01/2025	EPL_point 7	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	0.05	mg/L	N/A	N		
21/01/2025	EPL_point 7	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.07	mg/L	N/A	N		
21/01/2025	EPL_point 7	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.06	mg/L	N/A	N		
16 Jan 2025	EPL_point 8	1	Alkalinity (as calcium carbonate)	Quarterly	1350	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Aluminium	Yearly	0.03	mg/L	N/A	N		
20 Jan 2025	EPL_point 8	1	Ammonia	Quarterly	37.5	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Arsenic	Yearly	0.026	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Barium	Yearly	0.692	mg/L	N/A	N		
17/01/2025	EPL_point 8	1	Benzene	Yearly	<1	mg/L	N/A	N		
16/01/2025	EPL_point 8	1	BOD	Yearly	12	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Cadmium	Yearly	<0.0001	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Calcium	Quarterly	54	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Chloride	Quarterly	281	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Chromium (hexavalent)	Yearly	<0.01	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Chromium (total)	Yearly	0.012	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Cobalt	Yearly	0.054	mg/L	N/A	N		
16/01/2025	EPL_point 8	1	Conductivity	Quarterly	3040	Microsiemens/cm	N/A	N		
20/01/2025	EPL_point 8	1	Copper	Yearly	<0.001	mg/L	N/A	N		
17/01/2025	EPL_point 8	1	Ethylbenzene	Yearly	<2	mg/L	N/A	N		
16/01/2025	EPL_point 8	1	Fluoride	Yearly	0.7	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Iron	Quarterly	31.5	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Lead	Yearly	<0.001	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Magnesium	Quarterly	123	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Manganese	Yearly	1.95	mg/L	N/A	N		
23/01/2025	EPL_point 8	1	Mercury	Yearly	<0.0001	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Nitrate+Nitrite	Quarterly	0.02	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Organophosphate pesticides	Yearly	<0.5	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Organochlorine pesticides	Yearly	<0.5	mg/L	N/A	N		
16/01/2025	EPL_point 8	1	pH value	Quarterly	7.19	pH Unit	N/A	N		
21/01/2025	EPL_point 8	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	<0.5	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Potassium	Quarterly	27	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Sodium	Quarterly	413	mg/L	N/A	N		
10/01/2025	EPL_point 8	1	Standing Water Level	Quarterly	33.092	mAHQ	N/A	N		
21/01/2025	EPL_point 8	1	Sulfate	Quarterly	<10	mg/L	N/A	N		
17/01/2025	EPL_point 8	1	Toluene	Yearly	<2	mg/L	N/A	N		
17/01/2025	EPL_point 8	1	Total dissolved solids	Quarterly	1940	mg/L	N/A	N		
17/01/2025	EPL_point 8	1	Total organic carbon	Quarterly	112	mg/L	N/A	N		
17/01/2025	EPL_point 8	1	Total Petroleum hydrocarbons	Yearly	<20	mg/L	N/A	N		
17/01/2025	EPL_point 8	1	Total phenolics	Yearly	<0.05	mg/L	N/A	N		
20/01/2025	EPL_point 8	1	Zinc	Yearly	0.011	mg/L	N/A	N		
21/01/2025	EPL_point 8	1	Perfluorohexanoic acid (PFHxA)	Quarterly	0.84	mg/L	N/A	N		
21/01/2025	EPL_point 8	1	Perfluorobutane sulphonate (PFBS)	Quarterly	0.44	mg/L	N/A	N		
21/01/2025	EPL_point 8	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.45	mg/L	N/A	N		
21/01/2025	EPL_point 8	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	1.32	mg/L	N/A	N		
21/01/2025	EPL_point 8	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.85	mg/L	N/A	N		
21/01/2025	EPL_point 8	1	Perfluorooctanoic acid (PFOA)	Quarterly	1.09	mg/L	N/A	N		
16 Jan 2025	EPL_point 9	1	Alkalinity (as calcium carbonate)	Quarterly	1110	mg/L	N/A	N		

20/01/2025	EPL_Point 9	1	Aluminium	Yearly	0.03	mg/L	N/A	N	
20 Jan 2025	EPL_Point 9	1	Ammonia	Quarterly	0.02	mg/L	N/A	N	
20/01/2025	EPL_Point 9	1	Arsenic	Yearly	0.005	mg/L	N/A	N	
20/01/2025	EPL_Point 9	1	Barium	Yearly	0.154	mg/L	N/A	N	
17/01/2025	EPL_Point 9	1	Benzene	Yearly	<1	mg/L	N/A	N	
16/01/2025	EPL_Point 9	1	BOD	Yearly	8	mg/L	N/A	N	
20/01/2025	EPL_Point 9	1	Cadmium	Yearly	0.0001	mg/L	N/A	N	
20/01/2025	EPL_Point 9	1	Calcium	Quarterly	400	mg/L	N/A	N	
20/01/2025	EPL_Point 9	1	Chloride	Quarterly	1370	mg/L	N/A	N	
20/01/2025	EPL_Point 9	1	Chromium (hexavalent)	Yearly	<0.01	mg/L	N/A	N	
20/01/2025	EPL_Point 9	1	Chromium (total)	Yearly	0.002	mg/L	N/A	N	
20/01/2025	EPL_Point 9	1	Cobalt	Yearly	0.019	mg/L	N/A	N	
16/01/2025	EPL_Point 9	1	Conductivity	Quarterly	6970	μS/cm	N/A	N	
20/01/2025	EPL_Point 9	1	Copper	Yearly	<0.001	mg/L	N/A	N	
17/01/2025	EPL_Point 9	1	Ethylbenzene	Yearly	<2	mg/L	N/A	N	
16/01/2025	EPL_Point 9	1	Fluoride	Yearly	1	mg/L	N/A	N	
20/01/2025	EPL_Point 9	1	Iron	Quarterly	7.14	mg/L	N/A	N	
20/01/2025	EPL_Point 9	1	Lead	Yearly	<0.001	mg/L	N/A	N	
20/01/2025	EPL_Point 9	1	Magnesium	Quarterly	212	mg/L	N/A	N	
20/01/2025	EPL_Point 9	1	Manganese	Yearly	2.54	mg/L	N/A	N	
23/01/2025	EPL_Point 9	1	Mercury	Yearly	<0.0001	mg/L	N/A	N	
20/01/2025	EPL_Point 9	1	Nitrate+Nitrite	Quarterly	<0.01	mg/L	N/A	N	
20/01/2025	EPL_Point 9	1	Organophosphate pesticides	Yearly	<0.5	mg/L	N/A	N	
20/01/2025	EPL_Point 9	1	Organochlorine pesticides	Yearly	<0.5	mg/L	N/A	N	
16/01/2025	EPL_Point 9	1	pH value	Quarterly	6.97	pH Unit	N/A	N	
21/01/2025	EPL_Point 9	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	<0.5	mg/L	N/A	N	
20/01/2025	EPL_Point 9	1	Potassium	Quarterly	28	mg/L	N/A	N	
20/01/2025	EPL_Point 9	1	Sodium	Quarterly	888	mg/L	N/A	N	
.	EPL_Point 9	1	Standing Water Level	Quarterly	-	mAHQ	N/A	N	
20/01/2025	EPL_Point 9	1	Sulfate	Quarterly	575	mg/L	N/A	N	
17/01/2025	EPL_Point 9	1	Toluene	Yearly	<2	mg/L	N/A	N	
16/01/2025	EPL_Point 9	1	Total dissolved solids	Quarterly	4840	mg/L	N/A	N	
17/01/2025	EPL_Point 9	1	Total organic carbon	Quarterly	30	mg/L	N/A	N	
17/01/2025	EPL_Point 9	1	Total Petroleum hydrocarbons	Yearly	<20	mg/L	N/A	N	
17/01/2025	EPL_Point 9	1	Total phenolics	Yearly	<0.05	mg/L	N/A	N	
20/01/2025	EPL_Point 9	1	Zinc	Yearly	0.02	mg/L	N/A	N	
21/01/2025	EPL_Point 9	1	Perfluorohexanoic acid (PFHxA)	Quarterly	0.07	mg/L	N/A	N	
21/01/2025	EPL_Point 9	1	Perfluorobutane sulphonate (PFBS)	Quarterly	<0.02	mg/L	N/A	N	
21/01/2025	EPL_Point 9	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.03	mg/L	N/A	N	
21/01/2025	EPL_Point 9	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	0.24	mg/L	N/A	N	
21/01/2025	EPL_Point 9	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.12	mg/L	N/A	N	
21/01/2025	EPL_Point 9	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.11	mg/L	N/A	N	
20 Jan 2025	EPL_Point 11	1	Alkalinity (as calcium carbonate)	Quarterly	772	mg/L	N/A	N	
18/01/2025	EPL_Point 11	1	Aluminium	Yearly	<0.01	mg/L	N/A	N	
20 Jan 2025	EPL_Point 11	1	Ammonia	Quarterly	1.51	mg/L	N/A	N	
18/01/2025	EPL_Point 11	1	Arsenic	Yearly	0.003	mg/L	N/A	N	
18/01/2025	EPL_Point 11	1	Barium	Yearly	0.131	mg/L	N/A	N	
16/01/2025	EPL_Point 11	1	Benzene	Yearly	<1	mg/L	N/A	N	
16/01/2025	EPL_Point 11	1	BOD	Yearly	2	mg/L	N/A	N	
18/01/2025	EPL_Point 11	1	Cadmium	Yearly	<0.0001	mg/L	N/A	N	
18/01/2025	EPL_Point 11	1	Calcium	Quarterly	395	mg/L	N/A	N	
19/01/2025	EPL_Point 11	1	Chloride	Quarterly	564	mg/L	N/A	N	
20/01/2025	EPL_Point 11	1	Chromium (hexavalent)	Yearly	<0.01	mg/L	N/A	N	
18/01/2025	EPL_Point 11	1	Chromium (total)	Yearly	0.001	mg/L	N/A	N	
18/01/2025	EPL_Point 11	1	Cobalt	Yearly	0.03	mg/L	N/A	N	
20/01/2025	EPL_Point 11	1	Conductivity	Quarterly	5230	μS/cm	N/A	N	
18/01/2025	EPL_Point 11	1	Copper	Yearly	<0.001	mg/L	N/A	N	
16/01/2025	EPL_Point 11	1	Ethylbenzene	Yearly	<2	mg/L	N/A	N	
20/01/2025	EPL_Point 11	1	Fluoride	Yearly	0.7	mg/L	N/A	N	
18/01/2025	EPL_Point 11	1	Iron	Quarterly	7.13	mg/L	N/A	N	
18/01/2025	EPL_Point 11	1	Lead	Yearly	<0.001	mg/L	N/A	N	
18/01/2025	EPL_Point 11	1	Magnesium	Quarterly	268	mg/L	N/A	N	

--	--

18/01/2025	EPL_Point 11	1	Manganese	Yearly	10.1	mg/L	N/A	N	
20/01/2025	EPL_Point 11	1	Mercury	Yearly	<0.0001	mg/L	N/A	N	
20/01/2025	EPL_Point 11	1	Nitrate+Nitrite	Quarterly	<0.01	mg/L	N/A	N	
20/01/2025	EPL_Point 11	1	Organophosphate pesticides	Yearly	<0.5	mg/L	N/A	N	
20/01/2025	EPL_Point 11	1	Organochlorine pesticides	Yearly	<0.5	mg/L	N/A	N	
14/01/2025	EPL_Point 11	1	pH value	Quarterly	6.71	pH Unit	N/A	N	
20/01/2025	EPL_Point 11	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	<0.5	mg/L	N/A	N	
18/01/2025	EPL_Point 11	1	Potassium	Quarterly	24	mg/L	N/A	N	
18/01/2025	EPL_Point 11	1	Sodium	Quarterly	789	mg/L	N/A	N	
13/01/2025	EPL_Point 11	1	Standing Water Level	Quarterly	-1665	mAHd	N/A	N	
19/01/2025	EPL_Point 11	1	Sulfate	Quarterly	1970	mg/L	N/A	N	
16/01/2025	EPL_Point 11	1	Toluene	Yearly	<2	mg/L	N/A	N	
17/01/2025	EPL_Point 11	1	Total dissolved solids	Quarterly	4550	mg/L	N/A	N	
17/01/2025	EPL_Point 11	1	Total organic carbon	Quarterly	17	mg/L	N/A	N	
16/01/2025	EPL_Point 11	1	Total Petroleum hydrocarbons	Yearly	<20	mg/L	N/A	N	
17/01/2025	EPL_Point 11	1	Total phenolics	Yearly	<0.05	mg/L	N/A	N	
18/01/2025	EPL_Point 11	1	Zinc	Yearly	<0.2005	mg/L	N/A	N	
21/01/2025	EPL_Point 11	1	Perfluorohexanoic acid (PFHxA)	Quarterly	0.28	mg/L	N/A	N	
21/01/2025	EPL_Point 11	1	Perfluorobutane sulphonate (PFBS)	Quarterly	0.57	mg/L	N/A	N	
21/01/2025	EPL_Point 11	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.15	mg/L	N/A	N	
21/01/2025	EPL_Point 11	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	0.4	mg/L	N/A	N	
21/01/2025	EPL_Point 11	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.06	mg/L	N/A	N	
21/01/2025	EPL_Point 11	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.3	mg/L	N/A	N	
20 Jan 2025	EPL_Point 12	1	Alkalinity (as calcium carbonate)	Quarterly	81	mg/L	N/A	N	
18/01/2025	EPL_Point 12	1	Aluminium	Yearly	0.1	mg/L	N/A	N	
20 Jan 2025	EPL_Point 12	1	Ammonia	Quarterly	0.69	mg/L	N/A	N	
18/01/2025	EPL_Point 12	1	Arsenic	Yearly	0.002	mg/L	N/A	N	
18/01/2025	EPL_Point 12	1	Barium	Yearly	0.012	mg/L	N/A	N	
16/01/2025	EPL_Point 12	1	Benzene	Yearly	<1	mg/L	N/A	N	
16/01/2025	EPL_Point 12	1	BOD	Yearly	5	mg/L	N/A	N	
18/01/2025	EPL_Point 12	1	Cadmium	Yearly	<0.0001	mg/L	N/A	N	
20/01/2025	EPL_Point 12	1	Calcium	Quarterly	535	mg/L	N/A	N	
19/01/2025	EPL_Point 12	1	Chloride	Quarterly	3610	mg/L	N/A	N	
20/01/2025	EPL_Point 12	1	Chromium (hexavalent)	Yearly	<0.01	mg/L	N/A	N	
18/01/2025	EPL_Point 12	1	Chromium (total)	Yearly	<0.001	mg/L	N/A	N	
18/01/2025	EPL_Point 12	1	Cobalt	Yearly	0.619	mg/L	N/A	N	
20/01/2025	EPL_Point 12	1	Conductivity	Quarterly	18900	microsiemens/cm	N/A	N	
18/01/2025	EPL_Point 12	1	Copper	Yearly	<0.001	mg/L	N/A	N	
16/01/2025	EPL_Point 12	1	Ethylbenzene	Yearly	<2	mg/L	N/A	N	
20/01/2025	EPL_Point 12	1	Fluoride	Yearly	0.1	mg/L	N/A	N	
18/01/2025	EPL_Point 12	1	Iron	Quarterly	47.9	mg/L	N/A	N	
18/01/2025	EPL_Point 12	1	Lead	Yearly	<0.001	mg/L	N/A	N	
20/01/2025	EPL_Point 12	1	Magnesium	Quarterly	1120	mg/L	N/A	N	
18/01/2025	EPL_Point 12	1	Manganese	Yearly	18.9	mg/L	N/A	N	
20/01/2025	EPL_Point 12	1	Mercury	Yearly	<0.0001	mg/L	N/A	N	
20/01/2025	EPL_Point 12	1	Nitrate+Nitrite	Quarterly	<0.01	mg/L	N/A	N	
20/01/2025	EPL_Point 12	1	Organophosphate pesticides	Yearly	<0.5	mg/L	N/A	N	
20/01/2025	EPL_Point 12	1	Organochlorine pesticides	Yearly	<0.5	mg/L	N/A	N	
14/01/2025	EPL_Point 12	1	pH value	Quarterly	5.43	pH Unit	N/A	N	
20/01/2025	EPL_Point 12	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	<0.5	mg/L	N/A	N	
20/01/2025	EPL_Point 12	1	Potassium	Quarterly	77	mg/L	N/A	N	
20/01/2025	EPL_Point 12	1	Sodium	Quarterly	2930	mg/L	N/A	N	
14/01/2025	EPL_Point 12	1	Standing Water Level	Quarterly	0.326	mAHd	N/A	N	
19/01/2025	EPL_Point 12	1	Sulfate	Quarterly	6760	mg/L	N/A	N	
16/01/2025	EPL_Point 12	1	Toluene	Yearly	<2	mg/L	N/A	N	
17/01/2025	EPL_Point 12	1	Total dissolved solids	Quarterly	18300	mg/L	N/A	N	
17/01/2025	EPL_Point 12	1	Total organic carbon	Quarterly	13	mg/L	N/A	N	
16/01/2025	EPL_Point 12	1	Total Petroleum hydrocarbons	Yearly	<20	mg/L	N/A	N	
17/01/2025	EPL_Point 12	1	Total phenolics	Yearly	<0.05	mg/L	N/A	N	
18/01/2025	EPL_Point 12	1	Zinc	Yearly	1.41	mg/L	N/A	N	
21/01/2025	EPL_Point 12	1	Perfluorohexanoic acid (PFHxA)	Quarterly	0.33	mg/L	N/A	N	
21/01/2025	EPL_Point 12	1	Perfluorobutane sulphonate (PFBS)	Quarterly	0.79	mg/L	N/A	N	

21/01/2025	EPL_Point 12	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.09	mg/L	N/A	N	
21/01/2025	EPL_Point 12	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	0.17	mg/L	N/A	N	
21/01/2025	EPL_Point 12	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.04	mg/L	N/A	N	
21/01/2025	EPL_Point 12	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.07	mg/L	N/A	N	
16 Jan 2025	EPL_Point 14	1	Alkalinity (as calcium carbonate)	Quarterly	430	mg/L	N/A	N	
18/01/2025	EPL_Point 14	1	Aluminium	Yearly	<0.01	mg/L	N/A	N	
20 Jan 2025	EPL_Point 14	1	Ammonia	Quarterly	1.6	mg/L	N/A	N	
18/01/2025	EPL_Point 14	1	Arsenic	Yearly	0.005	mg/L	N/A	N	
18/01/2025	EPL_Point 14	1	Barium	Yearly	0.107	mg/L	N/A	N	
16/01/2025	EPL_Point 14	1	Benzene	Yearly	<1	mg/L	N/A	N	
16/01/2025	EPL_Point 14	1	BOD	Yearly	3	mg/L	N/A	N	
18/01/2025	EPL_Point 14	1	Cadmium	Yearly	<0.0001	mg/L	N/A	N	
18/01/2025	EPL_Point 14	1	Calcium	Quarterly	54	mg/L	N/A	N	
19/01/2025	EPL_Point 14	1	Chloride	Quarterly	108	mg/L	N/A	N	
20/01/2025	EPL_Point 14	1	Chromium (hexavalent)	Yearly	<0.01	mg/L	N/A	N	
18/01/2025	EPL_Point 14	1	Chromium (total)	Yearly	<0.001	mg/L	N/A	N	
18/01/2025	EPL_Point 14	1	Cobalt	Yearly	0.007	mg/L	N/A	N	
18/01/2025	EPL_Point 14	1	Conductivity	Quarterly	1170	microsiemens/cm	N/A	N	
18/01/2025	EPL_Point 14	1	Copper	Yearly	<0.001	mg/L	N/A	N	
16/01/2025	EPL_Point 14	1	Ethylbenzene	Yearly	<2	mg/L	N/A	N	
16/01/2025	EPL_Point 14	1	Fluoride	Yearly	1.1	mg/L	N/A	N	
18/01/2025	EPL_Point 14	1	Iron	Quarterly	5.58	mg/L	N/A	N	
18/01/2025	EPL_Point 14	1	Lead	Yearly	<0.001	mg/L	N/A	N	
18/01/2025	EPL_Point 14	1	Magnesium	Quarterly	43	mg/L	N/A	N	
18/01/2025	EPL_Point 14	1	Manganese	Yearly	2.66	mg/L	N/A	N	
20/01/2025	EPL_Point 14	1	Mercury	Yearly	<0.0001	mg/L	N/A	N	
20/01/2025	EPL_Point 14	1	Nitrate+Nitrite	Quarterly	<0.01	mg/L	N/A	N	
20/01/2025	EPL_Point 14	1	Organophosphate pesticides	Yearly	<0.5	mg/L	N/A	N	
20/01/2025	EPL_Point 14	1	Organochlorine pesticides	Yearly	<0.5	mg/L	N/A	N	
14/01/2025	EPL_Point 14	1	pH value	Quarterly	6.66	pH Unit	N/A	N	
20/01/2025	EPL_Point 14	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	<0.5	mg/L	N/A	N	
18/01/2025	EPL_Point 14	1	Potassium	Quarterly	14	mg/L	N/A	N	
18/01/2025	EPL_Point 14	1	Sodium	Quarterly	161	mg/L	N/A	N	
13/01/2025	EPL_Point 14	1	Standing Water Level	Quarterly	-0.446	mAHd	N/A	N	
19/01/2025	EPL_Point 14	1	Sulfate	Quarterly	86	mg/L	N/A	N	
16/01/2025	EPL_Point 14	1	Toluene	Yearly	<2	mg/L	N/A	N	
17/01/2025	EPL_Point 14	1	Total dissolved solids	Quarterly	776	mg/L	N/A	N	
17/01/2025	EPL_Point 14	1	Total organic carbon	Quarterly	34	mg/L	N/A	N	
16/01/2025	EPL_Point 14	1	Total Petroleum hydrocarbons	Yearly	<20	mg/L	N/A	N	
17/01/2025	EPL_Point 14	1	Total phenolics	Yearly	<0.05	mg/L	N/A	N	
18/01/2025	EPL_Point 14	1	Zinc	Yearly	<0.005	mg/L	N/A	N	
21/01/2025	EPL_Point 14	1	Perfluorohexanoic acid (PFHxA)	Quarterly	0.55	mg/L	N/A	N	
21/01/2025	EPL_Point 14	1	Perfluorobutane sulphonate (PFBS)	Quarterly	0.12	mg/L	N/A	N	
21/01/2025	EPL_Point 14	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.32	mg/L	N/A	N	
21/01/2025	EPL_Point 14	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	0.1	mg/L	N/A	N	
21/01/2025	EPL_Point 14	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.13	mg/L	N/A	N	
21/01/2025	EPL_Point 14	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.69	mg/L	N/A	N	
20 Jan 2025	EPL_Point 18	1	Alkalinity (as calcium carbonate)	Quarterly	788	mg/L	N/A	N	
18/01/2025	EPL_Point 18	1	Aluminium	Yearly	<0.01	mg/L	N/A	N	
20 Jan 2025	EPL_Point 18	1	Ammonia	Quarterly	2.76	mg/L	N/A	N	
18/01/2025	EPL_Point 18	1	Arsenic	Yearly	0.003	mg/L	N/A	N	
18/01/2025	EPL_Point 18	1	Barium	Yearly	0.056	mg/L	N/A	N	
16/01/2025	EPL_Point 18	1	Benzene	Yearly	<1	mg/L	N/A	N	
16/01/2025	EPL_Point 18	1	BOD	Yearly	<2	mg/L	N/A	N	
18/01/2025	EPL_Point 18	1	Cadmium	Yearly	<0.0001	mg/L	N/A	N	
18/01/2025	EPL_Point 18	1	Calcium	Quarterly	336	mg/L	N/A	N	
19/01/2025	EPL_Point 18	1	Chloride	Quarterly	781	mg/L	N/A	N	
20/01/2025	EPL_Point 18	1	Chromium (hexavalent)	Yearly	<0.01	mg/L	N/A	N	
18/01/2025	EPL_Point 18	1	Chromium (total)	Yearly	<0.001	mg/L	N/A	N	
18/01/2025	EPL_Point 18	1	Cobalt	Yearly	0.044	mg/L	N/A	N	
20/01/2025	EPL_Point 18	1	Conductivity	Quarterly	6490	microsiemens/cm	N/A	N	
18/01/2025	EPL_Point 18	1	Copper	Yearly	<0.001	mg/L	N/A	N	

17/01/2025	EPL_Point 19	1	Total Petroleum hydrocarbons	Yearly	<20	mg/L	N/A	N	
17/01/2025	EPL_Point 19	1	Total phenolics	Yearly	<0.05	mg/L	N/A	N	
20/01/2025	EPL_Point 19	1	Zinc	Yearly	0.006	mg/L	N/A	N	
21/01/2025	EPL_Point 19	1	Perfluorohexanoic acid (PFHxA)	Quarterly	0.85	mg/L	N/A	N	
21/01/2025	EPL_Point 19	1	Perfluorobutane sulphonate (PFBS)	Quarterly	1.32	mg/L	N/A	N	
21/01/2025	EPL_Point 19	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.11	mg/L	N/A	N	
21/01/2025	EPL_Point 19	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	0.22	mg/L	N/A	N	
21/01/2025	EPL_Point 19	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.11	mg/L	N/A	N	
21/01/2025	EPL_Point 19	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.21	mg/L	N/A	N	
16 Jan 2025	EPL_Point 20	1	Alkalinity (as calcium carbonate)	Quarterly	878	mg/L	N/A	N	
18/01/2025	EPL_Point 20	1	Aluminium	Yearly	<0.01	mg/L	N/A	N	
20 Jan 2025	EPL_Point 20	1	Ammonia	Quarterly	0.25	mg/L	N/A	N	
18/01/2025	EPL_Point 20	1	Arsenic	Yearly	0.002	mg/L	N/A	N	
18/01/2025	EPL_Point 20	1	Barium	Yearly	0.061	mg/L	N/A	N	
18/01/2025	EPL_Point 20	1	Benzene	Yearly	<1	mg/L	N/A	N	
16/01/2025	EPL_Point 20	1	BOD	Yearly	<2	mg/L	N/A	N	
18/01/2025	EPL_Point 20	1	Cadmium	Yearly	<0.0001	mg/L	N/A	N	
20/01/2025	EPL_Point 20	1	Calcium	Quarterly	995	mg/L	N/A	N	
19/01/2025	EPL_Point 20	1	Chloride	Quarterly	6510	mg/L	N/A	N	
20/01/2025	EPL_Point 20	1	Chromium (hexavalent)	Yearly	<0.01	mg/L	N/A	N	
18/01/2025	EPL_Point 20	1	Chromium (total)	Yearly	0.001	mg/L	N/A	N	
18/01/2025	EPL_Point 20	1	Cobalt	Yearly	0.008	mg/L	N/A	N	
16/01/2025	EPL_Point 20	1	Conductivity	Quarterly	21400	microsiemens/cm	N/A	N	
18/01/2025	EPL_Point 20	1	Copper	Yearly	<0.001	mg/L	N/A	N	
16/01/2025	EPL_Point 20	1	Ethylbenzene	Yearly	<2	mg/L	N/A	N	
16/01/2025	EPL_Point 20	1	Fluoride	Yearly	1.4	mg/L	N/A	N	
18/01/2025	EPL_Point 20	1	Iron	Quarterly	10.5	mg/L	N/A	N	
18/01/2025	EPL_Point 20	1	Lead	Yearly	<0.001	mg/L	N/A	N	
20/01/2025	EPL_Point 20	1	Magnesium	Quarterly	985	mg/L	N/A	N	
18/01/2025	EPL_Point 20	1	Manganese	Yearly	9.18	mg/L	N/A	N	
20/01/2025	EPL_Point 20	1	Mercury	Yearly	<0.0001	mg/L	N/A	N	
20/01/2025	EPL_Point 20	1	Nitrate+Nitrite	Quarterly	<0.01	mg/L	N/A	N	
20/01/2025	EPL_Point 20	1	Organophosphate pesticides	Yearly	<0.5	mg/L	N/A	N	
20/01/2025	EPL_Point 20	1	Organochlorine pesticides	Yearly	<0.5	mg/L	N/A	N	
14/01/2025	EPL_Point 20	1	pH value	Quarterly	6.42	pH Unit	N/A	N	
20/01/2025	EPL_Point 20	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	<0.5	mg/L	N/A	N	
20/01/2025	EPL_Point 20	1	Potassium	Quarterly	26	mg/L	N/A	N	
20/01/2025	EPL_Point 20	1	Sodium	Quarterly	3000	mg/L	N/A	N	
-	EPL_Point 20	1	Standing Water Level	Quarterly	-	mAHD	N/A	N	
19/01/2025	EPL_Point 20	1	Sulfate	Quarterly	3450	mg/L	N/A	N	
16/01/2025	EPL_Point 20	1	Toluene	Yearly	<2	mg/L	N/A	N	
17/01/2025	EPL_Point 20	1	Total dissolved solids	Quarterly	19100	mg/L	N/A	N	
17/01/2025	EPL_Point 20	1	Total organic carbon	Quarterly	5	mg/L	N/A	N	
16/01/2025	EPL_Point 20	1	Total Petroleum hydrocarbons	Yearly	<20	mg/L	N/A	N	
17/01/2025	EPL_Point 20	1	Total phenolics	Yearly	<0.05	mg/L	N/A	N	
18/01/2025	EPL_Point 20	1	Zinc	Yearly	0.027	mg/L	N/A	N	
21/01/2025	EPL_Point 20	1	Perfluorohexanoic acid (PFHxA)	Quarterly	<0.02	mg/L	N/A	N	
21/01/2025	EPL_Point 20	1	Perfluorobutane sulphonate (PFBS)	Quarterly	<0.02	mg/L	N/A	N	
21/01/2025	EPL_Point 20	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	<0.02	mg/L	N/A	N	
21/01/2025	EPL_Point 20	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	<0.01	mg/L	N/A	N	
21/01/2025	EPL_Point 20	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.02	mg/L	N/A	N	
21/01/2025	EPL_Point 20	1	Perfluorooctanoic acid (PFOA)	Quarterly	<0.01	mg/L	N/A	N	
20 Jan 2025	EPL_Point 21	1	Alkalinity (as calcium carbonate)	Quarterly	819	mg/L	N/A	N	
18/01/2025	EPL_Point 21	1	Aluminium	Yearly	<0.01	mg/L	N/A	N	
20 Jan 2025	EPL_Point 21	1	Ammonia	Quarterly	0.14	mg/L	N/A	N	
18/01/2025	EPL_Point 21	1	Arsenic	Yearly	0.004	mg/L	N/A	N	
18/01/2025	EPL_Point 21	1	Barium	Yearly	0.028	mg/L	N/A	N	
16/01/2025	EPL_Point 21	1	Benzene	Yearly	<1	mg/L	N/A	N	
16/01/2025	EPL_Point 21	1	BOD	Yearly	<2	mg/L	N/A	N	
18/01/2025	EPL_Point 21	1	Cadmium	Yearly	<0.0001	mg/L	N/A	N	
20/01/2025	EPL_Point 21	1	Calcium	Quarterly	980	mg/L	N/A	N	
19/01/2025	EPL_Point 21	1	Chloride	Quarterly	6110	mg/L	N/A	N	

20/01/2025	EPL_Point 21	1	Chromium (hexavalent)	Yearly	<0.01	mg/L	N/A	N		
18/01/2025	EPL_Point 21	1	Chromium (total)	Yearly	<0.001	mg/L	N/A	N		
18/01/2025	EPL_Point 21	1	Cobalt	Yearly	0.004	mg/L	N/A	N		
20/01/2025	EPL_Point 21	1	Conductivity	Quarterly	20700	microsiemens/cm	N/A	N		
18/01/2025	EPL_Point 21	1	Copper	Yearly	<0.001	mg/L	N/A	N		
16/01/2025	EPL_Point 21	1	Ethylbenzene	Yearly	<2	mg/L	N/A	N		
20/01/2025	EPL_Point 21	1	Fluoride	Yearly	1.7	mg/L	N/A	N		
18/01/2025	EPL_Point 21	1	Iron	Quarterly	11	mg/L	N/A	N		
18/01/2025	EPL_Point 21	1	Lead	Yearly	<0.001	mg/L	N/A	N		
20/01/2025	EPL_Point 21	1	Magnesium	Quarterly	975	mg/L	N/A	N		
18/01/2025	EPL_Point 21	1	Manganese	Yearly	7.07	mg/L	N/A	N		
20/01/2025	EPL_Point 21	1	Mercury	Yearly	<0.0001	mg/L	N/A	N		
20/01/2025	EPL_Point 21	1	Nitrate+Nitrite	Quarterly	<0.01	mg/L	N/A	N		
20/01/2025	EPL_Point 21	1	Organophosphate pesticides	Yearly	<0.5	mg/L	N/A	N		
20/01/2025	EPL_Point 21	1	Organochlorine pesticides	Yearly	<0.5	mg/L	N/A	N		
14/01/2025	EPL_Point 21	1	pH value	Quarterly	6.47	pH Unit	N/A	N		
20/01/2025	EPL_Point 21	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	<0.5	mg/L	N/A	N		
20/01/2025	EPL_Point 21	1	Potassium	Quarterly	25	mg/L	N/A	N		
20/01/2025	EPL_Point 21	1	Sodium	Quarterly	3020	mg/L	N/A	N		
14/01/2025	EPL_Point 21	1	Standing Water Level	Quarterly	<0.011	mAHD	N/A	N		
19/01/2025	EPL_Point 21	1	Sulfate	Quarterly	3480	mg/L	N/A	N		
16/01/2025	EPL_Point 21	1	Toluene	Yearly	<2	mg/L	N/A	N		
17/01/2025	EPL_Point 21	1	Total dissolved solids	Quarterly	19800	mg/L	N/A	N		
17/01/2025	EPL_Point 21	1	Total organic carbon	Quarterly	<1	mg/L	N/A	N		
16/01/2025	EPL_Point 21	1	Total Petroleum Hydrocarbons	Yearly	<20	mg/L	N/A	N		
17/01/2025	EPL_Point 21	1	Total phenolics	Yearly	<0.05	mg/L	N/A	N		
18/01/2025	EPL_Point 21	1	Zinc	Yearly	0.025	mg/L	N/A	N		
21/01/2025	EPL_Point 21	1	Perfluorohexanoic acid (PFHxA)	Quarterly	<0.02	mg/L	N/A	N		
21/01/2025	EPL_Point 21	1	Perfluorobutane sulphonate (PFBS)	Quarterly	<0.02	mg/L	N/A	N		
21/01/2025	EPL_Point 21	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	<0.02	mg/L	N/A	N		
21/01/2025	EPL_Point 21	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	<0.01	mg/L	N/A	N		
21/01/2025	EPL_Point 21	1	Perfluorooctane sulphonate (PFOS)	Quarterly	<0.01	mg/L	N/A	N		
21/01/2025	EPL_Point 21	1	Perfluorooctanoic acid (PFOA)	Quarterly	<0.01	mg/L	N/A	N		
16/01/2025	EPL_Point 26	1	Perfluorohexanoic acid (PFHxA)	Quarterly	3.84	mg/L	N/A	N		
16/01/2025	EPL_Point 26	1	Perfluorobutane sulphonate (PFBS)	Quarterly	7.88	mg/L	N/A	N		
16/01/2025	EPL_Point 26	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.71	mg/L	N/A	N		
16/01/2025	EPL_Point 26	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	1.38	mg/L	N/A	N		
16/01/2025	EPL_Point 26	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.3	mg/L	N/A	N		
16/01/2025	EPL_Point 26	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.45	mg/L	N/A	N		
21/01/2025	EPL_Point 27	1	Perfluorohexanoic acid (PFHxA)	Quarterly	0.05	mg/L	N/A	N		
21/01/2025	EPL_Point 27	1	Perfluorobutane sulphonate (PFBS)	Quarterly	0.04	mg/L	N/A	N		
21/01/2025	EPL_Point 27	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.03	mg/L	N/A	N		
21/01/2025	EPL_Point 27	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	0.03	mg/L	N/A	N		
21/01/2025	EPL_Point 27	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.08	mg/L	N/A	N		
21/01/2025	EPL_Point 27	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.06	mg/L	N/A	N		
21/01/2025	EPL_Point 28	1	Perfluorohexanoic acid (PFHxA)	Quarterly	0.07	mg/L	N/A	N		
21/01/2025	EPL_Point 28	1	Perfluorobutane sulphonate (PFBS)	Quarterly	0.18	mg/L	N/A	N		
21/01/2025	EPL_Point 28	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.03	mg/L	N/A	N		
21/01/2025	EPL_Point 28	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	0.08	mg/L	N/A	N		
21/01/2025	EPL_Point 28	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.01	mg/L	N/A	N		
21/01/2025	EPL_Point 28	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.08	mg/L	N/A	N		
16/01/2025	EPL_Point 30	1	Perfluorohexanoic acid (PFHxA)	Quarterly	1.84	mg/L	N/A	N		
16/01/2025	EPL_Point 30	1	Perfluorobutane sulphonate (PFBS)	Quarterly	2.39	mg/L	N/A	N		
16/01/2025	EPL_Point 30	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.42	mg/L	N/A	N		
16/01/2025	EPL_Point 30	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	0.94	mg/L	N/A	N		
16/01/2025	EPL_Point 30	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.75	mg/L	N/A	N		
16/01/2025	EPL_Point 30	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.69	mg/L	N/A	N		
14/01/2025	EPL_Point 26	1	Alkalinity (as calcium carbonate)	Yearly	165	mg/L	N/A	N		
15/01/2025	EPL_Point 26	1	Aluminium	Yearly	1.92	mg/L	N/A	N		
15/01/2025	EPL_Point 26	1	Ammonia	Yearly	40.8	mg/L	N/A	N		
15/01/2025	EPL_Point 26	1	Arsenic	Yearly	0.042	mg/L	N/A	N		
15/01/2025	EPL_Point 26	1	Barium	Yearly	0.27	mg/L	N/A	N		

15/01/2025	EPL_Point 26	1	Benzene	Yearly	<1	mg/L	N/A	N	
15/01/2025	EPL_Point 26	1	Cadmium	Yearly	0.0002	mg/L	N/A	N	
15/01/2025	EPL_Point 26	1	Calcium	Yearly	77	mg/L	N/A	N	
14/01/2025	EPL_Point 26	1	Chloride	Yearly	2130	mg/L	N/A	N	
16/01/2025	EPL_Point 26	1	Chromium (hexavalent)	Yearly	<0.01	mg/L	N/A	N	
15/01/2025	EPL_Point 26	1	Chromium (total)	Yearly	1.85	mg/L	N/A	N	
15/01/2025	EPL_Point 26	1	Cobalt	Yearly	0.088	mg/L	N/A	N	
#N/A	EPL_Point 26	1	Conductivity	Yearly	11100	microsiemens/cm	N/A	N	
15/01/2025	EPL_Point 26	1	Copper	Yearly	0.212	mg/L	N/A	N	
10/01/2025	EPL_Point 26	1	Ethylbenzene	Yearly	<2	mg/L	N/A	N	
14/01/2025	EPL_Point 26	1	Fluoride	Yearly	6.3	mg/L	N/A	N	
15/01/2025	EPL_Point 26	1	Iron	Yearly	514	mg/L	N/A	N	
15/01/2025	EPL_Point 26	1	Magnesium	Yearly	168	mg/L	N/A	N	
15/01/2025	EPL_Point 26	1	Manganese	Yearly	2.8	mg/L	N/A	N	
15/01/2025	EPL_Point 26	1	Mercury	Yearly	<0.0001	mg/L	N/A	N	
15/01/2025	EPL_Point 26	1	Nitrate+Nitrite	Yearly	246	mg/L	N/A	N	
15/01/2025	EPL_Point 26	1	Organophosphate pesticides	Yearly	<0.5	mg/L	N/A	N	
15/01/2025	EPL_Point 26	1	Organochlorine pesticides	Yearly	<0.5	mg/L	N/A	N	
09/01/2025	EPL_Point 26	1	pH value	Yearly	6.48	pH Unit	N/A	N	
14/01/2025	EPL_Point 26	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	<0.5	mg/L	N/A	N	
15/01/2025	EPL_Point 26	1	Potassium	Yearly	250	mg/L	N/A	N	
15/01/2025	EPL_Point 26	1	Sodium	Yearly	1740	mg/L	N/A	N	
14/01/2025	EPL_Point 26	1	Sulfate	Yearly	139	mg/L	N/A	N	
10/01/2025	EPL_Point 26	1	Toluene	Yearly	<2	mg/L	N/A	N	
15/01/2025	EPL_Point 26	1	Total dissolved solids	Yearly	7800	mg/L	N/A	N	
13/01/2025	EPL_Point 26	1	Total organic carbon	Yearly	721	mg/L	N/A	N	
10/01/2025	EPL_Point 26	1	Total Petroleum hydrocarbons	Yearly	150	mg/L	N/A	N	
13/01/2025	EPL_Point 26	1	Total phenolics	Yearly	0.14	mg/L	N/A	N	
15/01/2025	EPL_Point 26	1	Zinc	Yearly	7.47	mg/L	N/A	N	
16/01/2025	EPL_Point 27	1	Alkalinity (as calcium carbonate)	Quarterly	590	mg/L	N/A	N	
22/01/2025	EPL_Point 27	1	Aluminium	Yearly	<0.01	mg/L	N/A	N	
20/01/2025	EPL_Point 27	1	Ammonia	Quarterly	0.03	mg/L	N/A	N	
22/01/2025	EPL_Point 27	1	Arsenic	Yearly	0.001	mg/L	N/A	N	
22/01/2025	EPL_Point 27	1	Barium	Yearly	0.028	mg/L	N/A	N	
17/01/2025	EPL_Point 27	1	Benzene	Yearly	<1	mg/L	N/A	N	
16/01/2025	EPL_Point 27	1	BOD	Yearly	<2	mg/L	N/A	N	
22/01/2025	EPL_Point 27	1	Cadmium	Yearly	<0.0001	mg/L	N/A	N	
20/01/2025	EPL_Point 27	1	Calcium	Quarterly	96	mg/L	N/A	N	
20/01/2025	EPL_Point 27	1	Chloride	Quarterly	1440	mg/L	N/A	N	
20/01/2025	EPL_Point 27	1	Chromium (hexavalent)	Yearly	<0.01	mg/L	N/A	N	
22/01/2025	EPL_Point 27	1	Chromium (total)	Yearly	<0.001	mg/L	N/A	N	
22/01/2025	EPL_Point 27	1	Cobalt	Yearly	<0.001	mg/L	N/A	N	
16/01/2025	EPL_Point 27	1	Conductivity	Quarterly	6010	microsiemens/cm	N/A	N	
22/01/2025	EPL_Point 27	1	Copper	Yearly	0.031	mg/L	N/A	N	
17/01/2025	EPL_Point 27	1	Ethylbenzene	Yearly	<2	mg/L	N/A	N	
16/01/2025	EPL_Point 27	1	Fluoride	Yearly	1.4	mg/L	N/A	N	
22/01/2025	EPL_Point 27	1	Iron	Quarterly	<0.05	mg/L	N/A	N	
22/01/2025	EPL_Point 27	1	Lead	Yearly	<0.001	mg/L	N/A	N	
20/01/2025	EPL_Point 27	1	Magnesium	Quarterly	135	mg/L	N/A	N	
22/01/2025	EPL_Point 27	1	Manganese	Yearly	0.158	mg/L	N/A	N	
22/01/2025	EPL_Point 27	1	Mercury	Yearly	<0.0001	mg/L	N/A	N	
20/01/2025	EPL_Point 27	1	Nitrate+Nitrite	Quarterly	14	mg/L	N/A	N	
20/01/2025	EPL_Point 27	1	Organophosphate pesticides	Yearly	<0.5	mg/L	N/A	N	
20/01/2025	EPL_Point 27	1	Organochlorine pesticides	Yearly	<0.5	mg/L	N/A	N	
16/01/2025	EPL_Point 27	1	pH value	Quarterly	6.79	pH Unit	N/A	N	
21/01/2025	EPL_Point 27	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	<0.5	mg/L	N/A	N	
20/01/2025	EPL_Point 27	1	Potassium	Quarterly	19	mg/L	N/A	N	
20/01/2025	EPL_Point 27	1	Sodium	Quarterly	904	mg/L	N/A	N	
10/01/2025	EPL_Point 27	1	Standing water Level	Quarterly	9.355	mAHd	N/A	N	
20/01/2025	EPL_Point 27	1	Sulfate	Quarterly	218	mg/L	N/A	N	
17/01/2025	EPL_Point 27	1	Toluene	Yearly	<2	mg/L	N/A	N	
17/01/2025	EPL_Point 27	1	Total dissolved solids	Quarterly	3460	mg/L	N/A	N	

17/01/2025	EPL_Point 27	1	Total organic carbon	Quarterly	18	mg/L	N/A	N	
17/01/2025	EPL_Point 27	1	Total Petroleum hydrocarbons	Yearly	<20	mg/L	N/A	N	
17/01/2025	EPL_Point 27	1	Total phenolics	Yearly	<0.05	mg/L	N/A	N	
22/01/2025	EPL_Point 27	1	Zinc	Yearly	0.03	mg/L	N/A	N	
20/01/2025	EPL_Point 28	1	Alkalinity (as calcium carbonate)	Quarterly	302	mg/L	N/A	N	
18/01/2025	EPL_Point 28	1	Aluminium	Yearly	<0.01	mg/L	N/A	N	
20/01/2025	EPL_Point 28	1	Ammonia	Quarterly	<0.01	mg/L	N/A	N	
18/01/2025	EPL_Point 28	1	Arsenic	Yearly	<0.001	mg/L	N/A	N	
18/01/2025	EPL_Point 28	1	Barium	Yearly	0.008	mg/L	N/A	N	
16/01/2025	EPL_Point 28	1	Benzene	Yearly	<1	mg/L	N/A	N	
16/01/2025	EPL_Point 28	1	BOD	Yearly	<2	mg/L	N/A	N	
18/01/2025	EPL_Point 28	1	Cadmium	Yearly	<0.0001	mg/L	N/A	N	
18/01/2025	EPL_Point 28	1	Calcium	Quarterly	75	mg/L	N/A	N	
19/01/2025	EPL_Point 28	1	Chloride	Quarterly	270	mg/L	N/A	N	
20/01/2025	EPL_Point 28	1	Chromium (hexavalent)	Yearly	<0.01	mg/L	N/A	N	
18/01/2025	EPL_Point 28	1	Chromium (total)	Yearly	<0.001	mg/L	N/A	N	
18/01/2025	EPL_Point 28	1	Cobalt	Yearly	0.008	mg/L	N/A	N	
20/01/2025	EPL_Point 28	1	Conductivity	Quarterly	3090	microsiemens/cm	N/A	N	
18/01/2025	EPL_Point 28	1	Copper	Yearly	0.001	mg/L	N/A	N	
16/01/2025	EPL_Point 28	1	Ethylbenzene	Yearly	<2	mg/L	N/A	N	
20/01/2025	EPL_Point 28	1	Fluoride	Yearly	1.6	mg/L	N/A	N	
18/01/2025	EPL_Point 28	1	Iron	Quarterly	<0.05	mg/L	N/A	N	
18/01/2025	EPL_Point 28	1	Lead	Yearly	<0.001	mg/L	N/A	N	
18/01/2025	EPL_Point 28	1	Magnesium	Quarterly	118	mg/L	N/A	N	
18/01/2025	EPL_Point 28	1	Manganese	Yearly	8.1	mg/L	N/A	N	
20/01/2025	EPL_Point 28	1	Mercury	Yearly	<0.0001	mg/L	N/A	N	
20/01/2025	EPL_Point 28	1	Nitrate+Nitrite	Quarterly	0.77	mg/L	N/A	N	
20/01/2025	EPL_Point 28	1	Organophosphate pesticides	Yearly	<0.5	mg/L	N/A	N	
20/01/2025	EPL_Point 28	1	Organochlorine pesticides	Yearly	<0.5	mg/L	N/A	N	
14/01/2025	EPL_Point 28	1	pH value	Quarterly	6.48	pH Unit	N/A	N	
20/01/2025	EPL_Point 28	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	<0.5	mg/L	N/A	N	
18/01/2025	EPL_Point 28	1	Potassium	Quarterly	16	mg/L	N/A	N	
18/01/2025	EPL_Point 28	1	Sodium	Quarterly	522	mg/L	N/A	N	
13/01/2025	EPL_Point 28	1	Standing water Level	Quarterly	1.008	mAHd	N/A	N	
19/01/2025	EPL_Point 28	1	Sulfate	Quarterly	1030	mg/L	N/A	N	
16/01/2025	EPL_Point 28	1	Toluene	Yearly	<2	mg/L	N/A	N	
17/01/2025	EPL_Point 28	1	Total dissolved solids	Quarterly	2260	mg/L	N/A	N	
17/01/2025	EPL_Point 28	1	Total organic carbon	Quarterly	9	mg/L	N/A	N	
16/01/2025	EPL_Point 28	1	Total Petroleum hydrocarbons	Yearly	<20	mg/L	N/A	N	
17/01/2025	EPL_Point 28	1	Total phenolics	Yearly	<0.05	mg/L	N/A	N	
18/01/2025	EPL_Point 28	1	Zinc	Yearly	0.02	mg/L	N/A	N	
14/01/2025	EPL_Point 30	1	Alkalinity (as calcium carbonate)	Monthly	622	mg/L	N/A	N	
15/01/2025	EPL_Point 30	1	Ammonia	Monthly	12.2	mg/L	N/A	N	
10/01/2025	EPL_Point 30	1	BOD	Monthly	5	mg/L	N/A	N	
15/01/2025	EPL_Point 30	1	Calcium	Monthly	31	mg/L	N/A	N	
11/01/2025	EPL_Point 30	1	Chloride	Monthly	858	mg/L	N/A	N	
14/01/2025	EPL_Point 30	1	Fluoride	Monthly	2.7	mg/L	N/A	N	
15/01/2025	EPL_Point 30	1	Iron	Monthly	4.91	mg/L	N/A	N	
15/01/2025	EPL_Point 30	1	Magnesium	Monthly	91	mg/L	N/A	N	
15/01/2025	EPL_Point 30	1	Manganese	Monthly	1.2	mg/L	N/A	N	
16/01/2025	EPL_Point 30	1	Nitrate+Nitrite	Monthly	0.24	mg/L	N/A	N	
16/01/2025	EPL_Point 30	1	Organochlorine pesticides	Monthly	<0.5	mg/L	N/A	N	
16/01/2025	EPL_Point 30	1	pH value	Monthly	7.39	pH Unit	N/A	N	
15/01/2025	EPL_Point 30	1	Potassium	Monthly	45	mg/L	N/A	N	
15/01/2025	EPL_Point 30	1	Sodium	Monthly	585	mg/L	N/A	N	
x	EPL_Point 30	1	Standing water Level	Quarterly	x	mAHd	N/A	N	
11/01/2025	EPL_Point 30	1	Sulfate	Monthly	146	mg/L	N/A	N	
13/01/2025	EPL_Point 30	1	Total organic carbon	Monthly	84	mg/L	N/A	N	
13/01/2025	EPL_Point 30	1	Total phenolics	Monthly	<0.05	mg/L	N/A	N	