



Pollutant Monitoring Results - General Pollutant

Environmental Protection Licence Number:

7628

Licensee Name:

Veolia

Facility Address:

338 Newline Rd.
Raymond Terrace
NSW 2324

Disclaimer - Monitoring data contained in this document is made available as required by Section 66(6) of the Protection of the Environment Operations Act 1997 and in accordance with the requirements issued in writing by the Environment Protection Authority. To the best of Veolia's knowledge, the data in this table is correct, except where specifically noted. The information and data in this table must not be published elsewhere by any means without prior consent from Veolia. For more details on publication of pollution monitoring data refer to the NSW EPA Website www.epa.nsw.gov.au

A copy of the full licence can be found on the POEO Public Register <http://www.epa.nsw.gov.au/prpoecopp/>

Date Monitoring Data Obtained	Sampling Point as per Licence	No. of times measured during reporting period	Pollutant	Monitoring Frequency Required by licence	Actual Value	Unit	Pollutant limit as per Licence	Exceedance (Y/N or NA)	Comments
Groundwater quality monitoring									
09/08/2024	EPL_Point 7	1	Alkalinity (as calcium carbonate)	Quarterly	150	mg/L	N/A	N	
N/A	EPL_Point 7	1	Aluminium	Yearly	N/A	mg/L	N/A	N	
12/08/2024	EPL_Point 7	1	Ammonia	Quarterly	0.27	mg/L	N/A	N	
N/A	EPL_Point 7	1	Arsenic	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 7	1	Barium	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 7	1	Benzene	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 7	1	BOD	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 7	1	Cadmium	Yearly	N/A	mg/L	N/A	N	
10/08/2024	EPL_Point 7	1	Calcium	Quarterly	27	mg/L	N/A	N	
13/08/2024	EPL_Point 7	1	Chloride	Quarterly	70	mg/L	N/A	N	
N/A	EPL_Point 7	1	Chromium (hexavalent)	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 7	1	Chromium (total)	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 7	1	Cobalt	Yearly	N/A	mg/L	N/A	N	
09/08/2024	EPL_Point 7	1	Conductivity	Quarterly	787	Microsiemens/cm	N/A	N	
N/A	EPL_Point 7	1	Copper	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 7	1	Ethylbenzene	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 7	1	Fluoride	Yearly	N/A	mg/L	N/A	N	
10/08/2024	EPL_Point 7	1	Iron	Quarterly	6.25	mg/L	N/A	N	
N/A	EPL_Point 7	1	Lead	Yearly	N/A	mg/L	N/A	N	
10/08/2024	EPL_Point 7	1	Magnesium	Quarterly	20	mg/L	N/A	N	
N/A	EPL_Point 7	1	Manganese	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 7	1	Mercury	Yearly	N/A	mg/L	N/A	N	
12/08/2024	EPL_Point 7	1	Nitrate+Nitrite	Quarterly	<0.01	mg/L	N/A	N	
N/A	EPL_Point 7	1	Organophosphate pesticides	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 7	1	Organochlorine pesticides	Yearly	N/A	mg/L	N/A	N	
07/08/2024	EPL_Point 7	1	pH value	Quarterly	6.84	pH Unit	N/A	N	
N/A	EPL_Point 7	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 7	1	Potassium	Quarterly	N/A	mg/L	N/A	N	
N/A	EPL_Point 7	1	Sodium	Quarterly	104	mg/L	N/A	N	
07/08/2024	EPL_Point 7	1	Standing Water Level	Quarterly	6.659	mAHD	N/A	N	
13/08/2024	EPL_Point 7	1	Sulfate	Quarterly	117	mg/L	N/A	N	
N/A	EPL_Point 7	1	Toluene	Yearly	N/A	mg/L	N/A	N	
12/08/2024	EPL_Point 7	1	Total dissolved solids	Quarterly	448	mg/L	N/A	N	
09/08/2024	EPL_Point 7	1	Total organic carbon	Quarterly	19	mg/L	N/A	N	
N/A	EPL_Point 7	1	Total Petroleum hydrocarbons	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 7	1	Total phenolics	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 7	1	Zinc	Yearly	N/A	mg/L	N/A	N	
09/08/2024	EPL_Point 7	1	Perfluorohexanoic acid (PFHxA)	Quarterly	0.06	mg/L	N/A	N	
09/08/2024	EPL_Point 7	1	Perfluorobutane sulphonate (PFBS)	Quarterly	0.08	mg/L	N/A	N	
09/08/2024	EPL_Point 7	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.03	mg/L	N/A	N	
09/08/2024	EPL_Point 7	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	0.04	mg/L	N/A	N	
09/08/2024	EPL_Point 7	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.07	mg/L	N/A	N	
09/08/2024	EPL_Point 7	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.05	mg/L	N/A	N	
09/08/2024	EPL_Point 8	1	Alkalinity (as calcium carbonate)	Quarterly	1200	mg/L	N/A	N	

N/A	EPL_Point 8	1	Aluminium	Yearly	N/A	mg/L	N/A	N	
14/08/2024	EPL_Point 8	1	Ammonia	Quarterly	44.1	mg/L	N/A	N	
N/A	EPL_Point 8	1	Arsenic	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 8	1	Barium	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 8	1	Benzene	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 8	1	BOD	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 8	1	Cadmium	Yearly	N/A	mg/L	N/A	N	
13/08/2024	EPL_Point 8	1	Calcium	Quarterly	54	mg/L	N/A	N	
13/08/2024	EPL_Point 8	1	Chloride	Quarterly	261	mg/L	N/A	N	
N/A	EPL_Point 8	1	Chromium (hexavalent)	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 8	1	Chromium (total)	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 8	1	Cobalt	Yearly	N/A	mg/L	N/A	N	
06/08/2024	EPL_Point 8	1	Conductivity	Quarterly	3,024.00	Microsiemens/cm	N/A	N	
N/A	EPL_Point 8	1	Copper	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 8	1	EthylBenzene	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 8	1	Fluoride	Yearly	N/A	mg/L	N/A	N	
13/08/2024	EPL_Point 8	1	Iron	Quarterly	23.1	mg/L	N/A	N	
N/A	EPL_Point 8	1	Lead	Yearly	N/A	mg/L	N/A	N	
13/08/2024	EPL_Point 8	1	Magnesium	Quarterly	121	mg/L	N/A	N	
N/A	EPL_Point 8	1	Manganese	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 8	1	Mercury	Yearly	N/A	mg/L	N/A	N	
13/08/2024	EPL_Point 8	1	Nitrate+Nitrite	Quarterly	0.01	mg/L	N/A	N	
N/A	EPL_Point 8	1	Organophosphate pesticides	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 8	1	Organochlorine pesticides	Yearly	N/A	mg/L	N/A	N	
06/08/2024	EPL_Point 8	1	pH value	Quarterly	6.75	pH Unit	N/A	N	
N/A	EPL_Point 8	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 8	1	Potassium	Quarterly	N/A	mg/L	N/A	N	
N/A	EPL_Point 8	1	Sodium	Quarterly	392	mg/L	N/A	N	
06/08/2024	EPL_Point 8	1	Standing Water Level	Quarterly	33.2	mAMD	N/A	N	
13/08/2024	EPL_Point 8	1	Sulfate	Quarterly	<10	mg/L	N/A	N	
N/A	EPL_Point 8	1	Toluene	Yearly	N/A	mg/L	N/A	N	
12/08/2024	EPL_Point 8	1	Total dissolved solids	Quarterly	1870	mg/L	N/A	N	
09/08/2024	EPL_Point 8	1	Total organic carbon	Quarterly	120	mg/L	N/A	N	
N/A	EPL_Point 8	1	Total Petroleum hydrocarbons	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 8	1	Total phenolics	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 8	1	Zinc	Yearly	N/A	mg/L	N/A	N	
12/08/2024	EPL_Point 8	1	Perfluorohexanoic acid (PFHxA)	Quarterly	0.78	mg/L	N/A	N	
12/08/2024	EPL_Point 8	1	Perfluorobutane sulphonate (PFBS)	Quarterly	0.51	mg/L	N/A	N	
12/08/2024	EPL_Point 8	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.35	mg/L	N/A	N	
12/08/2024	EPL_Point 8	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	1.17	mg/L	N/A	N	
12/08/2024	EPL_Point 8	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.86	mg/L	N/A	N	
12/08/2024	EPL_Point 8	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.92	mg/L	N/A	N	
13/08/2024	EPL_Point 9	1	Alkalinity (as calcium carbonate)	Quarterly	971	mg/L	N/A	N	
N/A	EPL_Point 9	1	Aluminium	Yearly	N/A	mg/L	N/A	N	
14/08/2024	EPL_Point 9	1	Ammonia	Quarterly	0.02	mg/L	N/A	N	
N/A	EPL_Point 9	1	Arsenic	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 9	1	Barium	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 9	1	Benzene	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 9	1	BOD	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 9	1	Cadmium	Yearly	N/A	mg/L	N/A	N	
14/08/2024	EPL_Point 9	1	Calcium	Quarterly	372	mg/L	N/A	N	
12/08/2024	EPL_Point 9	1	Chloride	Quarterly	1360	mg/L	N/A	N	
N/A	EPL_Point 9	1	Chromium (hexavalent)	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 9	1	Chromium (total)	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 9	1	Cobalt	Yearly	N/A	mg/L	N/A	N	
13/08/2024	EPL_Point 9	1	Conductivity	Quarterly	6830	microsiemens/cm	N/A	N	
N/A	EPL_Point 9	1	Copper	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 9	1	EthylBenzene	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 9	1	Fluoride	Yearly	N/A	mg/L	N/A	N	
14/08/2024	EPL_Point 9	1	Iron	Quarterly	7.26	mg/L	N/A	N	

N/A	EPL_Point 9	1	Lead	Yearly	N/A	mg/L	N/A	N		
14/08/2024	EPL_Point 9	1	Magnesium	Quarterly	198	mg/L	N/A	N		
N/A	EPL_Point 9	1	Manganese	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 9	1	Mercury	Yearly	N/A	mg/L	N/A	N		
14/08/2024	EPL_Point 9	1	Nitrate+Nitrite	Quarterly	1.05	mg/L	N/A	N		
N/A	EPL_Point 9	1	Organophosphate pesticides	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 9	1	Organochlorine pesticides	Yearly	N/A	mg/L	N/A	N		
08/08/2024	EPL_Point 9	1	pH value	Quarterly	6.27	pH Unit	N/A	N		
N/A	EPL_Point 9	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 9	1	Potassium	Quarterly	N/A	mg/L	N/A	N		
N/A	EPL_Point 9	1	Sodium	Quarterly	870	mg/L	N/A	N		
-	EPL_Point 9	1	Standing Water Level	Quarterly	-	mAHD	N/A	N		
12/08/2024	EPL_Point 9	1	Sulfate	Quarterly	576	mg/L	N/A	N		
N/A	EPL_Point 9	1	Toluene	Yearly	N/A	mg/L	N/A	N		
14/08/2024	EPL_Point 9	1	Total dissolved solids	Quarterly	3710	mg/L	N/A	N		
14/08/2024	EPL_Point 9	1	Total organic carbon	Quarterly	68	mg/L	N/A	N		
N/A	EPL_Point 9	1	Total Petroleum hydrocarbons	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 9	1	Total phenolics	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 9	1	Zinc	Yearly	N/A	mg/L	N/A	N		
14/08/2024	EPL_Point 9	1	Perfluorohexanoic acid (PFHxA)	Quarterly	0.09	mg/L	N/A	N		
14/08/2024	EPL_Point 9	1	Perfluorobutane sulphonate (PFBS)	Quarterly	0.3	mg/L	N/A	N		
14/08/2024	EPL_Point 9	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.04	mg/L	N/A	N		
14/08/2024	EPL_Point 9	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	0.26	mg/L	N/A	N		
14/08/2024	EPL_Point 9	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.14	mg/L	N/A	N		
14/08/2024	EPL_Point 9	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.18	mg/L	N/A	N		
12/08/2024	EPL_Point 11	1	Alkalinity (as calcium carbonate)	Quarterly	871	mg/L	N/A	N		
N/A	EPL_Point 11	1	Aluminium	Yearly	N/A	mg/L	N/A	N		
14/08/2024	EPL_Point 11	1	Ammonia	Quarterly	1.24	mg/L	N/A	N		
N/A	EPL_Point 11	1	Arsenic	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 11	1	Barium	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 11	1	Benzene	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 11	1	BOD	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 11	1	Cadmium	Yearly	N/A	mg/L	N/A	N		
14/08/2024	EPL_Point 11	1	Calcium	Quarterly	384	mg/L	N/A	N		
14/08/2024	EPL_Point 11	1	Chloride	Quarterly	1520	mg/L	N/A	N		
N/A	EPL_Point 11	1	Chromium (hexavalent)	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 11	1	Chromium (total)	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 11	1	Cobalt	Yearly	N/A	mg/L	N/A	N		
12/08/2024	EPL_Point 11	1	Conductivity	Quarterly	9390	Microsiemens/cm	N/A	N		
N/A	EPL_Point 11	1	Copper	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 11	1	Ethylbenzene	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 11	1	Fluoride	Yearly	N/A	mg/L	N/A	N		
14/08/2024	EPL_Point 11	1	Iron	Quarterly	8.03	mg/L	N/A	N		
N/A	EPL_Point 11	1	Lead	Yearly	N/A	mg/L	N/A	N		
14/08/2024	EPL_Point 11	1	Magnesium	Quarterly	404	mg/L	N/A	N		
N/A	EPL_Point 11	1	Manganese	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 11	1	Mercury	Yearly	N/A	mg/L	N/A	N		
14/08/2024	EPL_Point 11	1	Nitrate+Nitrite	Quarterly	<0.01	mg/L	N/A	N		
N/A	EPL_Point 11	1	Organophosphate pesticides	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 11	1	Organochlorine pesticides	Yearly	N/A	mg/L	N/A	N		
08/08/2024	EPL_Point 11	1	pH value	Quarterly	6.68	pH Unit	N/A	N		
N/A	EPL_Point 11	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 11	1	Potassium	Quarterly	N/A	mg/L	N/A	N		
N/A	EPL_Point 11	1	Sodium	Quarterly	1330	mg/L	N/A	N		
08/08/2024	EPL_Point 11	1	Standing Water Level	Quarterly	0.386	mAHD	N/A	N		
14/08/2024	EPL_Point 11	1	Sulfate	Quarterly	2830	mg/L	N/A	N		
N/A	EPL_Point 11	1	Toluene	Yearly	N/A	mg/L	N/A	N		
13/08/2024	EPL_Point 11	1	Total dissolved solids	Quarterly	7500	mg/L	N/A	N		
13/08/2024	EPL_Point 11	1	Total organic carbon	Quarterly	22	mg/L	N/A	N		

N/A	EPL_Point 14	1	Cadmium	Yearly	N/A	mg/L	N/A	N	
10/08/2024	EPL_Point 14	1	Calcium	Quarterly	38	mg/L	N/A	N	
12/08/2024	EPL_Point 14	1	Chloride	Quarterly	126	mg/L	N/A	N	
N/A	EPL_Point 14	1	Chromium (hexavalent)	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 14	1	Chromium (total)	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 14	1	Cobalt	Yearly	N/A	mg/L	N/A	N	
09/08/2024	EPL_Point 14	1	Conductivity	Quarterly	1020	microsiemens/cm	N/A	N	
N/A	EPL_Point 14	1	Copper	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 14	1	EthylBenzene	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 14	1	Fluoride	Yearly	N/A	mg/L	N/A	N	
10/08/2024	EPL_Point 14	1	Iron	Quarterly	3.48	mg/L	N/A	N	
N/A	EPL_Point 14	1	Lead	Yearly	N/A	mg/L	N/A	N	
10/08/2024	EPL_Point 14	1	Magnesium	Quarterly	28	mg/L	N/A	N	
N/A	EPL_Point 14	1	Manganese	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 14	1	Mercury	Yearly	N/A	mg/L	N/A	N	
12/08/2024	EPL_Point 14	1	Nitrate+Nitrite	Quarterly	0.02	mg/L	N/A	N	
N/A	EPL_Point 14	1	Organophosphate pesticides	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 14	1	Organochlorine pesticides	Yearly	N/A	mg/L	N/A	N	
07/08/2024	EPL_Point 14	1	pH value	Quarterly	6.66	pH Unit	N/A	N	
N/A	EPL_Point 14	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 14	1	Potassium	Quarterly	N/A	mg/L	N/A	N	
N/A	EPL_Point 14	1	Sodium	Quarterly	141	mg/L	N/A	N	
07/08/2024	EPL_Point 14	1	Standing Water Level	Quarterly	0.398	mAHD	N/A	N	
12/08/2024	EPL_Point 14	1	Sulfate	Quarterly	58	mg/L	N/A	N	
N/A	EPL_Point 14	1	Toluene	Yearly	N/A	mg/L	N/A	N	
12/08/2024	EPL_Point 14	1	Total dissolved solids	Quarterly	624	mg/L	N/A	N	
09/08/2024	EPL_Point 14	1	Total organic carbon	Quarterly	19	mg/L	N/A	N	
N/A	EPL_Point 14	1	Total Petroleum hydrocarbons	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 14	1	Total phenolics	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 14	1	Zinc	Yearly	N/A	mg/L	N/A	N	
09/08/2024	EPL_Point 14	1	Perfluorohexanoic acid (PFHxA)	Quarterly	0.42	mg/L	N/A	N	
09/08/2024	EPL_Point 14	1	Perfluorobutane sulphonate (PFBS)	Quarterly	0.1	mg/L	N/A	N	
09/08/2024	EPL_Point 14	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.35	mg/L	N/A	N	
09/08/2024	EPL_Point 14	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	0.1	mg/L	N/A	N	
09/08/2024	EPL_Point 14	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.1	mg/L	N/A	N	
09/08/2024	EPL_Point 14	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.66	mg/L	N/A	N	
12/08/2024	EPL_Point 18	1	Alkalinity (as calcium carbonate)	Quarterly	909	mg/L	N/A	N	
N/A	EPL_Point 18	1	Aluminium	Yearly	N/A	mg/L	N/A	N	
14/08/2024	EPL_Point 18	1	Ammonia	Quarterly	0.98	mg/L	N/A	N	
N/A	EPL_Point 18	1	Arsenic	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 18	1	Barium	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 18	1	Benzene	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 18	1	BOD	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 18	1	Cadmium	Yearly	N/A	mg/L	N/A	N	
14/08/2024	EPL_Point 18	1	Calcium	Quarterly	394	mg/L	N/A	N	
14/08/2024	EPL_Point 18	1	Chloride	Quarterly	1690	mg/L	N/A	N	
N/A	EPL_Point 18	1	Chromium (hexavalent)	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 18	1	Chromium (total)	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 18	1	Cobalt	Yearly	N/A	mg/L	N/A	N	
13/08/2024	EPL_Point 18	1	Conductivity	Quarterly	10800	microsiemens/cm	N/A	N	
N/A	EPL_Point 18	1	Copper	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 18	1	EthylBenzene	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 18	1	Fluoride	Yearly	N/A	mg/L	N/A	N	
14/08/2024	EPL_Point 18	1	Iron	Quarterly	9.09	mg/L	N/A	N	
N/A	EPL_Point 18	1	Lead	Yearly	N/A	mg/L	N/A	N	
14/08/2024	EPL_Point 18	1	Magnesium	Quarterly	462	mg/L	N/A	N	
N/A	EPL_Point 18	1	Manganese	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 18	1	Mercury	Yearly	N/A	mg/L	N/A	N	
14/08/2024	EPL_Point 18	1	Nitrate+Nitrite	Quarterly	<0.01	mg/L	N/A	N	

N/A	EPL_Point 18	1	Organophosphate pesticides	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 18	1	Organochlorine pesticides	Yearly	N/A	mg/L	N/A	N	
08/08/2024	EPL_Point 18	1	pH value	Quarterly	6.3	pH Unit	N/A	N	
N/A	EPL_Point 18	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 18	1	Potassium	Quarterly	N/A	mg/L	N/A	N	
N/A	EPL_Point 18	1	Sodium	Quarterly	1540	mg/L	N/A	N	
08/08/2024	EPL_Point 18	1	Standing Water Level	Quarterly	0.486	mAHD	N/A	N	
14/08/2024	EPL_Point 18	1	Sulfate	Quarterly	3080	mg/L	N/A	N	
N/A	EPL_Point 18	1	Toluene	Yearly	N/A	mg/L	N/A	N	
13/08/2024	EPL_Point 18	1	Total dissolved solids	Quarterly	8350	mg/L	N/A	N	
13/08/2024	EPL_Point 18	1	Total organic carbon	Quarterly	10	mg/L	N/A	N	
N/A	EPL_Point 18	1	Total Petroleum hydrocarbons	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 18	1	Total phenolics	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 18	1	Zinc	Yearly	N/A	mg/L	N/A	N	
14/08/2024	EPL_Point 18	1	Perfluorohexanoic acid (PFHxA)	Quarterly	0.15	mg/L	N/A	N	
14/08/2024	EPL_Point 18	1	Perfluorobutane sulphonate (PFBS)	Quarterly	0.39	mg/L	N/A	N	
14/08/2024	EPL_Point 18	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.07	mg/L	N/A	N	
14/08/2024	EPL_Point 18	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	0.18	mg/L	N/A	N	
14/08/2024	EPL_Point 18	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.04	mg/L	N/A	N	
14/08/2024	EPL_Point 18	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.12	mg/L	N/A	N	
12/08/2024	EPL_Point 19	1	Alkalinity (as calcium carbonate)	Quarterly	1420	mg/L	N/A	N	
N/A	EPL_Point 19	1	Aluminium	Yearly	N/A	mg/L	N/A	N	
14/08/2024	EPL_Point 19	1	Ammonia	Quarterly	12.5	mg/L	N/A	N	
N/A	EPL_Point 19	1	Arsenic	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 19	1	Barium	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 19	1	Benzene	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 19	1	BOD	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 19	1	Cadmium	Yearly	N/A	mg/L	N/A	N	
14/08/2024	EPL_Point 19	1	Calcium	Quarterly	98	mg/L	N/A	N	
14/08/2024	EPL_Point 19	1	Chloride	Quarterly	605	mg/L	N/A	N	
N/A	EPL_Point 19	1	Chromium (hexavalent)	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 19	1	Chromium (total)	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 19	1	Cobalt	Yearly	N/A	mg/L	N/A	N	
12/08/2024	EPL_Point 19	1	Conductivity	Quarterly	5280	Microsiemens/cm	N/A	N	
N/A	EPL_Point 19	1	Copper	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 19	1	EthylBenzene	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 19	1	Fluoride	Yearly	N/A	mg/L	N/A	N	
14/08/2024	EPL_Point 19	1	Iron	Quarterly	2.98	mg/L	N/A	N	
N/A	EPL_Point 19	1	Lead	Yearly	N/A	mg/L	N/A	N	
14/08/2024	EPL_Point 19	1	Magnesium	Quarterly	116	mg/L	N/A	N	
N/A	EPL_Point 19	1	Manganese	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 19	1	Mercury	Yearly	N/A	mg/L	N/A	N	
14/08/2024	EPL_Point 19	<0.01	Nitrate+Nitrite	Quarterly	<0.01	mg/L	N/A	N	
N/A	EPL_Point 19	1	Organophosphate pesticides	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 19	1	Organochlorine pesticides	Yearly	N/A	mg/L	N/A	N	
08/08/2024	EPL_Point 19	1	pH value	Quarterly	7.01	pH Unit	N/A	N	
N/A	EPL_Point 19	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 19	1	Potassium	Quarterly	N/A	mg/L	N/A	N	
N/A	EPL_Point 19	1	Sodium	Quarterly	1060	mg/L	N/A	N	
08/08/2024	EPL_Point 19	1	Standing Water Level	Quarterly	-5.845	mAHD	N/A	N	
14/08/2024	EPL_Point 19	1	Sulfate	Quarterly	867	mg/L	N/A	N	
N/A	EPL_Point 19	1	Toluene	Yearly	N/A	mg/L	N/A	N	
13/08/2024	EPL_Point 19	1	Total dissolved solids	Quarterly	3620	mg/L	N/A	N	
13/08/2024	EPL_Point 19	1	Total organic carbon	Quarterly	67	mg/L	N/A	N	
N/A	EPL_Point 19	1	Total Petroleum hydrocarbons	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 19	1	Total phenolics	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 19	1	Zinc	Yearly	N/A	mg/L	N/A	N	
14/08/2024	EPL_Point 19	1	Perfluorohexanoic acid (PFHxA)	Quarterly	1.28	mg/L	N/A	N	
14/08/2024	EPL_Point 19	1	Perfluorobutane sulphonate (PFBS)	Quarterly	1.95	mg/L	N/A	N	

14/08/2024	EPL_Point 19	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.2	mg/L	N/A	N		
14/08/2024	EPL_Point 19	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	0.38	mg/L	N/A	N		
14/08/2024	EPL_Point 19	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.24	mg/L	N/A	N		
14/08/2024	EPL_Point 19	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.26	mg/L	N/A	N		
09/08/2024	EPL_Point 20	1	Alkalinity (as calcium carbonate)	Quarterly	720	mg/L	N/A	N		
N/A	EPL_Point 20	1	Aluminium	Yearly	N/A	mg/L	N/A	N		
13/08/2024	EPL_Point 20	1	Ammonia	Quarterly	0.3	mg/L	N/A	N		
N/A	EPL_Point 20	1	Arsenic	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 20	1	Barium	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 20	1	Benzene	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 20	1	BOD	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 20	1	Cadmium	Yearly	N/A	mg/L	N/A	N		
10/08/2024	EPL_Point 20	1	Calcium	Quarterly	1060	mg/L	N/A	N		
12/08/2024	EPL_Point 20	1	Chloride	Quarterly	6080	mg/L	N/A	N		
N/A	EPL_Point 20	1	Chromium (hexavalent)	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 20	1	Chromium (total)	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 20	1	Cobalt	Yearly	N/A	mg/L	N/A	N		
09/08/2024	EPL_Point 20	1	Conductivity	Quarterly	21700	microsiemens/cm	N/A	N		
N/A	EPL_Point 20	1	Copper	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 20	1	EthylBenzene	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 20	1	Fluoride	Yearly	N/A	mg/L	N/A	N		
10/08/2024	EPL_Point 20	1	Iron	Quarterly	16.6	mg/L	N/A	N		
N/A	EPL_Point 20	1	Lead	Yearly	N/A	mg/L	N/A	N		
10/08/2024	EPL_Point 20	1	Magnesium	Quarterly	978	mg/L	N/A	N		
N/A	EPL_Point 20	1	Manganese	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 20	1	Mercury	Yearly	N/A	mg/L	N/A	N		
12/08/2024	EPL_Point 20	1	Nitrate+Nitrite	Quarterly	0.01	mg/L	N/A	N		
N/A	EPL_Point 20	1	Organophosphate pesticides	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 20	1	Organochlorine pesticides	Yearly	N/A	mg/L	N/A	N		
07/08/2024	EPL_Point 20	1	pH value	Quarterly	6.38	pH Unit	N/A	N		
N/A	EPL_Point 20	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 20	1	Potassium	Quarterly	N/A	mg/L	N/A	N		
N/A	EPL_Point 20	1	Sodium	Quarterly	2870	mg/L	N/A	N		
-	EPL_Point 20	1	Standing Water Level	Quarterly	-	mAHD	N/A	N		
12/08/2024	EPL_Point 20	1	Sulfate	Quarterly	3320	mg/L	N/A	N		
N/A	EPL_Point 20	1	Toluene	Yearly	N/A	mg/L	N/A	N		
12/08/2024	EPL_Point 20	1	Total dissolved solids	Quarterly	13600	mg/L	N/A	N		
06/08/2024	EPL_Point 20	1	Total organic carbon	Quarterly	4	mg/L	N/A	N		
N/A	EPL_Point 20	1	Total Petroleum hydrocarbons	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 20	1	Total phenolics	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 20	1	Zinc	Yearly	N/A	mg/L	N/A	N		
09/08/2024	EPL_Point 20	1	Perfluorohexanoic acid (PFHxA)	Quarterly	<0.02	mg/L	N/A	N		
09/08/2024	EPL_Point 20	<0.02	Perfluorobutane sulphonate (PFBS)	Quarterly	<0.02	mg/L	N/A	N		
09/08/2024	EPL_Point 20	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	<0.02	mg/L	N/A	N		
09/08/2024	EPL_Point 20	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	<0.01	mg/L	N/A	N		
09/08/2024	EPL_Point 20	1	Perfluorooctane sulphonate (PFOS)	Quarterly	<0.01	mg/L	N/A	N		
09/08/2024	EPL_Point 20	1	Perfluorooctanoic acid (PFOA)	Quarterly	<0.01	mg/L	N/A	N		
09/08/2024	EPL_Point 21	1	Alkalinity (as calcium carbonate)	Quarterly	708	mg/L	N/A	N		
N/A	EPL_Point 21	1	Aluminium	Yearly	N/A	mg/L	N/A	N		
13/08/2024	EPL_Point 21	1	Ammonia	Quarterly	0.38	mg/L	N/A	N		
N/A	EPL_Point 21	1	Arsenic	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 21	1	Barium	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 21	1	Benzene	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 21	1	BOD	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 21	1	Cadmium	Yearly	N/A	mg/L	N/A	N		
10/08/2024	EPL_Point 21	1	Calcium	Quarterly	980	mg/L	N/A	N		
12/08/2024	EPL_Point 21	1	Chloride	Quarterly	5670	mg/L	N/A	N		
N/A	EPL_Point 21	1	Chromium (hexavalent)	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 21	1	Chromium (total)	Yearly	N/A	mg/L	N/A	N		

N/A	EPL_Point 21	1	Cobalt	Yearly	N/A	mg/L	N/A	N		
09/08/2024	EPL_Point 21	1	Conductivity	Quarterly	21200	Microsiemens/cm	N/A	N		
N/A	EPL_Point 21	1	Copper	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 21	1	Ethylbenzene	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 21	1	Fluoride	Yearly	N/A	mg/L	N/A	N		
10/08/2024	EPL_Point 21	1	Iron	Quarterly	12.3	mg/L	N/A	N		
N/A	EPL_Point 21	1	Lead	Yearly	N/A	mg/L	N/A	N		
10/08/2024	EPL_Point 21	1	Magnesium	Quarterly	964	mg/L	N/A	N		
N/A	EPL_Point 21	1	Manganese	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 21	1	Mercury	Yearly	N/A	mg/L	N/A	N		
12/08/2024	EPL_Point 21	1	Nitrate+Nitrite	Quarterly	0.03	mg/L	N/A	N		
N/A	EPL_Point 21	1	Organophosphate pesticides	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 21	1	Organochlorine pesticides	Yearly	N/A	mg/L	N/A	N		
07/08/2024	EPL_Point 21	1	pH value	Quarterly	6.42	pH Unit	N/A	N		
N/A	EPL_Point 21	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 21	1	Potassium	Quarterly	N/A	mg/L	N/A	N		
N/A	EPL_Point 21	1	Sodium	Quarterly	2900	mg/L	N/A	N		
07/08/2024	EPL_Point 21	1	Standing Water Level	Quarterly	0.665	mAMD	N/A	N		
12/08/2024	EPL_Point 21	1	Sulfate	Quarterly	3190	mg/L	N/A	N		
N/A	EPL_Point 21	1	Toluene	Yearly	N/A	mg/L	N/A	N		
12/08/2024	EPL_Point 21	1	Total dissolved solids	Quarterly	15400	mg/L	N/A	N		
09/08/2024	EPL_Point 21	1	Total organic carbon	Quarterly	2	mg/L	N/A	N		
N/A	EPL_Point 21	1	Total Petroleum hydrocarbons	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 21	1	Total phenolics	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 21	1	Zinc	Yearly	N/A	mg/L	N/A	N		
09/08/2024	EPL_Point 21	1	Perfluorohexanoic acid (PFHxA)	Quarterly	<0.02	mg/L	N/A	N		
09/08/2024	EPL_Point 21	<0.02	Perfluorobutane sulphonate (PFBS)	Quarterly	<0.02	mg/L	N/A	N		
09/08/2024	EPL_Point 21	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	<0.02	mg/L	N/A	N		
09/08/2024	EPL_Point 21	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	<0.01	mg/L	N/A	N		
09/08/2024	EPL_Point 21	<0.01	Perfluorooctane sulphonate (PFOS)	Quarterly	<0.01	mg/L	N/A	N		
09/08/2024	EPL_Point 21	1	Perfluorooctanoic acid (PFOA)	Quarterly	<0.01	mg/L	N/A	N		
15/08/2024	EPL_Point 26	1	Perfluorohexanoic acid (PFHxA)	Quarterly	4.68	mg/L	N/A	N		
15/08/2024	EPL_Point 26	1	Perfluorobutane sulphonate (PFBS)	Quarterly	10.5	mg/L	N/A	N		
15/08/2024	EPL_Point 26	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.71	mg/L	N/A	N		
15/08/2024	EPL_Point 26	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	0.81	mg/L	N/A	N		
15/08/2024	EPL_Point 26	<1	Perfluorooctane sulphonate (PFOS)	Quarterly	<0.01	mg/L	N/A	N		
15/08/2024	EPL_Point 26	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.16	mg/L	N/A	N		
12/08/2024	EPL_Point 27	1	Perfluorohexanoic acid (PFHxA)	Quarterly	<0.02	mg/L	N/A	N		
12/08/2024	EPL_Point 27	1	Perfluorobutane sulphonate (PFBS)	Quarterly	0.05	mg/L	N/A	N		
12/08/2024	EPL_Point 27	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	<0.02	mg/L	N/A	N		
12/08/2024	EPL_Point 27	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	0.03	mg/L	N/A	N		
12/08/2024	EPL_Point 27	1	Perfluorooctane sulphonate (PFOS)	Quarterly	<0.01	mg/L	N/A	N		
12/08/2024	EPL_Point 27	<0.01	Perfluorooctanoic acid (PFOA)	Quarterly	<0.01	mg/L	N/A	N		
09/08/2024	EPL_Point 28	1	Perfluorohexanoic acid (PFHxA)	Quarterly	0.06	mg/L	N/A	N		
09/08/2024	EPL_Point 28	1	Perfluorobutane sulphonate (PFBS)	Quarterly	0.2	mg/L	N/A	N		
09/08/2024	EPL_Point 28	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.03	mg/L	N/A	N		
09/08/2024	EPL_Point 28	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	0.08	mg/L	N/A	N		
09/08/2024	EPL_Point 28	1	Perfluorooctane sulphonate (PFOS)	Quarterly	0.02	mg/L	N/A	N		
09/08/2024	EPL_Point 28	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.07	mg/L	N/A	N		
15/08/2024	EPL_Point 30	1	Perfluorohexanoic acid (PFHxA)	Quarterly	4.64	mg/L	N/A	N		
15/08/2024	EPL_Point 30	1	Perfluorobutane sulphonate (PFBS)	Quarterly	10.4	mg/L	N/A	N		
15/08/2024	EPL_Point 30	1	Perfluoroheptanoic acid (PFHpA)	Quarterly	0.66	mg/L	N/A	N		
15/08/2024	EPL_Point 30	1	Perfluorohexane sulphonate (PFHxS)	Quarterly	0.82	mg/L	N/A	N		
15/08/2024	EPL_Point 30	1	Perfluorooctane sulphonate (PFOS)	Quarterly	<0.01	mg/L	N/A	N		
15/08/2024	EPL_Point 30	1	Perfluorooctanoic acid (PFOA)	Quarterly	0.17	mg/L	N/A	N		
N/A	EPL_Point 26	1	Alkalinity (as calcium carbonate)	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 26	1	Aluminium	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 26	1	Ammonia	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 26	1	Arsenic	Yearly	N/A	mg/L	N/A	N		

N/A	EPL_Point 26	1	Barium	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Benzene	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Cadmium	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Calcium	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Chloride	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Chromium (hexavalent)	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Chromium (total)	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Cobalt	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Conductivity	Yearly	N/A	Microsiemens/cm	N/A	N	
N/A	EPL_Point 26	1	Copper	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	EthylBenzene	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Fluoride	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Iron	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Magnesium	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Manganese	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Mercury	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Nitrate+Nitrite	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Organophosphate pesticides	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Organochlorine pesticides	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	pH value	Yearly	N/A	pH Unit	N/A	N	
N/A	EPL_Point 26	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Potassium	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Sodium	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Sulfate	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Toluene	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Total dissolved solids	Yearly	x	mg/L	N/A	N	
N/A	EPL_Point 26	1	Total organic carbon	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Total Petroleum hydrocarbons	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Total phenolics	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 26	1	Zinc	Yearly	N/A	mg/L	N/A	N	
09/08/2024	EPL_Point 27	1	Alkalinity (as calcium carbonate)	Quarterly	634	mg/L	N/A	N	
N/A	EPL_Point 27	1	Aluminium	Yearly	N/A	mg/L	N/A	N	
14/08/2024	EPL_Point 27	1	Ammonia	Quarterly	0.05	mg/L	N/A	N	
N/A	EPL_Point 27	1	Arsenic	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 27	1	Barium	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 27	1	Benzene	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 27	1	BOD	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 27	1	Cadmium	Yearly	N/A	mg/L	N/A	N	
13/08/2024	EPL_Point 27	1	Calcium	Quarterly	86	mg/L	N/A	N	
13/08/2024	EPL_Point 27	1	Chloride	Quarterly	N/A	mg/L	N/A	N	
N/A	EPL_Point 27	1	Chromium (hexavalent)	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 27	1	Chromium (total)	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 27	1	Cobalt	Yearly	N/A	mg/L	N/A	N	
05/08/2024	EPL_Point 27	1	Conductivity	Quarterly	8,278.00	Microsiemens/cm	N/A	N	
N/A	EPL_Point 27	1	Copper	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 27	1	EthylBenzene	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 27	1	Fluoride	Yearly	N/A	mg/L	N/A	N	
13/08/2024	EPL_Point 27	1	Iron	Quarterly	0.53	mg/L	N/A	N	
N/A	EPL_Point 27	1	Lead	Yearly	N/A	mg/L	N/A	N	
13/08/2024	EPL_Point 27	1	Magnesium	Quarterly	205	mg/L	N/A	N	
N/A	EPL_Point 27	1	Manganese	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 27	1	Mercury	Yearly	N/A	mg/L	N/A	N	
13/08/2024	EPL_Point 27	1	Nitrate+Nitrite	Quarterly	0.12	mg/L	N/A	N	
N/A	EPL_Point 27	1	Organophosphate pesticides	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 27	1	Organochlorine pesticides	Yearly	N/A	mg/L	N/A	N	
06/08/2024	EPL_Point 27	1	pH value	Quarterly	6.63	pH Unit	N/A	N	
N/A	EPL_Point 27	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	N/A	mg/L	N/A	N	
N/A	EPL_Point 27	1	Potassium	Quarterly	N/A	mg/L	N/A	N	
N/A	EPL_Point 27	1	Sodium	Quarterly	1330	mg/L	N/A	N	

06/08/2024	EPL_Point 27	1	Standing water Level	Quarterly	9.125	mAHD	N/A	N		
13/08/2024	EPL_Point 27	1	Sulfate	Quarterly	117	mg/L	N/A	N		
N/A	EPL_Point 27	1	Toluene	Yearly	N/A	mg/L	N/A	N		
12/08/2024	EPL_Point 27	1	Total dissolved solids	Quarterly	5010	mg/L	N/A	N		
09/08/2024	EPL_Point 27	1	Total organic carbon	Quarterly	22	mg/L	N/A	N		
N/A	EPL_Point 27	1	Total Petroleum hydrocarbons	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 27	1	Total phenolics	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 27	1	Zinc	Yearly	N/A	mg/L	N/A	N		
09/08/2024	EPL_Point 28	1	Alkalinity (as calcium carbonate)	Quarterly	302	mg/L	N/A	N		
N/A	EPL_Point 28	1	Aluminium	Yearly	N/A	mg/L	N/A	N		
12/08/2024	EPL_Point 28	1	Ammonia	Quarterly	0.08	mg/L	N/A	N		
N/A	EPL_Point 28	1	Arsenic	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 28	1	Barium	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 28	1	Benzene	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 28	1	BOD	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 28	1	Cadmium	Yearly	N/A	mg/L	N/A	N		
10/08/2024	EPL_Point 28	1	Calcium	Quarterly	75	mg/L	N/A	N		
12/08/2024	EPL_Point 28	1	Chloride	Quarterly	301	mg/L	N/A	N		
N/A	EPL_Point 28	1	Chromium (hexavalent)	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 28	1	Chromium (total)	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 28	1	Cobalt	Yearly	N/A	mg/L	N/A	N		
09/08/2024	EPL_Point 28	1	Conductivity	Quarterly	3190	Microsiemens/cm	N/A	N		
N/A	EPL_Point 28	1	Copper	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 28	1	Ethylbenzene	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 28	1	Fluoride	Yearly	N/A	mg/L	N/A	N		
10/08/2024	EPL_Point 28	1	Iron	Quarterly	<0.05	mg/L	N/A	N		
N/A	EPL_Point 28	1	Lead	Yearly	N/A	mg/L	N/A	N		
10/08/2024	EPL_Point 28	1	Magnesium	Quarterly	106	mg/L	N/A	N		
N/A	EPL_Point 28	1	Manganese	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 28	1	Mercury	Yearly	N/A	mg/L	N/A	N		
12/08/2024	EPL_Point 28	1	Nitrate+Nitrite	Quarterly	0.26	mg/L	N/A	N		
N/A	EPL_Point 28	1	Organophosphate pesticides	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 28	1	Organochlorine pesticides	Yearly	N/A	mg/L	N/A	N		
07/08/2024	EPL_Point 28	1	pH value	Quarterly	6.62	pH Unit	N/A	N		
N/A	EPL_Point 28	1	Sum of Polycyclic aromatic hydrocarbons	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 28	1	Potassium	Quarterly	N/A	mg/L	N/A	N		
N/A	EPL_Point 28	1	Sodium	Quarterly	488	mg/L	N/A	N		
07/08/2024	EPL_Point 28	1	Standing water Level	Quarterly	-6.221	mAHD	N/A	N		
12/08/2024	EPL_Point 28	1	Sulfate	Quarterly	795	mg/L	N/A	N		
N/A	EPL_Point 28	1	Toluene	Yearly	N/A	mg/L	N/A	N		
12/08/2024	EPL_Point 28	1	Total dissolved solids	Quarterly	1670	mg/L	N/A	N		
09/08/2024	EPL_Point 28	1	Total organic carbon	Quarterly	11	mg/L	N/A	N		
N/A	EPL_Point 28	1	Total Petroleum hydrocarbons	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 28	1	Total phenolics	Yearly	N/A	mg/L	N/A	N		
N/A	EPL_Point 28	1	Zinc	Yearly	N/A	mg/L	N/A	N		
13/08/2024	EPL_Point 30	1	Alkalinity (as calcium carbonate)	Monthly	74	mg/L	N/A	N		
14/08/2024	EPL_Point 30	1	Ammonia	Monthly	106	mg/L	N/A	N		
10/08/2024	EPL_Point 30	1	BOD	Monthly	5	mg/L	N/A	N		
15/08/2024	EPL_Point 30	1	Calcium	Monthly	146	mg/L	N/A	N		
10/08/2024	EPL_Point 30	1	Chloride	Monthly	3900	mg/L	N/A	N		
N/A	EPL_Point 30	1	Fluoride	Monthly	N/A	mg/L	N/A	N	result was lost from Lab and was not recoverable	
14/08/2024	EPL_Point 30	1	Iron	Monthly	2.08	mg/L	N/A	N		
15/08/2024	EPL_Point 30	1	Magnesium	Monthly	210	mg/L	N/A	N		
14/08/2024	EPL_Point 30	1	Manganese	Monthly	5.76	mg/L	N/A	N		
15/08/2024	EPL_Point 30	1	Nitrate+Nitrite	Monthly	811	mg/L	N/A	N		
15/08/2024	EPL_Point 30	1	Organochlorine pesticides	Monthly	<0.5	mg/L	N/A	N		
09/08/2024	EPL_Point 30	1	pH value	Monthly	5.74	pH Unit	N/A	N		
15/08/2024	EPL_Point 30	1	Potassium	Monthly	365	mg/L	N/A	N		
15/08/2024	EPL_Point 30	1	Sodium	Monthly	2490	mg/L	N/A	N		

x	EPL_Point 30	1	Standing water Level	Quarterly	x	mAHD	N/A	N		
13/08/2024	EPL_Point 30	1	Sulfate	Monthly	N/A	mg/L	N/A	N		
14/08/2024	EPL_Point 30	1	Total organic carbon	Monthly	253	mg/L	N/A	N		
14/08/2024	EPL_Point 30	1	Total phenolics	Monthly	<0.05	mg/L	N/A	N		