

## Groundwater Monitoring

|                         |                   |
|-------------------------|-------------------|
| <b>EPL No:</b>          | <b>11436</b>      |
| <b>Reporting period</b> | <b>Q2 2025-26</b> |

| Pollutant              | Date of Sampling |                  | Monitoring Location Identification |              |             |
|------------------------|------------------|------------------|------------------------------------|--------------|-------------|
|                        |                  |                  | 16/12/2025                         | 16/12/2025   | 16/12/2025  |
|                        |                  |                  | SP2-MW1 (63)                       | MW-FRC1 (64) | MB10SR (65) |
|                        | <b>Unit*</b>     | <b>Frequency</b> |                                    |              |             |
| Chloride               | mg/L             | Quarterly        | 900                                | 270          | 1300        |
| Conductivity           | µS/cm            | Quarterly        | 3361                               | 1900         | 7570        |
| pH                     | pH               | Quarterly        | 7.20                               | 6.90         | 5.90        |
| Sulphate               | mg/L             | Quarterly        | 140                                | 720          | 4200        |
| Total Dissolved Solids | mg/L             | Quarterly        | 3100                               | 2000         | 8600        |
| Standing Water Level   | m                | Quarterly        | 2.30                               | 6.42         | 1.62        |
| Cadmium                | mg/L             | Quarterly        | 0.0003                             | 0.0032       | 0.0005      |
| Copper                 | mg/L             | Quarterly        | <0.001                             | 0.015        | 0.004       |
| Lead                   | mg/L             | Quarterly        | <0.001                             | <0.001       | <0.001      |
| Zinc                   | mg/L             | Quarterly        |                                    | 0.95         | 0.1         |

| <b>* Unit of Measure Abbreviations</b> |       |
|--|-------|
| Metres                                 | m     |
| Microsiemens per centimetre            | µS/cm |
| Milligrams per Litre                   | mg/L  |
| Micrograms per Litre                   | µg/L  |

[Veolia Environmental Services Pty Ltd EPL 11436](#)

|   |
|---|
| <b>Licensee:</b>  |
| <b>Veolia Environmental Services (Australia) Pty Ltd<br/>Cnr Unwin &amp; Shirley Streets, Rosehill NSW 2142</b> |

|  |
|--|
| <b>Premises:</b>   |
| <b>Woodlawn Landfill<br/>Collector Road, Tarago NSW 2580</b> |